



GEOTECH

2023-2024

INDEX



GEOTECH

E BIKE & E-SCOOTER	01-02
P UMP	03-04
P UMP & H ELMET	05
H ELMET	06
T OOL	07-09
S ADDLE	10-11
L IGHT	12
S UNGLASSES	13
C OMPUTER WIRELESS &	
G LOVES & D ISC PADS &	
M UDGUARDS	14
P EDALS	15-16

S TEM & C LAMP & S EAPOST	17
G RIPS	18-19
C ABLE PARTS & B ACK MIRRORS	20
B AG	21
W ATER B OTTLES & B OTTLE CAGE	22
C ARRIER & B ELL	23
B ELL	24
B ELL & B IKE TRAINER	25
K ICKSTAND	26-27
L OCK	28

E-BIKE



E-snowbike26-200

Frame : 26" MTB Alloy
 Fork : HLO Shock Alloy
 Handle Bar/Stem : swallow Alloy
 Pedal : MTB Alloy / Saddle : city type
 Rim : 26" Alloy / Tires: 26"*4.0"
 Crankset : Prowheel 42T Crank Alloy
 Crfreewheel : Longcheng Tm-3008chn 8s
 Chain : KMC E8
 Shifters : Shimano SL-M315-8R 8 Speed
 Rear Derailleur : Shimano RD-TX800 8 Speed
 Brake Levers : Alloy
 Brakes : mechanical Disk Brake Alloy
 Motor : Chuanke 48V750W rear motor
 Battery : 48V 16AH, Disply : LCD
 Charger : 48V2A
 Sense : speed sensor / Light : 48V



E-foldbike20-400

Frame : Folding Alloy
 Fork : 20" Disk Alloy
 Handle Bar : straight Alloy / Stem : Folding Stem Alloy
 Pedal : Folding plastic / Saddle : city type
 Rim : 20" double wall / Tires: 20"*1.95"
 Crankset : 42T Alloy
 Crfreewheel : Shimano MF-TZ500 7 Speed
 Chain : KMC Z7
 Shifters : Shimano SL-M315 7 Speed
 Rear Derailleur : Shimano RD-TZ500 7 speed
 Brake Levers : Alloy
 Brakes : mechanical Disk Brake Alloy
 Motor : CBafang M800 middle motot 36V 250W
 Battery : 36V 10AH, Disply : LCD
 Charger : 36V2A
 Sense : speed sensor / Light : Cdilite 36V



E-trekking&city700C-250

Frame : 700C city alloy
 MOTORFork : 700C Shock Alloy
 Handle Bar: swallow Alloy
 Stem : adjustable angle Alloy
 Pedal : MTB plastic / Saddle : city type
 Rim : 700C double wall / Tires: e-Liner 700C*45C
 Crankset : FUSION-F335 38T
 Crfreewheel : Shimano CS-HG2009 11-32T 9 Speed
 Chain : KMC Z9
 Shifters : Shimano SL-M20109 9 Speed
 Rear Derailleur : Shimano RD-M370 9 Speed
 Brake Levers : Alloy
 Brakes : mechanical Disk Brake Alloy
 Motor : FUSION-F335 36V250W
 Battery : 36V10.4AH, Disply : LCD
 Charger : 36V2A
 Sense : FUSION-F335 / Light : Spanninga 12V

E-SCOOTER



SCO-031

Battery Type: 18650 TERNARY power battery
 Battery Capacity: 36V10Ah(Can be choose)
 Motor: 36V350W / Speed : "First Gear:10km/h / Second Gear :15km/h Third Gear :25km/h (Customized) "
 Max Range : 30-35km / Material Type : Aluminum alloy+Iron+ABS / Warranty : 1 year
 Drive system : Rear drive
 Brake : Front and rear brake+Power off brake
 Tire: 10 inch air tire. Folder: By hand
 Packing size: 125*25.5*61cm



SCO-032

Motor Power : 350W
 Speed: 15/25/31km/h(Adjustable)
 N.W Weight : 20KG / Max Distance : 42Km per charge / Max Load: 200KG Climbing Ability : ≤15° Water Proof: IPX4
 Tire : 10 inch / Brake : electric brake&disc brake / Led Display: Multifunction Display
 Charger Voltage: 100-240V/50-60HZ
 Charge Time : 4-7 Hour
 Battery : 36V/12.5AH(option)



SCO-033

Motor Power : 350W
 Rang per charge : 40km(75kg rider tested)
 Max Speed : 31km/h(speed adjustable)
 N.G Weight : 17/20KG / Max Load : 120Kg
 Climbing Ability : ≤15°/ Water Proof : IPX4
 Tire : 10 inch / Brake Front : E-brake/Behind:- Disc brake, Led Display Multifunction Display
 Charger Voltage : 100-240V/50-60HZ
 Charge Time : 4-6 Hour
 Unfolding Size : 118*50*111cm / Folding Size : 112*33*43cm / Battery: 36V/10AH



SCO-006

Motor Power : 350W
 Rang per charge : 28km(75kg rider tested)
 Max Speed : 31km/h(speed adjustable)
 N.G Weight : 15.8/18.5KG / Max Load : 120Kg / Climbing Ability : ≤15° / Tire : 8.5 inch/ Brake: Front E-brake/Behind Disc brake
 Led Display : Multifunction Display
 Charger Voltage : 100-240V/50-60HZ
 Charge Time 4-6 Hour / Unfolding Size : 118*50*111cm / Folding Size : 112*33*43cm / Battery : 36V/7.5AH



SCO-035

Motor Power : 100W
 Rang per charge : 6km(60kg rider tested)
 Normal Mode : 10KM/H / N.G Weight : 4/5.3KG
 Max Load : 100Kg / Climbing Ability ≤15°
 Tire : 6inch / Brake Mechanical brake
 Led Display no display / Charge Time : 2-4 Hour
 Unfolding Size : 81x40x90cm / Folding Size : 81x17x37cm / Battery : 24V/2.0AH



SCO-036

Motor Power : 250W / Tire size : 6.5inch (front/back)/ Tire type : Rubber tire / Max Speed
 First Gear : 12km/h / Second Gear: 20km/h /
 Max Loading : 120kg / Max Climbing angle : 15° :
 Type of Battery : lithium battery / Total Batteries
 Cap. (V/A) 36V5.0Ah / Max Range "20-22KM/
 Charing input : 110-240V / Material Type : Aluminum alloy+ABS / Brake : disc-brake



SCO-034

Controllor : 21.6Vdc 10A (current limiting)
 Meter : 21.6Vdc 1A (could be chosen)
 Motor : 21.6Vdc 90W 6inch- Max480rpm-Max-5N.M-EFF85%-No-load<0.8A / battery : 21.6Vdc 2.5AH
 Charger : Input100-240VAc 50-60HZ 1A Output 25.2V 0.5-0.85A / Foot : brake+electric, brake max load: 60kgs, Speed: 10kmh, single

Pump

GHP-035

Floor pump
 Material : Steel
 Pump w/base mounted gauge
 Two tone handle
 Reversible presta & schrader
 Durable steel barrel
 W/ Dunolp Valve Adapter Ball
 Pressure 160 Psi
 Color : Blue / Yellow / Red



GHP-036

Floor pump
 Material : Steel
 22" Floor Pump w/o gauge
 Reversible presta & schrader
 Durable steel barrel
 W/ Dunolp Valve Adapter Ball
 Color : Blue / Yellow / Red



GHP-062

Floor pump
 Material : Aluminum/Steel
 Size:φ3.8×58CM
 Max pressure: 160psi
 Color : Black / Red / Blue / Yellow



GHP-038

Floor pump
 Material : 6063 Aluminum
 27" Tubeless
 Alum Sleeve, steel handle
 Steel stamping base W/non-slip pad
 W/GCT-TU pump head
 W/little lever
 Fill in "TANK" on pump.
 Special design for tubeless tyre
 Pressure 260 Psi



GHP-013

Floor pump
 Material : Steel
 2-Tone Handle
 More Comfortable
 Stable Plastic Base
 Reversible Presta And Schrader 2.5" Gauge,
 W/ Dunolp Valve Adapter Ball
 Pressure 160 Psi



GHP-061

Floor pump
 Material : Steel
 size:φ3.8×58CM
 Max pressure: 160psi
 Color : Black / Red / Blue / Yellow



GHP-053

Floor pump
 Material : Steel
 3" Floor pump
 Max. pressure 180psi
 W/ECV econo clever vavle
 W/ Dunolp Valve Adapter Ball
 Color : Green / Blue



GHP-063

Floor pump
 Material : Aluminum/Steel
 size:φ3.8×58CM
 Max pressure: 160psi
 Color : Black / Red / Blue / Yellow



GHP-077

High pressure steel floor pump
 2.5"High mounted gauge, Durable steel barrel
 Ergonomic 2-tone soft touch handle
 W/ECV econo clever valve
 Max. pressure 160Psi



Pump



GHP-074

Mini pump
Material : Aluminum
Product size : $\phi 2.7 \times 29$ CM
Max pressure : 140psi
Color : Black / silver



GHP-064

Mini pump
Material : Aluminum
Product size : $\phi 2.7 \times 29$ CM
Max pressure : 140psi
Color : Black / silver



GHP-072

Mini pump
Material : Aluminum
Product size : $\phi 2.2 \times 20$ CM
Max pressure : 140psi
Color : Silver



GHP-067

Mini pump
Material : Plastic
Clever valve no more reverse for Presta and Schrader
2-Tone handle
Max pressure 120psi



GHP-070

Mini pump
Material : Aluminum
1.5" Dial gauge mini pump w/T handle
Clever valve no more reverse for Presta and Schrader Easy switch for High Volume/ High Pressure
Max pressure 80psi for High Volume
Max pressure 120psi for High Pressure



GHP-081

High Volume / High Pressure alum mini pump, Switchable mode for High Volume and High Pressure, Max pressure 80 psi for High Volume, 120 psi for High pressure, Alum barrel, Plastic lever and valve cap, Reversible for Presta and Schrader, Twist-lock system



GHP-065

Mini pump
Material : Aluminum
Product size : $\phi 2.7 \times 28$ CM
Max pressure : 120psi
Color : Black / silver



GHP-056

Mini pump
Material : Plastic
1.5" Dial gauge Mountain Mini pump Reinforced shaft and lever
Reversible Presta and Schrader
With Thumb-Lock lever
W/extractable hose, dust cap 11" length, Max. pressure 80 psi



GHP-055

Mini pump
Material : Aluminum
1.5" Dial gauge mini pump lever
Reversible Presta and Schrader
With Thumb-Lock lever
W/extractable hose, dust cap 10.5" length, Max. pressure 120 psi



GHP-057

Mini pump
Material : Plastic
Mini pump w/hose
Valve cap & shaft, w/thumb lock lever Reversible for Presta or Schrader
Max pressure 100psi



GHP-058

Mini pump
Material : Aluminum
Road Mini Pump W/Alum Gauge
All-around aluminum gauge hide inside, barrel and lever W/extractable hose,
Reversible presta and schrader 11" length,
Max. pressure 120 psi

Pump & Helmet



GHP-050

Mini pump
Material : Aluminum
12" Hi-polish Micro
Floor Pump w/Alum T
handle w/CNC gauge
Gauge on the hose
Reversible for Presta
and Schrader universal
hose rotating structure
Max. pressure 140psi
Operating like a Micro
Floor Pump



GHP-079

Twist-lock system
Alum CNC
handle, barrel and valve
cap
Extractable hose 7.5"
length
Max. pressure 120Psi



GHP-080

Alum STV valve: Screw-in
twin-valve for Presta and Schrader-
Twist-lock system
Alum CNC
handle, barrel and valve cap
Ex-
tractable hose
Econo all-round
gauge hide inside the handle
8.5
length
Max. pressure 120Psi



GHE-031

KIDS HELMET
Material : PC+Eps
285G-300G/Pcs
CE Pass
with adjuster
black EPS
(Inmold)



GHE-032

Material : PC+Eps
285G-300G/Pcs
CE Pass
with head lock and visor
(Inmold)



GHE-034

Material : PC+Eps
285G-300G/Pcs
CE Pass
with head lock and visor
(Inmold)



GHE-025

Material : PC+Eps
285G-300G/Pcs
CE Pass
With Head Lock and Visor
(Inmold)
Only one size



GHE-033

Material : PC+Eps
285G-300G/Pcs
CE Pass
with head lock and visor
(Inmold)



GHE-036

JUNIOR HELMET
Material : ABS+EPS
CE Pass
Black EPS
(Inmold)



GHE-024

Material : PC+Eps
285G-300G/Pcs
CE Pass
Black EPS
(Inmold)

Helmet



GHE-050
 Material : PC+Eps
 Material : in-mold
 285G-300G/Pcs
 CE Pass
 with head lock and visor

GHE-050-1
 Material : PC+Eps
 Material : Out-mold
 285G-300G/Pcs
 CE Pass
 with head lock and visor



GHE-038
 Material : ABS+EPS
 CE Pass
 Black EPS
 (Inmold)



GHE-028
 Material : PC+Eps
 285G-300G/Pcs
 CE Pass
 With Head Lock and Visor
 (Inmold)



GHE-051
 Material : PC+Eps
 Material : in-mold
 285G-300G/Pcs
 CE Pass
 with head lock and visor



GHE-027
 Material : PC+Eps
 285G-300G/Pcs
 CE Pass
 With Head Lock and Visor
 (Inmold)



GHE-052
 Material : PC+Eps
 Material : in-mold
 285G-300G/Pcs
 CE Pass
 with head lock and visor



GHE-029
 Material : PC+Eps
 285G-300G/Pcs
 CE Pass
 With adjuster
 (Inmold)



GHE-053
 Material : PC+Eps
 Material : in-mold
 285G-300G/Pcs
 CE Pass
 with head lock and visor

Tool



GHT-141

21 in 1 folding tool W/ Cr-V alloy arm &, NP sizes: hex 2 / 2.5 / 3 / 4 / 5 / 6 / 8 mm / T25 / flat 5 / PH1 / 2 , knife tire lever, chain tool, chain retainer, spoke wrench 12 / 14 / 15 / 16G, box wrench 8 / 9 / 10 mm



GHT-142

14 Function tool w/ CNC alloy arm, NP, chain tool sizes: hex 2 / 3 / 4 / 5 / 6 / 8 mm / T25 / flat / PH2, spoke wrench 14/15/16G/T30(Mavic)



GHT-133

14 Function Hex mm 2 / 2.5 / 3 / 4 / 5 / 6 / 8 +/- / T25 / 3.2 / 3.3 / 3.5 Spoke wrench



GHT-134

10 Function Hex mm 2 / 2.5 / 3 / 4 / 5 / 6 / 8 +/- / T25



GHT-139

11 Function tools hex 2 / 2.5 / 3 / 4 / 5 / 6 / 8 mm / PH2 / flat / T25 w/anodized alloy CO2 inflated valve, open & stop the air function for fitting Presta & Schrader, Cr-V material & CP finish



GHT-140

17 Function folding tool with Size : hex 2 / 3 / 4 / 5 / 6 / 8mm / T25 / flat / PH2, bottle opener, spoke wrench 12 / 14 / 15 / 16G/T30 (mavic spline) chain tool for available 7-11 speeds chain, knife



GHT-132

Cartridge B.B. tool Bottom bracket tool Shimano & ISIS Drive compatible Made of Cr-Mo steel. For use with 1/2" driver and 24mm spanner



GHT-138

Tire clamp is a outstanding design for install heavy duty tire



GHT-131

Freewheel Tool For Shimano® CS compatible cassettes and Center Lock disc brakes, Cr-V steel.



GHT-129

Freewheel Tool With comfortable handle and heat treatment for long use 9.10 speed



GHT-130

Freewheel Tool For Shimano® MF compatible freewheels & Campagnolo® cassettes & splined 12-tooth bottom bracket cups found on the square type spindle systems



GHT-127

For Shimano Professional selections of tool including 31 items



GHT-128

Bicycle Tire Lever & Bottle Opener 2 in 1 Functional Tool Set 3pcs of set Material: Nylon



GHT-137

Chain Splitter W/Rose Wood Handle / Double Driving Pin For Exchange & Repair, Use 7-11 Speed

Tool



GHT-150
Speedy Parking Stand
Wall Mount
Color : Black / White



GHT-159-1
For E-Bike Tool
Counter-ring Tool For Bosch
Active Plus System



GHT-158
For SRAM DUB Press fit
BB, PF92/BB30/PF30,
bike frame with 41mm,
42mm or 46mm shell



GHT-151
Made out of rice husks,
An agricultural waste product.
Can protect fork and your travel bag
For 15mm through axles.
Size : 97*45*45mm.



GHT-160
Bottom bracket tool
For installing and
removing the 12 notch
external BB bearing ,
SRAM® DUB™, Race
Face® Cinch™,
Rotor® BSA30, Zipp®
Vuma™, Hawk Racing
™ BB3086™



GHT-159
For E-Bike Tool
For Bosch System
2 in 1 wrench for Active/Performance line
and Active Plus system



GHT-156
12-PC T-bit set



GHT-161
Crank Locking Tool
For Rotor 3D+/3DF
crank locking 30mm axle



GHT-147
Co2 Tire inflators



GHT-155
1/4" DR adjustable torque
wrench (5-25NM)



GHT-167
1/4" DR. Adjustable Torque
Wrench, CP w/ Alu. handle, blow
molded case, Spec.: 2-24Nm,
hex3/4/5/6/8/10/T20/T25/T30
socket bits and 5mm L extension
Accuracy is within ±4%
Multifunctional Chain splitter
w/DP-02 driving pin for 7-13 speed
chain

Tool



GHT-146

13 function
2/2.5/3/4/5/6/8mm, T25, T30 Torx
+ & - screwdriver,
Co2 inflators, USA valve Key



GHT-148

19 Function
Hex key CNC: 2/2.5/3/4/5/6/8mm,
Torx: T25
Phillips #2 & flat screwdriver
Wrench: 8/10mm
Spoke tool: 3.3/3.45/4.0, Mavic,
Chain tool, Tire lever 2pcs



GHT-152

Adjustable wrench
folding tool
Size: open wrench
8-17mm, hex 4/5/6mm,
T25/ph2/flat5



GHT-153

Torque Screwdriver 2-8
Nm with 12pcs 1/4" 25mm
Bits: hex2/2.5/3/4/5/6mm/-
flat5/PH2/T10/20/25/30
±6% accuracy (CW)



GHT-162

Hydraulic Disc Brake
Hoses Cutter



GHT-157

Essential Torque Wrench
1/4" driver, range : 2-10NM Patented



GHT-154

Multi-tools with classic
patch repair kit:
2 round+4 oval +1 tire boot
+1 rubber adhesive



GHT-166

Tubeless tire repair tool
(including plug :
1 5mm*50mm 5pcs/sht ·
3.5mm*50mm 5pcs/sht)



GHT-168

Adjustable and Foldable Preset
Torque Wrench with the range
4, 4.5, 5, 5.5, 6 Nm including 18mm
L bits hex 2.5, 3, 4 & 5 mm

Saddle



GSA-063

Base Single Density
Fill AirForm
Rail : Steel
Size : 252 x 152 mm
Weight : 337g



GSA-064

Base Single Density
Fill AirForm
Rail : Steel
Size : 253 x 143 mm
Weight : 318g



GSA-065

Base Single Density
Fill High Density
Rail : Steel
Size : 267 x 158 mm
Weight : 357g



GSA-066

Base Single Density
Rail : Steel
Size : 248 x 168 mm
Weight : 351g



GSA-067

Vacuum Saddle
Base Single Density
Rail : Steel
Size : 270 x 199 mm
Weight : 486g



GSA-073

Base PP
Foam High Density
Rial Steel
Size : 267 x 145 mm



GSA-074

Base PP
Foam High Density
Rial Steel
Size : 267 x 145 mm



GSA-075

Base PP
Foam High Density
Rial Steel
Size : 260 x 210 mm

Saddle



GSA-082

Mosaic Vinyl blk cover
Size : 280*170mm



GSA-083

Mosaic Vinyl blk cover
Size : 246*156mm



GSA-084

Mosaic Vinyl blk cover
Size : 273*170mm



GSA-085

Mosaic Vinyl blk cover
Size : 270*140mm



GSA-072

Base Nylon + Fiber
Foam Light Foam
Rail : Steel
Size : 255 x 155 mm



GSA-076

Mosaic Vinyl blk cover
Size : 277*146mm



GSA-077

Matte Vinyl blk cover
Size : 277*146mm



GSA-079

Mosaic Vinyl blk cover
Size : 275*145mm



GSA-080

Mosaic Vinyl blk cover
Size : 280*156mm



GSA-081

Mosaic Vinyl blk cover
Size : 275*145mm



GSA-068

Size : 278*196mm
HR / GEL



GSA-069

Size : 295*220mm
HR / GEL



Light



GLI-052

USB Front Light
Hi-Power Rechargeable Headlight, 5 Watt LED, Black Color, 5 Modes: Low / Mid / High / Flashing / Daytime Flashing, W/Bracket, USB Cable, Lithium-ion Polymer Battery Included



GLI-053

USB Rear Light, 18 Chips COB LED, 4 Modes: Constant/ Flashing1/ Flashing2/ Daytime Flashing, W/Standby Mode, W/Bracket and USB Cable, Lithium-ion Polymer Battery Included



GLI-054

Rechargeable Rear Light, 15 chips Red COB LED, 6 Modes: Low Beam/ High Beam/ Flashing 1/ Flashing 2/ Flashing 3/ Daytime Flashing, W/Bracket and USB Cable, Lithium-ion Polymer Battery Included



GLI-051

USB Rear Light, 42 Chip COB LED, 7 Modes : Low/ High/ Flashing1/ Flashing2/ Flashing3/ Flashing4/ Daytime Flashing, Lithium ion polymer Batter Included Water resistant Light Output : 40 lumens



GLI-050

USB Rear Light, 38 Chip COB LED, Light Output : 20 lumens



GLI-046

USB Front & Rear Light
Included 1 White LED Front Safety Light / with Black Aluminum Case
1 Red LED Rear Light with Black Aluminum Case
3 Modes, W/ Helmet Mount
Lithium-ion Polymer Battery Included
Light Output: 50 lumens / Rear 15 Lumens
Color : Black / Blue / Gray / Red / Silver



GLI-047

USB Front Light
Rechargeable Headlight
3 Watt White LED
Light Output : 100 lumens
Color : Black / Gray / Silver



GLI-049

USB Front Light
Hi-Power Rechargeable Headlight
10 Watt White LED
Light Output : 500 lumens super bright



GLI-048

USB Front Light, 1 LED
Light Output : 100 lumens
Color: Black



GLI-044

USB Rear Light, 2 Red LED
Light Output : 8 lumens



Sunglasses



GSU-043A

Color : Matt black
Clear PET Box



GSU-043B

Color : Shiny white
Clear PET Box



GSU-044A

Color : Shiny black
Clear PET Box



GSU-044B

Color : Shiny white
Clear PET Box



GSU-044C

Color : Shiny red
Clear PET Box



GSU-045A

Color : Shiny neon green
Clear PET Box



GSU-045B

Color : Shiny white
Clear PET Box



GSU-045C

Color : Shiny blue purple
Clear PET Box



GSU-046A

Color : Shiny blue
Clear PET Box



GSU-047A

Color : Shiny orange
Clear PET Box



GSU-048A

Color : Shiny green
Clear PET Box



GSU-049A

Color : Rubberize black
Clear PET Box



GSU-051A

Color : Shiny pearl white
Clear PET Box



GSU-052

Color : Green Lake
Clear PET Box



GSU-053

Color : shiny crystal,
hotdye marble
Clear PET Box



GSU-054

Color : shiny crystal,
hotdye marble
Clear PET Box



GSU-055

Color : water transferAm-
erican style
Clear PET Box



GSU-056

Color : shiny crystal
darkblue 302C.white-
back spray
Clear PET Box



GSU-057

Color : shiny crystal
fluori-green
Clear PET Box



GSU-058

Color : shiny crystal, hotdye
marble
Clear PET Box



GSU-059

Color : shiny crystal,
hotdye marble
Clear PET Box

Computer/Wireless



GCC-023

GCC-023-A
Wired 8 Functions
GCC-023-B
Wired 11 Functions
GCC-023-C
Wired 15 Functions
Color : Black / White



GCC-028

GCC-028-A
Wireless 8 Functions
GCC-028-B
Wireless 11 Functions



GCC-027-A

Wired 11 Functions
Color : Black



GCC-031

GCC-031A
Wired 8 Functions
Color : White
GCC-031B
Wired 11 Functions
Color : White



GCC-032

GCC-032A
Wireless 8 Functions
Color : White
GCC-032B
Wireless 11 Functions
Color : White

Gloves



GGL-008

Material : Spandex, Amara, Terry, GEL insert, Silicone
Size : XS ~ XXL



GGL-009

Material : Sensefil, Lycra, Lycra mesh, Towel, Polyurathane
Size : XS ~ XXL



GGL-010

Material : Front Amara material, 3D Mesh Ventilation, Nonslip Silicon, Gel Foam Padding.
Size : XS ~ XXL



GGL-011

Material : Amara, soft shell material and silicone printing
Size : XS ~ XXL

Mudguards/Fenders



GMU-016

For 26"-29" ATB, MTB bikes
Front angle adjustable size Ø15-30mm
Material : P.P / TPR



GMU-017

For 26"-29" ATB, MTB bikes
Material : P.P / TPR

Brake shoes & Disc Pads


GBS-030

4 Function in 1 Brake Pads - For Alloy Rim
The pad is compatible with 4 different shoes: Standard Shimano, Shimano Direct Mount, Standard Campagnolo and Campagnolo Direct Mount.
The surface design provides excellent braking performance, and is suitable for all weather use.



GDP-029

Air Thermal Disc Brake Pads
Aluminium backing plates, Organic Compound SHIMANO XTR (BR-M985/BR-M9000/BR-M987), XT (BR-M8000), ALFINE BR-S700, SLX BR-M675, XT BR-M785, DEORE (BR-M615/R785)





Pedal



GPE-047

Body : Aluminum 6061
4D CNC machined / anodized
Axle : Cro-Mo / CNC machined
Germany Self-lubricating
bearings+Sealed-ball bearings
Size : 93 x 115mm



GPE-060

EPB System - Low Profile
Resin Platform
Body : PP Resin
Axle : 7mm Boron Steel
Bearings : EPB System
Size 110 x 100.5 mm



GPE-062

EPB System - City Pedal
Body : PP Resin
Axle : 7mm Boron Steel
Bearings : EPP
Size 111 x 84 mm



GPE-063

Low Profile Platform
Body : Die Cast Aluminum
Axle : 7mm Boron Steel
Bearings : EPB
Size 113.5 x 110.5 mm



GPE-064

For Downhill / BMX / Fix-gear
Body : Nylon Fiber
Spindle : Cr-Mo
Size : 110 x 112 mm



GPE-075

Size : 100 X 101 mm(TW)
Bearing : Roller & Double sealed
ball bearings
Bidy : Coated aluminum
Axle : CNC machined Cr-Mo
Weight : 435g



GPE-077

Size : 85.3 X 88.5mm(TW)
Bearing: Roller & Double sealed
ball bearings
Bidy : Nylon body
Axle : CNC machined Cr-Mo
Weight : 398g



GPE-066

For Downhill / BMX
Body : Nylon Fiber
Spindle : Cr-Mo
Size : 110 x 125 mm
Color: Mix



GPE-055

Body : Alloy Extrusion CNC
finished
Bearing : 1DU+1 Sealed
Spindle : Cr-Mo
Size : 100 x 100 x 18mm



GPE-065

For Downhill / BMX
Body : Nylon Fiber
Spindle : Cr-Mo
Size : 110 x 125 mm



GPE-059

Body die-cast aluminum
body with kraton inlaid
Axle Cnc-machined Cr-Mo
Bearing Isl bushing & sealed
Size 109x89mm



Pedal



GPE-067

Body : Aluminum
Spindle : Cr-Mo
Bearing : Sealed
Size : 99.5 x 80 x 20 mm



GPE-068

Body : Aluminum
Spindle : Cr-Mo
Bearing : Sealed
Size : 95.5 x 80 x 22 mm



GPE-069

Body : Aluminum
Spindle : Cr-Mo
Bearing : Sealed
Size : 93.2 x 80 x 22 mm



GPE-070

Body : Aluminum
Spindle : Cr-Mo
Bearing : Sealed
Size : 108 x 100 x 26.5 mm



GPE-071

Body : Aluminum
Spindle : Sealed
Size : 112 x 100 x 25.4 mm



GPE-072

Body : Aluminum with kraton top
Spindle : Boron
Bearing : Polymer bearing
Size : 106.8*109.4*26.2mm



GPE-073

Body : Aluminum with kraton top
Spindle : Boron
Bearing : Polymer bearing
Size : 114.3*82*29.2mm



GPE-074

Body : Aluminum
Spindle : Boron
Bearing : Polymer bearing
Size : 114.3*82*26mm

STEM



GST-017

6061 3D AHEAD
DIA.: 28.6mm, B.B.: 31.8mm
ANGLE: -7°EX-
T:70/80/90/100/110/120mm
S. P. Black



GST-018

6061 3D Ahead Adjuster
DIA : 28.6/28.6mm
L: 120mm



GST-013

Electric Bike
Stem for "BOSCH KIOX / Exclusively
adjusted BOSCH KIOX holder 2D Forge
Material : AL-6061-T6
Color : S.b Black
Calbre : Ø28.6mm x 31.8mm
Extension : 110mm
Angle : 0° ~ +60°



GST-014

Electric Bike
Stem for "BOSCH KIOX / Exclusively
adjusted BOSCH KIOX holder 2D Forge
Material : AL-6061-T6
Color : S.b Black
Calbre : Ø28.6mm x 31.8mm
Extension : 90mm
Angle : every teeth is -5° or + 5°

CLAMP



GCL-002

6061 CNC DUAL SECURITY
DIA. : 27.2 x 31.8mm
31.6 x 34.9mm
Color : CNC SIL./BK.

SEATPOST



GSP-001

Suspension Seat Post
Material : Alloy 6061
Dia : 27.2/30.9/31.6mm
Length : 350mm
Travel : 20mm
Parallelogram system



GSP-002

Material : AL-6061
Dia / Length : 22.2 x 300 mm
Offset : 16.7 mm



GSP-003

014 TUBE PLUS 6061
FORGED HEAD
D27.2mm X L300mm

CLAMP



GCL-003

6061 CNC DUAL SECURITY
DIA. : 27.2 x 30.6/31.8mm
30.9 x 31.6/34.9mm
31.8 x 35.1mm
Color : CNC SIL./BK.

Grip



GRR-095

Size : 127 mm



GRR-100

Size : 138mm
W/microtech texture
One piece Plastic Clamp
Material : Hard Plastic Black/Gel



GRR-101

Size : L 140mm
W/MicroTech Textube
Aluminum Clamp
Material : Hard Plastic
Color:black/vexk black



GRR-102

Size : 130 mm



GRR-103

Size : 130 mm



GRR-105

Size : 127 mm



GRR-106

Size : 131 mm



GRR-084

Material : Kraton / Gel
Key point : Double
Density
Vis : W/O Vise
Sizw : 131.6 mm



GRR-093

Material : Rubber
Size : 136 mm



GRR-092

Material : Rubber
Clamp : Aluminum Clamp
Size : 134 mm



GRR-088

Size : 128 mm
W/ Anodized
Aluminum Clamp



GRR-104

Size : 128 mm



GRR-091

Material : PP/TPR
Clamp : PP Clamp
Size: 130mm



GRR-090

Material : PP/TPR
Clamp : Aluminum Clamp
Size : 130 mm



GRR-089

Size : 130 mm



GRR-079

Material : Silicone
Size : L 130 mm
Color : Red / Blue /
Pink / Yellow / Green



GRR-083

Size : L 128 mm
W/ Anodized
Aluminum Clamp



GRR-080

Material : Rubber
noctilucnt
Size : 126mm



GRR-082

Size : L 128 mm
W/ Anodized
Aluminum Clamp
Material : Rubber

GRIP & GRIP TAPE



GGR-108

Material : Hard Plastic/VEXK
 Key : Double Density
 Spec : 22.4mm , 135/135mm



GGR-109

Material : Hard Plastic/VEXK
 Key : Double Density
 Spec : 22.4mm , 133/133mm



GGR-110

Material : 100% Silicone
 Spec : 19.5mm , 130/130mm



GGR-111

Material : Silicone Foam
 Key : Double Density,
 Microtech Texture
 Spec : 22.4mm ,
 128.5/128.5mm



GGR-112

Texture : PU Print Pattern
 Key point : Nano Finishing



GGR-113

Texture : TPU
 Key point : 2D Rainbow,
 Two-Tone



GGR-114

Texture : Diamond pattern,
 ELASTOMER
 Key point : Super Anti-slippery,
 Durable



GGR-115

Texture : Weaving process
 Key Paint : Anti-slippery



GGR-107

Size : 160 x 3 cm
 Material : PU+Eva
 Foamed



Cable Parts



GCP-020

Size : Ø140mm
1PC stainless steel Rotor with 6 mounted screws
Weight: 68g



GCP-022

Size : Ø160mm
Super Light 1PC stainless steel Rotor With 6 mounted screws
Suitable for light weight cross-country
Weight: 73g



GCP-023

Size : Ø180mm
Super Light 1PC stainless steel Rotor With 6 mounted screws
Suitable for light weight cross-country
Weight: 104g



GCP-021

Adaptor(27g)
Converts hubs with Shimano centerlock to fit 6 bolt standard discs. For 9/10/12/15/20mm Through Axle And also compatible with most Disc-Brake Equip ped Road Bikes.



GCP-019

Cable Adjuster

GCP-018

Cable Adjuster M6*14mm

Back Mirrors



GBM-018 L/R

Blast-resistant safety lens
Clear Sharp reflection
Anti-glare coating
Wide-angle rear view
Lens : Eco-friendly impact resistant fiber-reinforced Nylon Blast-resistant safety glass lens with anti-glare coating hardness 6 on Mohs scale
Color : Silver



GBM-020 L/R

Frame & arm Eco-friendly impact resistant fiber-reinforced nylon of 22.2mm in diameter Lens: Blast-resistant safety glass lens with anti-glare coating hardness 6 on Mohs scale
Color: Silver



GBM-021 L/R

Frame & arm Eco-friendly impact resistant fiber-reinforced nylon Clamp High strength aluminum alloy Use Fits bikes with a flat handlebar of 22.2mm in diameter Lens Blast-resistant safety glass lens with anti-glare coating hardness 6 on Mohs scale, Color: Silver



GBM-024 L/R

Frame & arm Eco-friendly impact resistant fiber-reinforced nylon of 22.2mm in diameter
Lens : Blast-resistant safety glass lens with anti-glare coating hardness 6 on Mohs scale



GBM-023 L/R

Frame & arm Eco-friendly impact resistant fiber-reinforced nylon of 22.2mm in diameter
Lens : Blast-resistant safety glass lens with anti-glare coating hardness 6 on Mohs scale



GBM-025 L/R

Fits Flat handlebars with an inner diameter of 17-21mm
Shatter-proof, scratchproof lens
Anti-glare clear rear view
Strong Nylon structure
Stylish design



GBM-019

Lens : Eco-friendly impact resistant fiber-reinforced Nylon Blast-resistant safety glass lens with anti-glare coating hardness 6 on Mohs scale
Clamp : High strength aluminum alloy
Use : Fits bikes with a flat handlebar of 22.2mm in diameter
Use : Fits bikes with a flat handlebar 22.2mm in diameter



GBM-015

For Road Bike
Lenses:
Stainless (Diameter 68mm)
Material: Nylon+Fiber (Eco-Friendly High Impact)
Color : Black / Orange / Green



GBM-016

For Road Bike
Lenses : High-definition, blast resistant, anti-glare glass (62mm diameter)
Material : Eco-Friendly High Impact Nylon + Fiber
Application : Flat handlebars and drop bars within 16mm~22mm diameter bar ends Universal design for left and right
Color: Silver lens



Bags



GBA-046

Material : Alloy
 Size : No effect on length
 Wide : flexible 12cm-15cm(soft bag)
 Seat Bag Stabilizer
 To support the Seat Bag and prevent it shaking and swinging, at the same time, can put the bottle cages and tail light on the stabilizer to be more functional and convenient.



GBA-044

Material : 1680D Nylon
 Size : L 13.5 x W 9 x H 8.5 cm
 Saddle Bag



GBA-045

Material : 1680D Nylon + Tarpaulin + PVC
 Size : L 19.5 x W 9.5 x H 8 cm
 Top Tube Bag



GBA-036

Seat Bag
 Material : Water Resistant 600D Polyester
 Cargo Capacity : 0.6L
 Attachment : Velcro straps
 Size : L 18 x W 7 x H 8.5 cm



GBA-038

Material : water resistant 600D polyester
 Dimension : 23 x 10 x 10cm
 Cargo Capacity : 1.4L
 Attachment : Velcro strap
 Seat Bag



GBA-047

Series - Frame Bag
 Available Attachment Velcro Fastening
 Material : 600D Polyester + 1200D Nylon + Tarpaulin
 Size : 43.5 x 5 x 14cm



GBA-049

Saddle Bag
 Available Attachment Velcro Fastening
 Material : 600D Polyester + 1200D Nylon + Tarpauline
 Size : 57 x 17 x 20cm
 Capacity : 6000 ml
 Weight : 340g



GBA-043

Material : 1680D Nylon + Tarpaulin
 Size : L 9 x W 10 x H 19.5 cm
 Saddle Bag



GBA-031

Frame Bag
 Material: water resistant 420D Polyester
 Dimension: 42 x 12 x 26 x 18 x6(w)cm
 Cargo Capacity: 2.9L
 Attachment: Velcro strap



GBA-050

Frame Bag
 Available Attachment Velcro Fastening
 Material : 1680D Nylon + Tarpaulin
 Size : 44 x 6 x 14cm
 Capacity : 2800ml
 Weight : 175g



GBA-030

Hydration Backpacks
 Material : water-resistant 600D Polyester
 Dimension : 47.0 x 28.6 x 8.9 cm
 Total capacity : 3.5 Ltr.
 Hydration capacity : 1.5 Ltr
 W/1.5ltr. TPU Bladder



GBA-048

Handlebar Bag
 Available Attachment Buckle Fastening
 Material : 600D Polyester + 210D Nylon + 1200D Nylon
 Size : 28 x 0.5 x 46.5 cm
 Capacity : 8400ml
 Weight : 350g

Water & Bottles Cages



GBC-070
Capacity : 450 c.c.
Mini TPR Nozzle(Mouth)
Material : PP



GBC-072
Capacity : 750cc
Material : PE



GBC-077
Bottle Cage With Tool
Material : Nylon+Glass Fiber
Color : Black / Red / Green / White



GBC-078
Material : Plastic
Color : Black / White



GBC-061
Material : PP



GBC-067
Material : Alloy



GBC-071
Available 350ml ~ 1000ml
All bottle size are available
Material : Adjustable Cage



GBC-056
Material : Alloy



GBC-057
Material : Alloy



GBC-054
Double Side bottle cage
Material : Alloy
Color : Black / Silver



GBC-058
Plastic Cage Adapter
φ22.2mm~φ31.8mm
adjust vertical or lateral direction when it fits on the handle bar or stem



GBC-055/GBC-055-1
Material : 304 Stainless Steel
Capacity :
GBC-055: 350 c.c
GBC-055-1: 600 c.c



GBC-069
Material : plastic raw color the special design to change 3 pieces by an "8" plastic part recommend for standard bottle and pet bottle color: blue / red



GBC-068
Material : plastic the special designed to change right or left load by an "L" plastic part color: blue / red / yellow

Carrier/Bell



GRC-008

Alloy front basket carrier
With wood plate and
support extensions



GRC-010

Mudguard carrier
Material : alloy
Size : 26"-29" adjustable
Finish : powder coated
Material : PET
Mudguard width : 60 mm
Color : black



GBE-057

Material : Brass top with plastic base
Dome Size : 34mm
Weight : 41g
Handlebar size : 22.2 or 25.4mm
Color : Brass / ED Black / Sky Blue / Light pink / Spring Green



GRC-011

Front carrier (Expandable
wing)
Material : alloy
Size : 26"-29" adjustable
Finish : powder coated
Color : black



GRC-007

New Type fitting set
Folding Rack
Material : alloy
Size : 26" ~29" adjustable
Finish : Powder coated
Weight : 910g



GBE-058

Material : Brass top with plastic base
Dome Size : 34mm
Weight : 49g
Handlebar size : 22.2mm or 25.4mm
Color : Brass / Sky Blue / Light pink / Spring Green



GRC-014

Material : Aluminum 6061
Weight : 0.8kg
Max load : 25kg
Size : 700C or 28"
W/Alloy Single Bracket
(in black or silver) -- inner
R365



GRC-015

City comp adjustable stay
Alloy rear rack
Material : Aluminum 6061
Weight : 0.57kg
Max load : 25kg
Size : Adjustable 24" - 28"



GRC-012

Front carrier
Material : alloy
Size : 26"-29" adjustable
Finish : powder coated
Color : black
W/O belt



GRC-007-1

For Disc Brake
New Type fitting set
Folding Rack
Material : alloy
Size : 26" ~29" adjustable
Finish : Powder coated
Color : Black

BELL



GBE-048

Diameter
Material : Alloy top, plastic base
Color : Silver / Black



GBE-052

Diameter
Material : Alloy top, plastic base
Dome Size : 32mm
Handlebar Size : 22.2mm
Color : Silver / Black



GBE-050

Size: 28 mm
Alloy top and plastic base
With adjustable strap
Suit for: 22.2~36.2 mm
Color : Silver



GBE-061

Material: Alloy top with plastic base
Dome size: 45mm
Function: The monster wonderland bicycle bell is a cute decoration for any bicycle. You also ensure that you are more audible in traffic
Handlebar size: 22.2mm
Color : A~C



GBE-059

Material : Alloy top with plastic base
Dome size : 45mm
Function : This bell is made for E-bike, The sound is above 90 decibels. We use special design for strong lever connection. The hammer does not bend easily
Handlebar size : 22.2mm
Color : ED Black / Silver



GBE-060

Material : Alloy top with plastic base
Dome size : 45mm
Function : This bell is made for E-bike. The sound is above 90 decibels. We use special design for strong lever connection. The hammer does not bend easily
Handlebar size : 19.2-31.8mm
Color : ED Black / Silver



GBE-062

Material : Alloy top/brass top with base.
Dome Size : 40mm
Handlebar size : 22.2 or 25.4mm
Weight: 41g/25.4mm
Weight: 41g
Color : Black

Bell



GBE-063

Material : Brass / Aluminum
Japan-made bell spring
Fit 22.2 mm handlebar
Color : Black / Silver



GBE-064

Frog horn,
size:66*80mm pp neon body
with rubber bulb,
quick release bracket



GBE-045

Dome Size : 42mm, Total Width 28mm
(take Up Space Of Handlebar)
Material : Brass Top, Plastic Base
Color : Brass / silver / black
Operation : Knocking
Special Design : Install Into Handlebar,
Great Sound And Neat Looking



GBE-041

Egg Bell
All Plastic surface
Size : 42mm
Color : White



GBE-042

Egg Bell
All Plastic surface
Size : 42mm
Color: Gold

Bike trainer



GBE-046

Mini brass bell,
Size : 28mm brass top and
plastic base with adjustable
strap,Color:Gold



GBE-047

Mini brass bell,
Size : 30mm brass top and
plastic base with adjustable
strap,Color:Gold



GBE-043

Material : Brass dome
Dome size : diameter 21mm
Size : 22.2mm



GKS-044

Bike trainer
Material : Steel
Size : 26/27.5/29
W/ Front Wheel plastic
and quick release
Color : Black / White /
Red / Yellow / Blue



GKS-027

Bike trainer magnetic wheel
Material : Steel
Size : 26/27.5/29
W/ Front Wheel plastic and
quick release
Color : Black / White / Red /
Yellow / Blue



GKS-051

Size : 26 / 27.5 / 29 / 700C
Color :
Silver+ Blue / Silver+ Red /
Silver + Black Bike trainer
Material : Steel
W/ Front Wheel plastic
And quick release



GKS-029

Bike trainer magnetic wheel
Material : Steel
Size : 24/26/27.5
W/ Front Wheel plastic and
quick release
Color : Silver + Blue
Silver + Black



GKS-030

Roller Bike Trainer
Material : Aluminum Alloy
Color : Gold / Black / Red / Blue



Kickstand



GKS-035

Two-legs kickstand
Feature : Could attach on E-bike/ trekking bike.
Both legs fold up to one side to avoid touching the chain
Material : Alloy / Color : Black
Size : Adjustable 24"-29"



GKS-033

Rear Kickstand
Size : Adjustable 26" - 29"
2 Holes 40mm Diameter
W/ Steel bolts
Color : Black



GKS-036

Rear Kickstand
Material : Alloy
Size : Adjustable 24"-29"
Color : Black



GKS-032

Center Kickstand
Size : Adjustable 26" - 29"
W/ Steel Top Plate & Steel Bolts
Color : Black



GKS-034

Rear Kickstand
Size : Adjustable 20" - 29"
2 Holes 18mm Diameter
W/ Steel bolts
Color : Black



GKS-046

Alloy Rear Kickstand
2 Holes 40mm Diameter
W/ Sus bolts
Size : Adjustable 24" - 29"
Color : Black



GKS-049

For E-BIKE
Two holes side kickstand
Material: Alloy
Size: 24"-29" adjustable
Finish: Powder coating
Hole distance: 40mm
Color: Black & Silver



GKS-048

For E-BIKE
Material: Alloy
Size: 24"-29" adjustable
Finish: Powder coating
Color: Black & Silver



GKS-022

Rear Kickstand
Powder Coating
Size : Adjustable 26" - 29"
Hole distance : 18mm
Color: Black



GKS-023

Rear Kickstand
Powder Coating
Size : Adjustable 26" - 29"
Hole distance : 40mm
Color: Black



GKS-024

Rear Kickstand
Material : Alloy
Size : Adjustable 24"-29"
Color : Black



Kickstand



GKS-046

Alloy Rear Kickstand
2 Holes 40mm Diameter
W/ Sus bolts
Size : Adjustable 24"-29"
Color : Black



GKS-055

Material : Alloy top with alloy leg
Adjustable size : 24"-28", 26"-29"
Max load : 35kg



GKS-052

Material : Alloy with alloy leg
Adjustable size : 26"-29"
Dia : 18mm
Max load : 25kg



GKS-053

ALLOY REAR KICKSTAND
ADJ. 26"-29"
2 HOLES 18MM Diameter
W/SUS BOLTS



GKS-054

ALLOY REAR KICKSTAND
AJD 24"-28"
2 HOLES 40MM Diameter
W/SUS BOLTS



GKS-025

Rear Kickstand
Material : Alloy
Size : Adjustable 24"-29"
Color : Black



GKS-043

aluminum base
360 degree
rotated head
height adjustable



GKS-031

Two holes kickstand adapter on QR
Material: Alloy
Hole distance: 18/ 40 mm
Weight: 70g



GKS-038

Foldable Display Stand



GKS-045

Foldable Display Stand
For 20"-29"

Lock



GLO-025

Mini Ulock
 Material: Steel
 Size: 105mm x 100mm
 COLOR : Gold / Silver /
 Blue / Red / Orange / Black



GLO-026

Material: Steel
 Size: 105mm x 180mm
 COLOR : Gold / Silver /
 Blue / Red / Orange / Black



GLO-022

Key Cable lock



GLO-023

12mm shackle, with
 bracket
 SIZE: 110 x 230mm
 110 x 300mm



GLO-024-1

heavy duty chain lock
 SIZE: 6T x 36"
 6T x 48"



GLO-024-2

heavy duty armor lock



GLO-016

W / bracket
 Material : Zinc Alloy, Plastic,
 Steel, Copper
 12 mm Steel Shackle to
 Resist Hand Tools
 Easy-to-use reversible key
 Color : Red / Yellow / Pink /
 Blue



GLO-017

4 digit resettable combination
 chain lock
 Size : 4mm x 120cm
 Color : A ~ F



GLO-018

4 digit resettable combination
 chain lock
 Size : 4mm x 120cm
 Color : A ~ F



GLO-019

Reversible key, Easy to use
 Size : 4mm x 120cm
 Color : A ~ F



ProSuperGo

OFFICE : 3F, NO.21, YUNG-FU STREET SAN CHUNG
DISTRICT 24156 ,NEW TAIPEI CITY, TAIWAN

FAX NO : 886-2-22868595

PHONE : 886-2-22861939, 22874013, 22801645

E-mail : psupergo@ms5.hinet.net

www.prosupergo.com.tw / www.geotechbikes.com

GEO TECH

2023-2024