

Excellent Cycles

ProSuperGo

Product Catalogue 2012-2013



INDEX

LIGHT	01
BELL & HORN	02
WATER BOTTLE & BOTTLE CAGE	03
LOCK & BACK MIRROR	04
HELMET	05
SADDLE	06
TOOL & ACCESSORIES	07
HANDLE GRIPS	08
HANDLEBAR TAPE & BAG	09
PUMP	10
MUDGUARDS & CHAIN COVER	11
REAR CARRIER	12
KICK STAND	13
DISC BRAKE & BRAKE SET	14
BRAKE LEVER & BAR END	15
BRAKE SHOES & CHAIN	16
SEAT POST & CYCLE COMPUTER	17
HANDLE BAR	18
STEM	19
PEDAL	20
CHAIN WHEEL	21
HEAD PARTS & B.B.PARTS & CLAMP & QUICK RELEASE	22



Light



6541000
White + 3 red LEDs / 2+2 functions



6541001
Hi-Powre. 1 watt LED headlight. Low beam. Low battery indicator.



6541002
1W LED / ON-OFF Functions



6541003
5W LED / 2 Functions



6541004
1W LED/2 Functions



6541005
2*1W LED/ 3 Functions



6541006
113mm*45mm, lamp body: 68g body



6541007
Safety light. (5 Color). Mode : Steady/blinking.
Size: H: 38 W: 28 D: 18mm. Dia: 15-35 mm.
Run time: More than 100hrs




6541008
Size : L63 x W38 x H47mm. Super bright LEDs.
Suitable : Tube Diameter 22-34m. Modes: Flashing
80 Hrs > chasing 55 Hrs > steady 30 hrs > OFF



6541009
USB Rechargeable. front or rear LED light
. 73*56*18mm



6541010
1 White LED. 1 RED LED. Color: BK+BK, BK+RED,
BK+GN, WH+PK, WH+BU, WH+BK, WH+GY



6541011
1* 4.8mm LED, 2 Function,
107mm(L)40mm(W)20mm(H), 16g



6541012
5 RED LEDs/4 Functions



6541013
Battery tail light, AAA*2
35mm(L)35mm (W)
70mm(H), PC.



6541014
Stop light, auto light, auto wakeup ,
super bright , runtime , flash modes,
green product



6541015
5 Red LED rear safety light
5 Yellow LED front safety light



6541016
Battery tail light. AAA*2
63mm(L)55mm(W)32mm(H)



6541017
5 Red LED carrier light,
19/50mm



6541018
5 Red LED rear light



6541019
LED : 1 Half watt and 2
clear/red LEDs. 2x0.5w+
2x5mm LEDs / 2 functions



6541020
LED : 5 Red LEDs .
Body color: White/ black body



6541021
2 LEDPower: 2" CR2032" / 3.0V battery
(white , blue , green) 1" CR2032" / 3.0V
battery (red) 2 LED



6541022
2 LED illumination Flashing & steady
mode. Strap & clip included Power :
1" CR2032" / 3.0 V battery



6541023
CPSC approved reflector 3 LED
illumination Flashing & steady mode.
Strap & clip included. Power: 2" AAA"
/ 1.5V battery



6541024
LED : 1 Half watt and 2 clear/
red LEDs. Lens. color:
Clear/red



6541025
Handle bar ends light Motio
sensor. Water resistant.
Direct plug-in design



6541026
Mini USB Rechargeable LED light .
54*40*18mm, black or white



6541027
LED x 1. Power " CR2032"
3.0 V Battery




6541028
flashing band


Bell & Horn



635760
Big bell/
fancy light



A



B



C



D



E



F



G



H



I

635761
Big bell /
Beautiful pattern



635762
Brass bell. Brass
top and plastic
base. With two
brass clappers.



635763
Mini bell. Material: Alloy dome
with plastic base and lever.
Size: 22.2 mm. Color: black &
silver. Operation: Knocking,
single sound



635764
Material: Alloy dome with
plastic base and lever.
Dome size: ϕ 40mm.
Operation: Pushing,
circle sound



635765
Diameter : 55mm
Material: Alloy top,
plastic base. Color:
Silver/gold/black/
red/blue



(blue)



(red)



(white)



(yellow)



635767
Top-alloy, base-plastic
and lever fashion
pattern.
Size: 38mm.
Anodized blue.



635768
Alloy top w/
plastic base
and lever.
Size: 53mm

635766
Chinese style/small and cute



635769
Dia.: 57mm.
Material: alloy top.
Color: silver/black
/yellow/red/blue



635770
Material: Top-alloy
base-plastic.
Size: 38mm
Double threaded
pattern



635771
Dia.: 48mm. Both
sides are steel
with plastic part.
Color: blue/pink



635772
Plastic and alloy top
alloy with plastic base
Size : 60mm
Battery : 1.5V x3



635773



635774



635775

Size: 33mm
Material: Alloy top
with plastic base
Function: Special
design with lever
connection.



635776



635777



635778

635776
635777
635778
Alloy top,
plastic base.



1



2



3



4



5



6



7



8



9

635779 kitty bell / cute and attractive



635780
Doraemon. Exclusive only
for license authorized
Easy installation on handlebar.
LED light. Pass CE/CPSIA/
REACH. Fits H/B ϕ 19~25.4
mm. Power: 2 "Cr2032" /
3.0V battery
Mode: LIGHT -> FLASH -> OFF



635782
UFO. Easy installation on handlebar.
Two LED light. Alien character
400 meters light focus
Fits H/B ϕ 19~25.4mm
Power : 2 "CR2032" /3.0V battery
Mode : LIGHT -> FLASH -> OFF



635781
Hello kitty. Exclusive only
for license authorized
Easy installation on handlebar.
LED light. Pass CE/CPSIA/
REACH. Fits H/B ϕ 19~25.4
mm. Power: 2 "Cr2032" /
3.0V battery.
Mode: LIGHT -> FLASH -> OFF



black



white



yellow



blue



green



red



orange

Water Bottle



6381100
Material: PE/ PC/
PP Color: Red, Yellow,
Green, Blue, Purple,
Black, White



6381101 **6381102** **6381104** **6381105** **6381106** **6381103**



Environmental-friendly. Activated carbon filter. Straw in the water bottle filter include filtration media to purify contaminated water prior to drink. Light weight, easily fit a bag pack. Ideal for hikers, campers and travelers. Refillable. Material: PP



6381107
Cute with circle shape. Superior material. The bottle is free of environmental hormones. (Bisphenol A)



6381108 750 c.c. **6381109** 1000 c.c.



6381110 Screw cap, 750 c.c. **6381111** Screw cap, 750 c.c.



6381112 **6381113**
Material: PP, 1000cc/ 350oz.



6381114
Material: Cap-PE, Nozzle-PP
900CC/ 31.6oz



6381115
Material: PP. Inner material-fabric or silver paper. Keep drinks cool or warm for 2-4hrs



6381116
Coastal/ dewy/ sunny/ pansy
Capacity: 750 cc



6381117 **6381118**



6381119 **6381120**



6381121
Material: Cap-PE, Bottle sleeve -PP, Bottle-Silicone. Superior material. The bottle is free of environment hormones (Bisphenol A). Silicone bottle resist both high temperatures from -40°C up to 230°C. Wild-mouth, easier for cleaning



6381122
Wide-mouth & screw-in cap. The soft PP material is squeezable. Material: PP



6381123
Material: PP. 700c.c. / 24.6oz.

Bottle Cage



6381130
Flexible Strap. Wid: 63-74mm. For Small & Standard Bottle Material: Reinforced plastic body & EPE strap. Color: White / Black



6381133
Carbon fiber 3K woven. Weight: 16gm



6381134
Carbon fiber 3K woven. With two bumps.



6381135
Carbon fiber 3K woven. Wt: 14gm



6381136
Carbon fiber 3K woven. W: 21gm



6381131
Material: PP/Kraton



6381137
Carbon fiber 3K woven. Weight: 20gm



6381138
Material: Aluminum



6381139
4mm alloy solid bar. Light weight design. Weight: 30g/ 1.05oz. Finish/color: ED Black. Anodized matt silver



6381140
Welded Titanium construction 3.0mm titanium solid bar. W: 30g/ 1.05oz. Finish/color: Sandblasted



6381132
Material in Polycarbonate (PC) Logo sticker decal and logo imprint are optional. W: 35g/ 1.23oz. Finish/color: Black, White



6381141
Bottle cage



6381142
Alloy plate bottle cage with laser Carving pattern. Weight: 38g



6381143
Material: Alloy



6381144
Material: Alloy



6381145
Alloy. Finish/color: sandblasted anodized black/ silver powder Coating white



6381146
Bottle alloy cage.



6381147
Aluminum Dual Water Bottle Cage. Assemble on rail of saddle. Fit two bottles. W: 135g. Finish/color: ED Black Anodized Matt Silver

Lock



641830
"Luminous" (Black/Green). Dia: 8mm, 10mm, 12mm. L: 24"(60cm), 36"(90cm), 48"(120cm), 60"(150cm), 72"(180cm), 84"(210cm)



641831
Patent product. Combination and resettable. Dia: 8mm, 10mm, 12mm. L: 24", 36", 48", 60", 72", 84" or customize



641832
Integrated combination lock. Resettable code. Carry bracket w/patent design



641833
Dia: 8, 10, 12mm. Special design: w/ brass cylinder key and child-safety features. Color: black. L: 60, 90, 120, 150, 180cm



641834
Heavy duty security. Ideal for securing bicycle, Motorcycle. Straight Cable.



641835
"Luminous" 49mm x 49mm



641836
Heat Treatment with U Shackle. Plastic Coating w/U Shackle to Protecting Bike. Combination and Resettable. With brackshackle Size: 12mm(dia)x49(inner) x95(inner).



641837
"Luminous"



641838
3 digit resettable combination double loop lock. Size: 6mm/8mm x 24", 36, 48", 60", 72"



641839
Key lock. Color: Black, Red, Blue, Yellow, Orange, White. Size: 8mm /10mm/12mm x 24", 36", 48", 60", 72"



641840
3-Dial Combination Coil Cable Lock Cable ϕ 3mm x 150cm-



641841
4 digit resettable combination padlock. Elastomeric paint lock body cover. Lock body cover covers the dials wheel. Shackle dia 8mm, hardened



641842
Dia: 109mm. Special design w/ cylinder key. Color: black/gray




641843
Dia: 109mm. Special design w/ cylinder key. Color: black/gray

Back Mirror



647487
Helmet multifunction mirror 1.5" plastic optical convex mirror fits any micro or hard shell helmet telescoping arm. Extendible from 5-8' 360 degrees of adjustment



647488
1.5" Mini mirror Plastic safe optical convex mirror. Full adjustable to any viewing angle



647489
Back Mirror



647490
Back mirror. Oblong shaped steel housing. With reflector. 5-1/2" X 2-1/2" 7mm X 6" stem. With clip. With the drawing on back.



647491
Back Mirror



647492
Back Mirror



647493
Back Mirror



647494
Back Mirror



647495
Back Mirror Angle 360° Adjuster. Dia: 17.8-19.0mm



647496
Back Mirror Angle 360° Adjuster CNC.

Helmet



680606
 Sizes: M(56-58), L(58-61)cm. Retention Systems Head Lock. Comfort pads. Technology in mold. Fit in Visor



680597
 39 Air vents. Sizes: M(56-58), L(58-62)cm. Retention Systems Head Lock. Comfort pads. Technology in mold. Fit in Visor



680590
 25 Air vents. Sizes: M(56-58), L(58-61)cm. Retention Systems Head Lock. Comfort pads. Technology in mold. Fit in Visor



680591
 21 Air vents. Sizes: M(56-58), L(58-62)cm. Retention Systems Head Lock. Comfort pads. Technology in mold. No visor



680592
 16 Air vents. Sizes: M(56-58), L(58-62)cm. Retention Systems Head Lock. Comfort pads. Technology in mold. Fit in Visor



680593
 10 Air vents. Sizes: M(56-58), L(58-62)cm. Retention Systems Head Lock. Comfort pads. Technology in mold. Fit in Visor



680594
 31 Air vents. Sizes: M(56-58), L(58-60)cm. Retention Systems Head Lock. Comfort pads. Technology in mold. No Visor



680595
 18 Air vents. Sizes: M(56-58), L(58-60)cm. Retention Systems Head Lock. Comfort pads. Technology out mold. Fit in Visor



680596
 22 Air vents. Sizes: M(56-58), L(58-62)cm. Retention Systems Head Lock. Comfort pads. Technology in mold/out mold. Fit in Visor



680604
 10 Air vents. Sizes: M(48-52), L(52-56)cm. Retention Systems Head Lock. Comfort pads



680598
 11 Air vents. Sizes: S(54-56), M(56-58), L(58-60)cm. Retention Systems Head Lock. Comfort pads. Technology Rudder/Mat



680599
 8-15 Air vents. Sizes: M(52-54), L(54-56)cm



680600
 14 Air vents. Sizes: M(48-52), L(52-56)cm. Retention Systems Head Lock. Comfort pads



680601
 14 Air vents. Sizes: M(48-52), L(52-56)cm. Retention Systems Head Lock. Comfort pads



680602
 11 Air vents. Sizes: M(54-56), L(56-58)cm. Shell ABS/EPS. Comfort pads



680603
 10 Air vents. Sizes: M(56-58), L(58-60)cm. Retention Systems Head Lock. Comfort pads

Saddle



6281144
Size: 260x220x95mm. Base Single density. Fill Light foam. High density. Rail Steel. Cromoly. Storage box. Stitching I-DI . 4-5X



6281145
Size: 268x226x80 mm. Base: Single density. Fill: High density. Memory foam. Gel padding. Rail: Steel. Elastomer. Stitching : I-DI



6281146
Size: 272 x 210 x 57mm
Base: Double density. Fill: Light foam. High density. Rail: Steel . Cromoly
Handle Stitching: 5-IP . 6-1W



6281147
Size: 270 x 180mm



6281148
Size: 250 x 210mm.



6281149
Air cushion saddle for Comfort or E-bike. Black PK cloth with high density foam. 3M reflective materials on back. CP steel rail w/o clamp. Size: 255 x 235 mm



6281150
Air cushion saddle for Comfort or E-bike. Black PK cloth with high density foam. 3M reflective materials on back. AT. CP steel rail w/o clamp.



6281151
Size: 274x132x39. 8mm. Base Carbon fiber injection. Nylon fiber injection. Fill superl. Light foam. Rail carbon. Light weight. Stitching I-DI



6281152
Size: 272x136x50mm. Base Single density. Fill Light foam. High density. Rail Cr-Ti alloy. Chromoly. Steel. Stitching I-DI. 3-02. 3-2F. 3-2K



6281153
Size: 280x140x30mm. Base Single density. Fill Light Foam. High density. Rail Crn-Ti Alloy. Chromoly. Steel Stitching I-DI. 2-0I. 3-02



6281154
Size: 282x146x42mm. Base: Carbon(Nylon) Fiber Injection. Light Foam. Carbon. Cr-Mo. Crn-Ti Alloy. Stitching: 2-19



6281155
Size: 264x139x56mm. Carbon(Nylon) Fiber Injection. Gel padding. High density. Chromoly. Steel. Stitching: I-DI



6281156
Size: 277x136x49 mm. Nylon(Carbon) Fiber Injection. Fill Light Foam. High density. Crn-Ti Alloy. Chromoly. Carbon. Stitching 3-5p



6281157
Size: 273x128x48 mm. Fill Light Foam. High density. Crn-Ti Alloy. Chromoly. Steel. Stitching 3-5P



6281158
Size: 274x140x40 mm. Nylon(Carbon) Fiber Injection. Fill Light Foam. High density. Rail: Crn-Ti Alloy. Chromoly. Steel. Stitching 3-5p



6281159
Size: 271x148x62mm. Nylon fiber injection. Fill: Light foam. high density. Rail: CR-MO. Steel. CrN/Ti Alloy. Stitching: I-DI



6281160
Size : 276x142x58mm. Single density. Fill Light foam. High density. Rail: CR-MO. Steel. Stitching 3-40. 3-2I



6281161
Size: 290x130x20mm. Carbon(Nylon) fiber injection. Fill Light foam. High density. Rail: n/a. Stitching I-DI



6281162
Size: 278x159x55mm. Single density. Fill Light foam. High density. Rail: Steel. Cromoly. Steel Stitching I-DI. 2-22. 4-62



6281163
Size: 203x137x54 mm . Single density. Fill: High density. Light PU. Rail: Steel. Cromoly. Stitching : I-0I . 2-0I . 3-0I . 3-02



6281164
Size: 250x130x51mm. Single density. Fill: High density. Light PU. Rail: Steel. Cromoly. Stitching: I-0I. 2-18. 3-27. 4-53



6281165
Size: 234x142x74 mm. Single density. Fill: Light foam. High density. Rail: N/A. Stitching: I-05. 2-47 . 2-90 . 3-3E . 4-4S



6281166
Size: 174x110x50mm. Single density, high density, light PU. Steel, Cromly. Stitching I-00I



6281167
Size: 270x135mm



6281168
Road racing bike saddle. Vinyl top, with soft PU foam. Steel Rail (white painting finished). Size: 280x130mm.



6281169
Road racing bike saddle. Vinyl Top. Red color. With soft PU foam. Steel Rail (Cromoly or Titanium rail available). Size: 268x130mm

Tool & Accessories



6481450
Bicycle repair stand aluminum. 360° Head rotated, height quickly adjusted.



6481451
Display stand with two pulleys design, new bike stand can display bikes from 24"-29" by sliding wheel in position easily.



6481452
Bike wall hanger foldable



6481453
Bicycle Tune-up Stand



6481454
Multi-functional tool for press-fit bb. Install and remove bearing 25 X 37 X 7. Install and remove bearing 30 X 42 X 7. Install and remove press-fit bb R92/T86. Install and remove R30. W: 1082g



6481455
Nipple Tool Kit. 36 nipples and other small parts.



6481456
1/4 Socket 8/9/10/12/13/14mm
1/4 HBS 2/2.5/3/4/5/6/8/10mm
Torx T 15,20, 25,30. Phillips NO:1/2 /3, Flat NO:4/5/6, 3/8 Socket 15mm, 1/4 adapter



6481458
Torque wrench 1/4" socket wrench. Hex: 3/4/5/6/8/10 mm. Torx: T25/T30, Phillips # 2 - 14 Nm



6481457
* Angle * Adjustable Wrench 1/4" Hex: 2.5/3/4/5/6/8/10 mm. Torx: T 25, Phillips # 2, 1/4x3/8 adapter, 1/4 * 3" adapter



6481460
Hacksaw. All alum cast frame construction and blade tension and blade tension adjuster. Accepts any 12" (300mm) hacksaw blade.



6481461
Digital torque wrench 1/2" square driver range: 27-135mm



6481463
Tire clamp is an outstanding design for install



6481464
BB installation tool set. 36mm magnetic, left side.



6481465
For 0.127" (3.2mm) nipple, black
6481466
For 0.130" (3.3mm) nipple, green
6481467
For 0.136" (3.5mm) nipple, red



6481468 Screwdriver bottle. Flexible length.



6481469
Folding Tool 10 Function Hex key: 2/2.5/3/4/5/6/8 mm. Phillips #2 & Flat Screwdriver, Torx: T25



6481470
Mini tool 10 function Hex key: 2/2.5/3/4/5/6/8 mm. Torx: T25, Phillips & flat screwdriver. Weight: 90.0



6481471
Folding tool 10 function Hex key C N C: 2/2.5/3/4/5/6/8 mm. Phillips #2 & Flat screwdriver, Torx: T25



6481472
Cr-V steel. 15 function. Alloy folding tool. 2/2.5/3/4/5/6/8/+/-/T25, 8/10mm open wrench, spoke wrench, 0.127"/0.136", mini chain tool.



6481473
Ball point hex wrench set 8pcs. Size: 1.5/2/3/4/5/6/8/10mm. Material: 6150 chrome vanadium. Hex Key Color: High polishing coating



6481474
Master link opener



6481475
32*36MM open wrench & chain whip wrench



6481476
Bike cleaning brush



6481477
Tire lever set



6481478
Valve Adaptor



6481479
Bolt for pedal Size: M4xT20 hanging plating Material: s 45c # 10.9. Color: red /blue/green/orange/gold /silver



6481480
Material: Silicone



6481481
Material: Silicone



6481482
Expand for stem full CNC. Size: 1"-1-1/8". Material: Alloy 6061 T 6. Bolt: Alloy 7075. Color: Anodized. Weight: 1-1/8" 39.0



6481483
Bolt set for two pc chain wheel Material: 7075 M8 x P 0.75 Bolt: 6.5mm (hex 6mm) Nut: 5.5mm use flat wrench



6481484
End Plugs, W / Crystal Material: Aluminum Weight : 15.50g

Handle Grip



6291260
Size : 22.4 mm. Material Synthetics, Gel Key Point Double Density, Electronic Warning Bell (Battery Use) - MTB Vis G2, One Side Ring, Length 130mm



6291262
Size : 22.4mm. Material: Tribene Key point: Double density , safely light (battery use) Vis : G2 , one side ring, Length : 161mm



6291265
Battery : Use Lr44

6291263
6291264
100% Non-slip, Easy assembly



6291266
6291267
Length : 130L , W/O light



6291261
Open locker grip. Both sides open locker , available for end plug. V Generation locking system grip.



6291268
L: 134mm Triple material: kraton / gel w/ alloy ring



6291269
Main body : IT+kraton & lock plug. L : 129mm



6291270
Snack texture (2-mix color) L: 128mm



6291271
Size: 22.4mm Material: Synthetics, gel, tape Key point: Quad density, Vis: G1, Two side rings. L : 130 mm



6291272
Length: 130/ 90L



6291273
Length: 128/ 95L. Colors: available cowhide slices



6291275
L: 130/90mm(Lock-on) Material: cork/pp(inner)



6291276
Material : Rubber/gel Size : 130/125/120/115mm



6291277
130/90mm ERGONOMIC ALLOY PAD (LOCK DESIGN)



6291278
L: 122mm/ Twin layer motorcycle grip



6291279
L: 128mm/ Double density/ Material : Gel / kartan



6291280
Twin layer MTB/ATB grip



6291281
Size: 20.5mm, Material : Double density , anatomic design. W/O Vise. L: 92mm, 134.5mm



6291282
Twin layer MTB/ATB grip



6291283
Size: 20.5mm, Material: VexK Key point: Diamond pattern Vis : W/O vise, L: 130 mm



6291284
Material: Synthetics, Gel, Tape. Key point: Double Density, Combination of tape and grip. Vis: W/O Rings. L: 129mm



6291286
Size: 20.5mm, Material: Fluorescent material, Key point: Light weight, Double Density, Vis: W/O vise, L: 125mm



6291287
Size : 20 mm, Material Gel, Vex. Key Point: Double Density, W/O Vise. L: 130mm



6291288
Size: 21 mm, Material: DuraCork™ Key Point Natural Material, Color Option: Black, Tan, Brown Vis W/O Vise. L: 127, 92mm



6291289
L: 128mm, Linsanity Grips



6291290
L: 133mm. Double density Material: gel / kraton



6291291
L: 130mm/ Comfortable bike grip. Material : SBR



6291292
MTB ergo grips. Material: Rubber / gel . L: 130mm



6291293
MTB ergo grips.



6291294
L: 116mm / Junior & cruiser grip



6291295
L: 116mm / Junior & cruiser grip



6291296
Size: 20.5mm, Material: Vex Key Point Single Density. Vis: W/O Vise, L: 135mm



6291297
Size: 17.5 mm, Material: Vex Key Point. Vis: W/O Vise L: 90mm



6291298
Size: 18mm, Material: Foam, leather or standard cover. Key point : Hand-stitched, Vis : W/O vise, L: 90, 100, 127mm

Handle Bar Tape



6291299
EVA / 190 x 3cm



6291300
EVA / 190 x 3cm
Marble design pattern
Emboss pattern



6291301
EVA / 190 x 3cm
Gradation printing



6291302
Size: 185 x 3cm
Material: Micro-Fiber Fabric



6291303
Size: 120 x 3cm
Material: Silicone




6291304
Size: 190 x 3cm
Synthetic rubber



6291305
EVA / 190 x 3cm
Dragon design pattern



6291306
EVA / 190 x 3cm



6291307
EVA / 190 x 3cm
Check design pattern



6291308
EVA / 190 x 3cm

Bag



671703
Messenger bag contains laptop layer, hidden shoulder strap and skid proof back padding.



671704
Handlebar bag contains a wide open zippered main compartment, adjustable shoulder strap and two bottle pockets. It is designed for the short journey.



671705
260 x 125 x 320mm
Color: black, brown, honey



671706
100% Waterproof cell phone bag for iPhone 4/4S. With waterproof cell phone bag, you are no longer need to worry about your iPhone 4/4S when you riding bicycle. It provides not only great waterproof function, but also allow you take it out very quickly with patented QR system.



671707
Smart phone bag, which fits multiple sizes of smart phone, has a 100% waterproof layer, large capacity, key holder and extra inner or ganized layers. Smart phone works as normal when it is in the waterproof layer. It can be held by provided QR system at handlebar and stem.



671708
Multi function 100% waterproof bag design With Click fastening into the bike rack Removable padding also be a rucksack
Size: 29 x 18 x 40 cm



671709
FRAME BAG
Velcro strap fastening system. 2 Side pockets to hold personal belongings. 2 Internal net pockets.
Size: 5.5" x 1.25" x 4.5"



671710
Single water bottle bag
Side pocket
Size: 21 x 12 x 13cm



671711
Size: 185 x 130 x 125mm.
Color: reference color card 3



671712
Aero-dynamic design trunk bag which contains carry handle, adjustable shoulder strap and bungee cord on top for attaching loose items.



671713
Aero-dynamic saddle bag includes mesh layers, and two pockets at sides with different capacity for multiple purpose using. It suits folding bikes perfectly.



671714
Waterproof rear rack bag. Ultrasonic finish. With Q.R system, inner mesh pocket under cover.
Size: 37.5 x 13.5 x 37cm



671715
Round bag 100% Waterproof Bag with handle With shoulder padding strap in S, M, L, XL 4 size



671716
Waist padding with elastic cord
Size: 56 x 10 x 22mm



671717
A pet pannier, which can be converted into a back pack, includes large inner compartment and one front pocket. It also comes with an integrated carry handle and hidden mounting system. The cool bag and warm bag can be placed inside of comfortable pad which can make pets feeling good. This bag is designed for riding the bicycle with the small pets such as small dogs, cats, rabbits, and other small animals.



671718B (blue) / 671718G (red)
Backpack/Handlebar bag, which designs for kids, has a big zippered main compartment, front covered layer, two side bottle pockets and hidden handlebar mounting system. When kids use this bag as a handlebar, the shoulder straps can be released and put it into a layer. Please note, the recommended age for this bag is 3~7 years, the handlebar secure straps must be watched by adult when children use it.



671719B



671719G

671719B (blue) / 671719G (red)
Handlebar bag. Which design for kids, has a big zippered main compartment, adjustable shoulder strap and hidden mounting system. Please note, the recommended age for this bag is 2~7 years, the adjustable shoulder strap and handlebar secure straps must be watched by adult when children use them.

Pump



649990
Plastic floor pump



649991
High pressure steel floor pump w/top mounted gauge



649992
High pressure floor pump with top mounted gauge



649993
High pressure steel floor pump



649994
Floor pump



649995
Floor pump



649996
Full alloy & CNC'd. One press in valve system (Presta & Schrader) Air flow control Design for 12g & 16g/thread & non-thread cartridges. Color: Silver / Grey. L: 123mm, Weight: 62g



649997
Black painting Floor Pump w/clever twin valve. w/Wooden handle 2.5 gauge. Alum barrel and base. Clever valve for Presta/ Schrader/dunlop & E/V Max. pressure 240psi



649998
High performance micro floor pump



649999
Micro floor pump



6491000
Hi pressure mini pump. Full alloy & CNC'd 7075 Free turn twin head (Schrader & Presta) MEQIX Piston lock system. MEQIX PC-PET Bracket. Max: 120 psi. HPL/ Length: 220mm, Weight: 109g



6491001
High Pressure Road CNC Mini Pump. Presta Only. Alum Lever on the top. Max pressure 140psi



6491002
Hybrid CNC Mini Pump Reversible Presta and Schrader Alum Lever on the top. Max pressure 120psi



6491003
MTB CNC Mini Pump. Reversible Presta and Schrader. Alum Lever on the top. Max pressure 80psi



6491004 (Pressure gauge)
Hi Volume mini floor pump. 6061 Alloy CNC'd handle. Alloy CNC'd barrel and oversize piston. 2 in 1 Free turn twin head for both of Presta and Schrader. 360 degree free turning valve head. Extruding & CNC'd base with non-slip pad. Meqix PC-PET bracket or X-Bracket. Meqix Metal Gauge available. Max: 100 psi. Length: 250mm. Weight: 160g



6491005
Hi Strength wood handle. Alloy & CNC'd barrel in-1 Twin head. 100% Air-in valve system (Schrader). MEQIX X-Bracket. Max: 90 psi. L/ Length: 240mm, Weight: 160g



6491006
Mountain CNC mini pump W/Lever



6491007
High pressure road pump



6491008
High pressure road pump W/Carbon barrel & handle



6491009
Telescope CNC pocket pump



6491010
High pressure telescope mini pump



6491011
Plastic made mini.



6491012
Mini Pump W/In-Line Gauge



6491013
Plastic Mini Pump W/Alum Sleeve



6491014
TG Alum barrel with big volume with pressure gauge

Mudguards




641965
Material: P.C.



641966
Tire: 700 X 25C ~ 28C
Size: 12"~28", Alloy



641967
Tire: 700 X 25C ~ 28C
Size: 12"~28", Alloy



641968
Color choice. Full foiled w/2 clear lines Solid w/2 clear lines Solid & clear. Full clear



641969
Material: P.C.
For 26" cruiser bike color choice. Solid & clear. Full clear



641970
F/R Plastic mudguard. Size: For 26"-28"



641971
25-32mm, Adjustable, Tyre width: 2.5"



641972
Front for downhill fork and suspension fork. Rear plastic adjustable mudguard for free extension. Multi-function connecting bridge with bracket.



641973
For suspension fork.
641974
For downhill fork. Two tone color. Size: For 26" - 28"



641975
Material: P.C. Size: 24" - 26" MTB. Tool free Tyre width: 3"



641976
Material: S.T.P.P. Size: 24" - 26" MTB. Downhill Tyre width: 3"



641977R
641977F
Kuse Artfender



641978
20" Front fender



641979
16"/20" Rear fender



641980
16" Front or rear fender



641981
16"/20" Rear fender



641982
16" Front or rear fender



641983
26" Rear single color



641984

Tool free.
Tire w ≤ 2.35"
LED light
26" MTB
Quick Release



641985
20" Front Fender



641986
Assemble on seat post
Light weighted
20"~700C
Tire w=1.25"~1.75"
Quick Release
LED Light



641987
Assemble on bridge
Light weighted
20"~700C
Tire w=1.25"~1.75"
Quick Release
LED Light



MTB Down tube Fender. Light Weighted




641988
Material: ABS

Chain Cover



641989 / 641990
Is for single chainwheel max 32T 12" bike. Different between 2 modle is for different angle of seat stay.

Chain cover for single chainwheel
641991 For 12" bike
641992 For 16" bike
641993 For 20" bike



6411001
Dress Guide
700C



641994
This chain cover for 26" to 700C wheel bike is designed for triple chain wheel, 46T to 48T. L: 399mm
Material: ABS, K-resin.



641995
Same as above but chain wheel with 42T.



641996
36T/38T, 24", 26", 700C, 28"
Size: a515, b425, c118
Material: PC/ABS



641997
30T/34T. Size: a502, B418, C102
Material PC/ABS



6411002
Simple dress guide for 26~700C, With a potlion, For lock and brake



641998
Material: A.B.S. or PC, Surface finish: Shiny.
Inner Dia.: 102, Teeth: within 38T, R.C.: within 445~455mm



641999
Material: PC, Surface finish: Shiny, Single, Inner Dia.: 60 mm, R.C.: within 440mm, Teeth: within 36~38T. Duetone design for 36~38T single speed



6411000
Material: P.C. Finish: Gloss. Inner Dia.: 170, Teeth: within 48-50T, R.C.: 439mm. Duetone design for 48-50T single speed

Rear Carrier



639774
Melt-DIY Luggage Carrier
Material: alloy 6061 .
Weight : 320. Loading : 12
KGS
LR-1130 Button Cell 1.5V 4
PCS



639775
Material: alloy
Size: 26"~28" adjustable
Color: black & silver



639776
Material: alloy
Size: 16 . Finish: powder
coated . Color: black &
silver



639777
Alloy, 26"-28"
adjustable



639778
CrMo Steel materials, good
strength. With protectors
Spring clip is optional
(Stainless steel)
Max loading 40kgs size:
Adjustable 26" ~ 28"
matt black, P/C matt
silver. Finish/ Color:P/O



639779
Alloy carrier for electric
bikes . With adjustable
stays . Adjustable frame
24" to 28"



639780
Compound with plastic on
top deck Spring clip is
optional Two stays design.
Bike size:
26", 700c, 28" /adjustable
24"~28". Finish color: P/C
matt black, P/C matt
silver.



639781
Sold fender top Most
economic selection. Max
loading: 25kg. Bike size:
26" 700C, 28"
Finish/color: P/C matt
black, P/C matt silver



639782
silver
Material : Alloy Size :
24" .26" .700C, 28"



639783
Compatible with disc
brakes frames solid fender
top good strength and
visual effects most
economic selection Max
loading : 25kg , Bike size :
Adjustable 26"~28" Finish
: P/C matt black . P/C matt
silver



639784
Spring clip is optional .
Completely triangle tube
design Good strength and
visual effects Max loading :
25kg . Bike size :Adjustable
26"~28" Finish : P/C matt
black , P/C matt silver
anodized matt silver



639785
Alloy, size: 26"~28"
Finish: Power coated
Color: Black & Silver



639786
Material: alloy



639787
Type: Tig welded alloy rear
carrier. Max loading: 25g.
Bike size: Adjustable :
26"~28" Finish : P/C Matt
Black/Silver Anod Matt
Silver.



639788
Alloy rear carrier w/QR
system



639789
Alloy, 26"-28"
adjustable



639790
Alloy, 24" , 26, 700C, 28"



639791
Alloy wire frame and stays .
Fits : 24", 26", 27", 28"



639792
2 round and 1 flat strap design.
Length is depended



639793
Length is depend. 2 round 2 flat strap design
2 round 1 flat strap design. Logo sticker part
Weight: 59g / 0.13lbs. Finish/color: Variety color
selection

Kick Stand



661840
Type : Fits on seat stay and chain stay 40°~65° seat stay~16~25.4 mm , chain stay 22-25.4mm
Bike size:Adjustable 24"~28"Finish /color : ED black /V-polish silver



661841
Type : Fits on seat stay and chain stay 40°~65° seat stay16~25.4mm , chain stay 22-25.4mm
Bike size:Adjustable 24"~28"Finish /color : ED black /V-polish silver



661842
Kickstand fits to E-bike
Material : melt forged
Size : 24"~28".adjustable
Finish : power coated
Color : black & silver



661843
Material : Alloy
Size : 24"~28" adjustable
Color : black & silver



661844
Material: Alloy
Size: 24"~28" Adjustable
Finish : ED & BK Adjustable
Silver.



661845
Quickrelease and kickstand.



661846
Alloy rear kickstand



661847
Alloy aluminum kickstand



661848
Adjustable kickstand without tool
Material : Alloy
Size : 24"~28" adjustable
Finish : power coated
Color : black & silver



661849
Alloy, fitted to chain stay only.Adjustable 24" - 28



661850
Quickrelease and kickstand.



661851
Type : Fits on chain stay neck.Bike size : Adjustable 24"~28"Finis /color : Liquid coat black / silver



661852
Type : Fits on chain stay neck . stable (larger angle340nn)
Bike.size : Adjustable 24"~28". Finis /color : Liquid coat black / silver



661853
W/quick adjusting kickstand



661854
Adjustable kickstand without tool
Material : Alloy
Size : 24"~28" adjustable
Finish : power coated



661855
Alloy, fits:26" - 28". weight : 210g



661856
Alloy, for ATB, MTB, 24"-28". A.D.J.



661857
Display stand



661858
Kickstand



661859
Kickstand

Disc Brake & Brake Set



617D805
System: Hydraulic Disc Brake System. Piston: Open system. Dual piston. Material: Forged aluminum lever / Cast aluminum bracket. Lever Blade: 2 finger lever blade Hose Length: Front: 750 mm / Rear: 1500 mm Rotor: TR160-8: Ø160 mm (Polygon airflow). Rotor Weight: 115 grams. Adapter: Lyra Series. Fluid: mineral oil. Pads: E10.II. Available. Colors: Black/White/Red/Grey. Also Available Rotor: Ø180 mm / Ø203 mm



617D806
System: Hydraulic Disc Brake System. Piston: Open system. Dual piston. Material: Cast alum lever and bracket. Lever Blade: 2 finger lever blade. Hose Length: Front: 750 mm / Rear: 1500 mm. Rotor: TR160-7: Ø160 mm (Polygon airflow) Rotor: W: 126 grams. Adapter: AQ1.0 Series Fluid: mineral oil. Pads: E10.II. Available Colors: Black/White/Red. Also Available: Rotor: Ø180 mm / Ø203 mm



617D807
Brake lever. Reach adjustment. Casting alloy lever Forged alloy bracket. 2.5-finger design. Great modulation with ergonomic lever design. Compact 2-pcs caliper. Cold forged alloy caliper body. Compatible with 885 pad. Open system. Easy access bleeding hole. Compatible with avid bleeding kit. Fluid: Dot 4. Pads: Sintered. Standard rotor size: 160mm (front & rear). Optional rotor size: 180mm (front & rear), 203mm (front & rear) Compatible w/ Post-mount.



617D808
Brake lever Patented anti-impact and anti-leak master cylinder design Split clamp design. Great modulation w/ ergonomic lever design. Casting bracket & lever. Using for E-bike (electric bike). Compact 2-pcs caliper design Dual piston. Forged alloy caliper body. Compatible with 887 pad. Open system. Easy access bleeding hole. Compatible w/ avid bleeding kit. Fluid: Dot 4. Pads: Sintered. Standard rotor size: 160mm (front & rear) Optional rotor size: 160mm (front & rear), 203mm (front & rear) Compatible with Post-mount (Caliper/hose/brake lever)



617D809
System: Hydraulic Disc Brake System. Piston: Open system. Dual piston. Material: Cast alum lever & bracket. Lever Blade: 2 finger lever blade Hose Length: Front: 750 mm / Rear: 1500 mm. Rotor TR160-8: Ø160 mm (Polygon airflow) Rotor Weight: 115 grams. Adapter: AQ1.0 Series. Fluid: mineral oil. Pads: E10.II. Available Colors: Black / White / Red Also Available Rotor: Ø180 mm / Ø203 mm



617D810
Open piston hydraulic disc brake. Dual piston hydraulic disc brake. Non-corrosive mineral oil. Dia: 160mm (F/R). Forged alloy body. Automatic caliper positioning via adaptors front and rear. Pad: High performance metal ceramic compound. Lever: Forged alloy body. 2-Fingers design



617D811
System: Hydraulic Disc Brake System. Piston: Open system. Dual piston. Material: Cast alum lever and bracket. Lever Blade: 2 finger lever blade. Hose Length: Front: 750 mm / Rear: 1500 mm. Rotor: TR160-7: Ø160mm (Light wave). Rotor Weight: 126 grams. Adapter: AQ1.0 Series. Fluid: mineral oil. Pads: E10.II. Available Colors: Black/White/Red. **617D811WS** - Designed specifically for women Also Available Rotor: Ø180 mm / Ø203 mm



617C860
System: Ball bearing system, adapter for "Is" mount. Control Cable actuated. Caliper: Melt-forged alum, anti-bending/ floating caliper mechanical. Pad: Square semi-metallic pad Rotor Stainless steel. Front/Rear: 160mm



617C861
Forged aluminum arms (Anodized) Adjustable for rim, brake pad, spring & staddle wire, black cartridge pad.



617C862
Forged aluminum arms (Anodized) Adjustable for rim, brake pad, spring & straddle wire, Brown pad.



617C863
Cold forged alum arms. (Silver anodized)



617C864
Arms: Forged alloy. Spring system: Linear type. Dimension: 21-35mm



617C865
Color: Anodized, Power white, Dimen: 68-86 mm. Cold forged alum arms. I



617C866
System: Dual Pivot Caliper Brake. Material: Forged alum arms. Pads: P422 adjustable. angle cartridge pads. Dimen: 47-59 mm. W: 168 grams / wheel. Available Colors: High polish black or silver anodized.



617C867
New shimano mechanical ratio Dual pivot caliper brake Light quick release mechanism Hi-performance cartridge pads. Material : Melt-forged aluminum arms Stroke: Finish: Black/silver



617C868
Forged aluminum arms Dual pivot caliper brake 2.2" tires, 836.12 (63mm) EN standard pads. Dimen: 65-85mm Standard finish: Black or silver anodized



617C869
New shimano mechanical ratio Dual pivot caliper brake. Light quick release mechanism. Hi-performance cartridge pads. Material : Melt-forged alum arms. Finish: Black/silver



617C870
Low profile design. 2.5" tires & wide rims. Up angle for smooth cable route (rear wheel) Melf forged alum arms. Coil spring and spring tension adjustment 908.13 (60mm) pads. Dimen: 25-41mm. Standard. finish: Black or barrel.



617C871
Self-forged alloy Spring system: Coil type. Dimen: 29-45mm.



617C872
Arms. Melt-forged alloy. Power reinforcement with Dual-pivot device Dimen: 39-49mm. quick release

Brake Lever



617L842
Light weight. Aero lever. Forming alum lever. Quick release mechanism
Material: Alloy. Clamp I.D.: \varnothing 23.8
~ \varnothing 24.2. Finish: Silver lever/black rubber hood



617L843
Bracket/lever/Melt-forged alloy/ Forged alloy. Return spring , with quick release
Clamp dia: 22.2~23.8mm



617L844
With CNC hole lever handle.



617L845
BL07 with CNC hole lever handle (Buffed silver anodized) With stainless clamp.



617L846
Bracket/lever Forged alloy, Reach adjustment & return spring. Clamp dia: 22.2/23.8/28.6/31.8mm.



617L847
Alum bracket (Anodized/powder white). Cold forged alum lever handle (Anodized/powder white).
Clamp: 22.2mm or 23.8mm.



617L848
Forged alum bracket (Anodized powder white or pink). Forged alum lever handle (Anodized)Double bent lever handle for Dirt jump. Hinged clamp. Clamp 25.4mm standard or w/sleeve for 22.2mm handle bar. Usable on curve position (Short handle bar).



617L849
Gold finger with CNC hole lever handle



617L850
Melt forged aluminum bracket & forged aluminum lever. Bracket Size : 22.2mm & 24mm.



617L851
Integrated bell design
Cast alum lever & bracket
2 finger lever blade. For use w/ linear pull brakes and shifters
Reach adjustment. For left hand side only. Standard finish: Satin silver lever / black bracket



617L852
Integrated bell design.
Kraton rubber grip. For use w/caliper or roller brakes. Cast alum lever & bracket. 4 finger lever blade. For use w/thumb shifters.
Standard finish: Barrel lever/ Silver painted bracket.



617L853
Double cable pull. Die-cast aluminum, bracket (Black finish). Cold forged alum lever handle (Silver finish). Hinged clamp



617L854
Adjustable sensor control design. Cast alum lever & bracket. 4 finger lever blad. For use w/linear pull brakes & shifters. Standard finish: Barrel lever/black bracket.



617L855
Adjustable sensor control design. Cast alum lever & bracket. 4 finger lever w/kraton rubber grip. For use w/linear pull brakes. For use shifters. Standard finish: Satin silver lever/black bracket.



617L856
Adjustable sensor control design. Designed specifically for women. Cast alum lever & bracket. 4 finger lever with kraton rubber grip. For use w/ linear pull brakes. For use shifters
Standard finish: Satin silver lever/black bracket.



617L857
Bracket/ lever/ Melt-forged alloy. Compatible shifter: Twist & thumb shifter.



617L858
Junior MTB. For 12"-16" wheels.
Designed for \varnothing 19mm OD handle bars. Cast alum lever & bracket. 4 finger lever blade. safety lever designed. For use w/linear pull brake and thumb shifters. Standard finish: Barrel lever/black bracket. Available in painted colors.



617L859
Linear pull brake lever. Carbon fiber lever/ Cast alum bracket. 2 finger lever blade.

Bar End



658729
3-D forged one-piece
6061 T6 alloy. L: 76/96/120mm.



658730
3-D forged one-piece
6061 T6 alloy. L: 105/120mm. Dia: 22.2mm.



658731
Exclusive design. LED sound blinker RELEASED. Recruiting world wide distributor



658732
LED Series. Material: Nylon + fiber.



658733
Material : Nylon + fiber.



658734

658735



658736



658737
L: 148mm/95mm
Triple density material
kraton/nylon+fiber



658738
Ergonomic design. L: 148mm /95mm. Double density material
kraton/Nylon+fiber



658739
L: 137mm/95mm. Triple density. material: Nylon + fiber clamp. Class: Standard



658740
L: 137mm/95mm. Triple density material: Alloy clamp. Class: High



658741
Generation locking system grip w/bar end. Patent approval locking system. Length: 120mm




658742



658743
Generation locking system grip w/bar end. L: 106mm

Brake Shoes



618920
CNC machined brake holders. Compatible with all major V-brake



618921
Anodized black pad holder. Triple color compound. L: 72mm



618922
Length: 72mm



618923
Length: 73mm



618924
Threaded type for V-brake. Cartridge brake shoe set. Alum pad holder. Triple color pads. Anodized Black. L: 72mm



618926
CNC Machined. Threaded Type for V-brake. Alum Pad holder Black Color & Anodized Black/Blue. Length: 72mm



618927
CNC Machined. Threaded Type for V-brake. Alum Pad holder Black Color & Anodized Black/Gold. Length: 72mm



618928
CNC Machined. Threaded Type for V-brake. Alum Pad holder Black Color & Anodized White/Gold. Length: 72mm



618929
Carbon fiber grain for MTB



618930
Threaded type for V-brake Two tone color. Transparent / White. Length: 72mm



618931
L: 72mm. Pad color: Black Silver / alloy-pad holder HJ-BX750AR for replacement



618932
L: 68mm. Shimano LX/DX/ALIVIO. V-type brake. CPSC/CP51A/AW/EN/DIN



618933
Dual density rubber combination offers anti-lock braking function. Shimano system.



618934
Length: 72mm. Pad color: Black/Orange. Silver / alloy-pad holder. ABS-DIVCR for replacement



618934-2



618935
L: 55mm



618936
L: 55mm



618937
CNC machined. Black Color & Anodized White/Gold. L: 55mm



618938
CNC machined. Black Color & Anodized Black/Gold. L: 55mm



618939
CNC machined. Black Color & Anodized Pink/Blue. L: 55mm



618940
Campagnolo compatible-2011- Extra-light holder with fixing spring High-friction coefficient compound



618941
L: 35mm (5°). Pad color: Black / 4-colors



618942
Material: Synthetic rubber. Size: 55mm



618943
Cartridge type pad for CR-X canti brake use. Black holder/ black pad



618944
GC999 Canti brake use Color: Brown



618945
Shimano compatible. An unique non-cork based compound which offers stopping power with lower heat generation than cork based pads, for a more consistent and powerful braking.




618946
Campagnolo compatible. An unique non-cork based compound which offers stopping power with lower heat generation than cork based pads, for a more consistent and powerful braking.

Chain



699509 / 699510 / 699511 / 699512 / 699513 / 699514
Size: 1/2" x 3/32". 1/2" x 1/8". 1/2" x 3/16". Color: Gold, silver, silver/black, gray/gray Compatible bikes: BMX, Freestyle, Beach cruiser. Special dynamic configuration plates. Light weight & stretch proof hollow pin. Stretch proof mushroomed pin, enhanced durability. Anti-drop design



699515
Compatibility: 10-Speed. 1/2" x 5/64". DHT in main parts. Hardened hollow pin. All parts weight reduced. Inclined bridge on inner plate. Deep inner waist chamfer. 4-edges chamfered outer plates.



699516
Heavy-duty 1/2" x 1/8" Pin L: 9.20mm. Tensile strength (Min): 1,100 kgf. Color or plates (outer/inner): Dark blue / dark blue. Compatible: Single speed bikes, track bikes. BMX, Freestyle, ATB, Fixed gear
699517
Hollow plate. Pin L: 9.20mm. Tensile strength (Min): 1,100kgf. Color of plates (outer/inner): silver / silver Compatible: Single speed bikes, track bikes, BMX, Freestyle, ATB, Racing, Fixed gear
699518 / 699519
Half-link chain. Pin L: 10.50mm. Tensile strength (Min): 1200 kgf. Color of plates (outer/inner): Dark blue/Dark blue. Compatible: Single speed bikes, track bikes, BMX, Freestyle, ATB, Fixed gear



699520
Compatibility: 11-Speed. 1/2" x 5/64". Extra hard; DHT in all parts. Hardened hollow pin. All parts weight reduced. Inclined internal bridge on inner plate. 4-edges chamfered outer plates.



699521 Ti-N
1/2" x 11/128" Color: Ti-N gold, CP silver/ Roller: Ti-N gold speed of sprocket :11. Compatibility: Campagnolo 11 speed drive train system



699522 Ti-N
1/2" x 11/128" Color: Ti-N gold, CP silver/ Roller: Ti-N gold speed of sprocket :10. Compatibility: Campagnolo 10 speed drive train system

Seat Post

 <p>608801 Material: AL6061 Off set: 15mm Cradle: 43 x 35 Rise: -5° ~ +18° Dia: 31.6 (inner tube 27.2) Length: 280~400 mm. Weight: 354g Finish: Mat black/ Matt silver</p>	 <p>608802 Material: Al6061/ A17050. Cradle: 43 x 30. Rise: -6° ~ +18° Dia: 27.2 / 31.6. L: 300/350/400 mm. W: 300g (31.6 x 350) Finish: Mat black / Matt silver</p>	 <p>608803 Material: AL6061/ A17050. Cradle: 43 x 33. Rise: -5° ~ +18° Dia: 27.2. L: 300/ 350 / 370mm. W: 261g (27.2 x 350) Finish: Shiny black/ shiny silvser/ matt black/ p.wh/ al+cf</p>	 <p>608804 Material: FORGED/ AL6061 Cradle: 43 x 35 Rise: -5° ~ +18° Dia: 27.0 / 27.2 Length: 300 / 350 mm Travel: 40 mm Weight: 380g (27.2 x 300) Option: Coll spring</p>	 <p>608805 2D forged head, 6061-T6 shaft. 608806 2D forged head, 2014-T6 shaft. Dia: 27.2/30.9/ 31.6mm. L: 300/ 350mm. Offset: 15mm. Finish: Matt Black/ Ebony / Porcelain</p>	<p>608807 3D forged one PC, 6061-T6 shaft. 608808 3D forged one PC, 2014-T6b shaft. Dia: 27.2/30.9/ 31.6mm. L: 300/ 350mm Offset: 15mm. Finish: Matt black/ Ebony/ Porcelain</p>
 <p>608809 EN-M approved. 2D forged head, 6061-T6 shaft. 608810 EN-M approved. 3D forged one piece, 2014-T6 shaft. Dia: 27.2/ 30.9/ 31.6mm. L: 300/ 350/ 400mm. Finish: Ebony/ porcelain/ matt black</p>	 <p>608811 EN-M approved 2D forged one piece, 6061-T6 shaft. 608812 EN-M approved 3D forged on piece, 2014-T6 shaft Dia: 27.2 / 30.9/ 31.6mm. L: 300/ 350 / 400mm. Offset: 13 mm. Finished: Ebony/ porcelain/ matt black</p>	 <p>608813 2D forged head w/ carbon fiber shaft 608814 2D forged head, 6061-T6 shaft. Dia: 27.2/30.9/31.6 mm. L: 300/350mm. Offset: 15mm. Finish: Matt Black/ Ebony/ Porcelain.</p>	<p>608815 3D forged one PC, 6061-T6 shaft 608816 3D forged one PC, 2014-T6 shaft Dia: 27.2/30.9/31.6 mm. L: 300/350mm Offset: 15mm. Finish: Matt Black/ Ebony/ Porcelain</p>	 <p>608817 Full crabon tube 608818 Alloy 6061-T6 Dia: 27.2/30.9/ 31.6mm. L: 300/ 350/400mm</p>	 <p>608819 Full crabon tube 608820 23mm, Offset w/forged head Alloy 6061-T6 Dia: 27.2/30.9/ 31.6mm. L: 250 /300/350mm</p>
 <p>608821 One PC 3D Forged tube w/micro adjust clamp. Alloy 6061-T6. Dia: 27.2/31.6mm. L: 300/350mm. Offset: 15mm</p>	 <p>608822 Side Pull-out full carbon tube w/forged head 608823 Side Pull-out Alloy 6061-T6. Dia: 27.2/30.9/ 31.6mm. L: 300/ 350mm. Offset: 13mm</p>	 <p>608824 EN-R/EN-M approved. 3D forged one piece, 6061-T6 oval shaft Dia: 27.2/30.9/ 31.6mm. Offset: 15 mm. Weight: 265g (27.2mm x 300L)</p>	 <p>608825 Side lock forged head alloy 6061 -T6. Dia: 27.2/ 30.9/31.6mm. L: 300/350mm Offset: 23mm</p>	<p>608826 608827</p>  	<p>608826 / 608827 Dual adjust tilt angle. Material: SP-964: carbon shaft + forget alloy head. SP-764: #2014 Alloy shaft + forget alloy head. Offset: 20mm. Rise: -13° ~ +13°. L: 250/300/350/400mm. Dia: SP-964: 27.2/31.6mm, SP-764: 25.4-31.6mm.</p>
 <p>608828 3-D forged 6061 T6 alloy W: 268g (D:31.6, L:300) 608829 3-D forged 7050 T73 alloy, full CNC-machined. W: 233g (D:31.6, L:300) 608830 3-D forged 6061 T6 alloy, full CNC-machined W: 255g (D:31.6, L:300)</p> <p>Dia: 27.2/ 30.9/ 31.6mm. L: 300/350/400mm. Offset: 0 mm</p>	 <p>608831 Alloy Clamp/ alloy. Dia: 25.0-30.6. L: 200-350. Finish: BARREL, BED, CNC</p>	 <p>608832 608833 CNC-machined 2014 T6 Alum tube and CNC-machined premium titanium bolts. Color: Black, Blue, Gold, Green, Pewter, Pink, Red Dia: 27.2/31.6. L: 250/350mm</p>	 <p>608834 608833 608832 608835</p>		

Cycle Computer



688490



688491



688492

688490 / 688491 / 688492
688493 / 688494 / 688495

Wireless.
Adjustable the angle of view.

8 Functions: Current Speed, Travel Time, Trip
Distance, Odometer, Maximum Speed, Average
Speed, Clock, Scan

11 Functions: Current Speed, Travel Time, Trip
Distance, Odometer, Maximum Speed, Average
Speed, Rpm, Calories, Clock, Pacer
(Current Speed Compare With Average Speed),
Scan



688493



688494



688495

Handle Bar



615789
Material: Alloy butted. Diameter: ϕ 31.8
Width: 400 420 440. Reach: 103. Drop: 152
Finish: Anodized colors. Weight: 334g (W:420)



615790
Material: Alloy + carbon. Diameter: ϕ 31.8.
Width: 400 420 440. Reach: 80. Drop: 125.
Finish: MCF GCF. Weight: 360g (W:420)



615791
Material: carbon Clamp: 31.8mm Width: 420mm



615792
For Racing. Aero-Ergo flat top. Material: AL6061+Carbon
Skin. Bar bore: ϕ 31.8 W: 400/ 420/ 440mm



615793
Finish: 3k, 12k (carbon fiber) or marble
Width: 400/420/440 mm Center: 31.8mm



615794
Finish: 3k, 12k (carbon fiber) or marble
Width: 400/420/440 mm Center: 31.8mm



615795
Material: AL6061/ AL7075 butted. Center Dia: 31.8. W:
400/420/440 mm, Drop: 155, Reach: 98.5, Finish: Mat Bk.



615796
Material: Alloy. Bar bore: ϕ 31.8mm. Reach: 80mm.
Drop: 120mm. Width: 380/400/420/440mm.
Weight: 375g. 440mm. Finish: Black/silver/anodized/
S.B color



615797
Material: Alloy. Bar bore: ϕ 31.8mm. Reach: 80mm.
Drop: 120mm. Width: 380/400/420/440mm.
Weight: 375g. 440mm. Finish: Black/silver/anodized/
S.B color



615798
Carbon racing bar. Barbore: 31.8mm. Drop: 125mm.
Reach: 78mm. Width: 380/400/420/440mm.
Bend: 3 degree. Weight: 220g (400mm)



615799
Material: AL6061. Center dia: ϕ 25.4, ϕ 26.0, ϕ 31.8
Width: 370/380/400/420/440. Drop (D): 169mm.
Reach (R): 101mm. Weight: 299g. (ϕ 31.8 W:400 AL6061)
Finish: SHINY BK, SHINY SV, MAT SV, P.WH, CP, MAS, MSBK



615800
Material: Alloy. Bar bore: ϕ 22.2mm. Up sweep: 2°
Back sweep: 8° Width: 625 mm. Weight: 413g.
Finish: Black/silver/anodized/S.B color



615801
Material: AL7075 + carbon. Dia: ϕ 31.8. Width: 560/ 580/ 600/ 620/ 640/ 660/ 680.
Back swept: 10° Up swept: 3°. Rise: 30 (W:640). Finish: MCF GCF. Weight: 234g (W:600)



615802
Material: Alloy + carbon. Dia: ϕ 25.4, ϕ 31.8. Width: 560/ 580/ 600/ 620/ 640.
Back swept: 6°/ 10°/ 15° Up swept: 3°. Rise: 30 (W:620).
Finish: MCF GCF. Weight: 242g (W:600 ϕ 31.8)



615803
Material: AL7075 + carbon. Dia: ϕ 31.8. Width: 560/ 580/ 600/ 620/ 640/ 660/ 680.
Back swept: 10° Up swept: 3°. Rise: 30 (W:640). Finish: MCF GCF. Weight: 234g (W:600)



615804
Material: AL7075 + carbon. Dia: ϕ 31.8. Width: 560/ 580/ 600/ 620/ 640/ 660/ 680.
Back swept: 10° Up swept: 3°. Rise: 30 (W:640). Finish: MCF GCF. Weight: 234g (W:600)

Stem



6161020
Melt-forged/ sus. Extension: 110. Bar bore: 25.4. Steerer: 22.2/ 25.4. Angle: 0°~+80° L: 180 mm. Finish: Shiny BK, Shiny SV, Mat BK, Mat SV



6161021
Bar bore: 31.8. AL2014+ Carbon skin. Angle: -6° / +6°. Ext: 90,100,110,120 mm. L: 38 mm. Dia: 28.6mm



6161022
EN-M/EN-R approved. 3D forged stem. L: 70/80/90/100/110/120mm. Angle: 7 degree. Dia: 25.4/26.0mm Steerer : 25.4/28.6mm. H: 41mm. Finish: anodized



6161023
Full set 3D CNC machined body & front cover. 7050 w/ stainless bolts . Ext: 80~130. Angle : ±5°. Bar bore: 31.80 Dia: 28.6. H: 39mm. Finish: anodized. EXT: 100mm



6161024
The new UL stem with 7050 aluminum Weight : 87g (L:90mm (Ti-bolts) Length : 80/90/100/110/120/130mm Angle : +/- 7 degree Diameter : 31.8mm Finished : Carbon/matt black/porcelain/ebony



6161025
The new UL stem with 6061 aluminum Weight : 105g/ext. 90mm Ext.60-130mm Angle : +/- 7 degree Diameter : 31.8mm Finished : Matt black/porcelain/ebony



6161026
The new UL stem with 6061 aluminum Weight : 105g/ext. 90mm Ext.60-130mm Angle : +/- 7 degree Diameter : 31.8mm Finished : Matt black/porcelain/ebony



6161027
EN-M/EN-R approved. Die Cast Stem. Angle: 7 degree. Diameter: 31.8mm. Steerer: 28.6mm, Height:42mm. Length: 300/350/400mm. Weight:180g Finished: Barrel Silver, Ed Black.



6161028
3D forged #6061 aluminum, 4 bolts ahead Stem Extension 60mm. Bar bore 31.8mm. Clamp L.D 28.6mm Stack Height: 36mm. Weight 150g 31.8mm x 90mm ext.



6161029
3D forged / 7075-T6 alum 2014 alloy faceplate. Stainless steel hardware. L: 60~130mm. Angle: +/- 7 degree. Dia: 31.8mm. Steerer : 28.6mm



6161030
3D forged. Extension: 90/110. Bar bore: 25.4/ 31.8. Steerer: 28.6. Angle : -12°~+12°. L: 40 mm. Finish: Mat BK, Mat SV



6161031
Material: 6061 forged alloy. Angle 40 - 140. Extension 108/128mm. Bar bore 25.4/31.8mm. Clamp L.D: 25.4/28.6mm Weight: 128mm Finish : Black/Silver/Anodized/S.B color.



6161032
3D Forged / 6061-T6 aluminum. Alloy Faceplate. L70/80/100/110/120mm. 31.8mm diameter. 28.6mm steerer clamp. Finished: S.B Black.



6161033
Full set 3D CNC machined body & front cover. 7050 w/ stainless bolts . Ext: 80~130. Angle : ±5°. Bar bore: 31.8. Dia: 28.6. H: 39mm. Finish: anodized. EXT: 100mm



6161034
EN-M/EN-R approved 3D forged stem. L: 70/80/90/100/110/120mm. Angle: 7 degree . Dia: 25.4/ 26.0mm. H: 41mm. Finished: anodized



6161035
Fully CNC-machined 6061 T6 alloy. Bar/ Dia: 25.4 / 31.8mm. Extension: 45mm. Steerer: 28.6mm. Angle : 0°. H: 41 mm



6161037
Fully CNC-machined 6061 T6 alloy Bar diameter : 31.8mm Extension : 47mm



6161038
Forged w/partial CNC. 28.6 X 50mm



6161039
Extrusion with full CNC. 28.6 X 53mm. Bar bore: 22.2mm. Angle: 0°. H: 30mm



6161040
Alloy 6061 fully CNC machined. Ext: 45/50mm. Bar bore: 31.8mm. Angle: 0°

Pedal



630968
Size: 84 x 55 x 34mm. Body: Alloy. Painted color. Axle: Cr-Mo Bearing: Sealed. Cleat: Shimano compatible. Axle: Loose balls. Toe clip: T12 incl. Strap: S41 incl.



630969
Body: Aluminum. Axle: CNC machined Cr-Mo. Bearings: LSL & sealed ball bearings. Binning: Adjustable tension (80~180kgf-cm) Size: 82 x 92 mm.



630970
Body: Aluminum / Barrel: silver w/kraton top. Spindle: Cr-mo. Bearing: DU/Sealed. Cleat: 98A or Shimano 51 compatible. Size: 90 x 87.5 x 32mm.



630971
Size: 80x93x33mm. Body: Carbon/alloy. Axle: Cr-Mo. W/6m allen-key. Bearing: Sealed



630972
ROAD. Body: HiPAC carbon. Axle: CNC machined Cr-Mo. Bearings: LSL & sealed ball bearings. Binning: Adjustable tension (80~180kgf-cm). Size: 82 x 92 mm.



630973
Body Forged AL6061T6. Hard Anodized. Axle: CNC machined Cr-Mo Hollow. Bearings: LSL & sealed ball bearings. Binning: Dual-sided steel Shimano SPD compatible adjustable tension (120~180kgf.cm) Size: 49.5 x 87 mm.



630974
Size: 84x55x34mm. Body: Alloy. Painted color. Axle: Cr-Mo. Bearing: Sealed. Cleat: Shimano compatible. **630975** Axle: Loose balls



630976
Body: Aluminum. Spindle: CNC machined Cr-moly Bearing: Sealed+DU busing Cleat: H20/ Shimano cleat compatible. Size: 80x48x34.5mm



630977
Size: 85 x 65 x 25mm. Body: Alloy. painted color. Axle: Cr-Mo. Bearing: Sealed. Cleat: Shimano compatible End cap: Alloy. **630978** End cap: Plastic



630979
Body: Aluminum/ED black or painted color. Magnesium/Painted color. Spindle: Cr-mo. Bearing: DU/Sealed. Size: 84x64.5x34 mm.



630980
Indoor Cycling



630981
Multi-Interface



630982
Body: One-piece aluminum. Investment casting. W/Replaceable pin D404. Spindle: Cr-mo CNC machined. Bearings: Dual & sealed bearing. Color: Any color. Size: 92 x 93 x 21 mm.



630983
Size: 108x102x20mm. Body: CNC alloy, with screw pin. Axle: Cr-Mo. Bearing: Sealed



630984
Body: One-piece aluminum. W/Replaceable pin D404. Spindle: Cr-mo CNC machined Bearings: Dual & sealed bearing Color: Any color. Size: 90 x 83 x 27 mm



630985
Body: Aluminum/ED black or painted color. Magnesium / Painted color. Spindle: Cr-mo. Bearing: Ball bearing. PIN: Replaceable pin. Size: 100x100x 26.2mm.



630986
Body: Aluminum/ED black or barrel silver. Cage: Aluminum/ED black or anodized. Spindle: Cr-mo. Bearing: DU/Sealed. Cleat: 98A or Shimano 51 compatible. Size: 104 x 63.2 x 28mm.



630987
Body: Aluminum/barrel silver. Cage: Aluminum or steel/ED black. Spindle: Boron. Bearing: Ball bearing. Size: 110 x 80 x 25mm.



630988
Body: Aluminum forged/ Anodized. Spindle: Cr-mo. Bearing: DU/Sealed. Pin: Replaceable pin. Size: 104x 63.2x 28mm.



630989
Body: Aluminum 6061 extruded/ CNC machined/ Anodized. Spindle: Cr-mo. Bearing: DU/Sealed. PIN: Replaceable pin. Size: 105.5 x 100 x 27mm.



630990
Size: 108 x 102 x 20mm. Body: One piece alloy with molded pin. Axle: Steel/ Boron / Cr-Mo. Bearing: Loose balls. Reflector: Incl.



630991
Size: 108 x 102 x 20mm. Body: CNC alloy, with screw pin. Axle: Cr-Mo. Bearing: Sealed



630992
MTB. Body Barrel polished aluminum. Axle: 7mm boron steel. Bearings: Ball bearings. Size: 101 x 79 mm.



630993
Body: Gold-forged one-piece CNC aluminum silver replaceable grip pins. Axle: CNC machined Cr-Mo. Bearings: Sealed ball bearings. Size: 117 x 110 mm.



630994
BMX. Body: Extruded/CNC machined aluminum platform replaceable grip pins. Axle: CNC machined Cr-Mo. Bearings: LSL & sealed ball bearings. Size: 106x96x16 mm.



630995
Size: 105x70.6x25.5mm. Body: Burnished silver alloy with rubber mounted. Axle: BR/Cr-Mo Bearing: Loose balls.



630996
BMX. Body One-piece Nylon body. Axle: 7mm boron steel. Ball bearings. Extended Cup. Size: 111 x 105 x 25.5 mm.



630997
Body: PC black. Cage: PC black or translucent color. Spindle: Cr-mo. Bearing: Ball bearing. Size: 99x80.5x28mm.



630998
For BMX & MTB. Nylon Color



630999
For BMX & MTB. PC Color



63101000
Cleat: 0° float.



63101001
Size: 13 x 430 mm. Single strap.

Chain wheel



610806
Integrated outside bearing B.B. Chainring: 53/39T teeth (7075/T6) CNC. Crank: Hollow carbon. Length: 170, 172.5, 175mm. BCD:130mm



610807
Integrated outside bearing B.B.3D Chainring: 50/34T teeth (7075/T6) CNC Crank: Forged 6061/T6 alloy. Length: 170, 172.5, 175mm. BCD: 110mm



610808
Material: AL-7075/ 7050. BCD: 110mm. Chainring: 50T X 34T. Finish-beadblast / matte black



610809
Material: AL-7075 / 7050. BCD : 130 mm. Chainring: 52T X 39T X 30T ; 50T X 39T X 30T. Finish-high polished, silver / black / grey



610810
Material: AL-7075 / 7050. BCD: 130 mm. Chainring: 52T X 39T X 30T ; 50T X 39T X 30T. Finish-beadblast / matte black



610811
Chainring: 22/32/42T, 22/32/44T, 28/38/48T. Crank: Forged 6061/T6 alloy. L: 170, 175mm. BCD: 104/64mm



610812
Integrated outside bearing B.B. Chainring: 53T/39T teeth (7075/T6) CNC. Crank: Forged 6061/T6 alloy. L: 165, 170, 172.5, 175mm. BCD: 130mm



610813
Integrated outside bearing B.B. Chainring: 50/34T teeth (7075/T6) CNC. Crank: Forged 6061/T6 alloy. L: 165, 170, 172.5, 175mm. BCD: 110mm



610814
BCD: 130/74mm 5Arm alloy forged crank. Crank L: 170, 172.5, 175 mm. Chainring/speed: 302: 52/42/30T (8/9S) Material: Outer/Middle/Inner: Alloy/Steel Option. Chainline: 45.5mm. BB-EB2401/ BB-B88601



610815
53T AL delicate CNC x 39T AL. Integrated external bearing B.B system 6061 Forged AL crank. 175, 170, 172.5mm/ BCD 130mm



610816
L: 165, 170, 172.5, 175mm. BCD: 110mm Chainring: 50/34T. Chainline: 43.5mm Crank W: 730grams. BB Cups: BC-1.37 x 24/68mm. BB Axle: Cromoly SCM435 Weight: 120grams



610817
L: 165, 170, 172.5, 175mm. BCD:130/74 mm. Chainring: 52/42/30T. Chainline: 45mm. Crank W: 85grams. BB Cups: BC-1.37 x 24/68mm. BB Axle: Cromoly SCM435. W: 98grams



610818
BCD: 130mm 5Arm Alloy forged crank Crank L: 170, 172.5, 175mm. Chainring/speed: 208: 53/39T(9/10S) 209: 52/39T (9/10S) 225: 50/39T(10S) Material: Outer: CNC, Inner: CNC/alloy option. Chainline: 43.5mm. BB-B83001/BB-PF3001



610819
Chainring: 22/32/42T, 22/32/44T, 28/38/48T. Crank: Forged 6061/T6 alloy. Length: 170, 175mm. BCD: 104/64mm



610820
BCD: 104/64mm 4Arm alloy forged crank Crank L: 170, 175mm. Chainring/speed: 306: 42/32/24T(10S), 304: 44/32/22(9S) Material: Outer/CNC, middle: CNC, Inner: CNC/alloy option. Chainline: 50mm BB-B83002 / BB-PF-3002



610821
L: 165, 170, 172.5, 175mm. BCD: 110mm. Chainring: 50/34T. Chain line: 43.5mm. Crank W: 615 grams. BB Cups: BC-1.37x24/68 mm. Weight: 95grams



610822
Crank: Forged Alloy 6061 Crank Finish: Hi-polish Black/Silver Chain Ring: 52T/42T/30T BCD: 130/74. Crank L: 175/170 mm. Chain Guard: Alloy



610823
44T, 42T. Skip teeth design. 6061 forged AL crank. 175,170,165mm / riveted



610824
38T AL delicate CNC x 24T AL CNC Interchangeable / 2 x 10. 6061 Forged AL crank. 175, 170mm/ SB BK & Polish silver/ BCD 74mm



610825
38T AL delicate CNC x 24T AL CNC Interchangeable / 2 x 10. 6061 Forged AL crank. 175, 170mm/ SB & Polish BK / BCD 74mm



610826
ICS (Internal clamping system) Two piece (Press Fit) Cr-mo Tubular crank. Left side arm with 19mm-8T spindle 170/175 mm



610827
ICS (Internal clamping system) Two piece Cr-mo tubular crank Left side arm with 19mm-8T spindle. 170/175 mm



610828
Two Piece Cr-Mo smaller tubular crank. Left side arm with 19mm-8T spindle 170/175mm

Head Parts & B.B. Parts



604H766
H: 37±0.5mm/Cup type. Finish: CP, ED, AP (stain). Size: 1-1/8" x 26T. D: φ 28.6x34x30. Ball retainer: 5/32"x22x2. Material: Full set in steer, dust seal, 8pc set. Optional: H831GW φ 25.4x30x27 or φ 25.4x30x26.4



604H767
Upper 1-1/8", lower 1-1/2" φ 28.6x44x49.7x39.8. Material: Alloy(#B), Zn alloy (#1.2), steel (#A,3,4,5) Type: thread, cartridge. Height: 9.2+11.2=20.4mm



604H768
EC34/28.6 / EC34/30 Alloy, sealed bearings ACB 36°x45° D: φ 1-1/8"x34x30mm Height:31mm



604H769
φ 25.4x30x27/30.2x26.4
604H770 φ 28.6x34x30 Material: Alloy (#1.2,3,4) nylon (#B), steel(#5). Type: Threadless, sealed bearing



604H771
Threadless MTB/ROAD. Size: 1.5" Aluminum. Finish: Anodized black or silver. Dia: 38.1/49.7/39.76. Stack height 16.6+12.2=28.8. Bearings Semi cartridge. Set: 6 pcs. Weight 155g



604H772
EC34/28.6-26tpi/ EC34/29 φ 25.4x34x30mm. H: 35.8mm
604H773
EC29/25.4-24tpi/ EC29/27 Alloy, Ball retainers φ 22.2x30x27mm. H: 36.6mm



604H774
EC34/28.6-26tpi/ EC34/30 φ 25.4x34x30mm. H: 39.4mm
604H775
EC29/25.4-24tpi/ EC29/27 φ 22.2x30x27mm. H: 39mm Alloy, Sealed bearings ACB 36°x45°



604H776
ZS44/28.6 / ZS44/30 Alloy, cartridge bearing cups. D: φ 1-1/8" X 44 X 30mm. H:13.9mm



604H777
EC34/28.6-26tpi/EC34/30 φ 25.4x34x30mm. H: 38.6mm
604H778
EC29/25.4-24tpi/EC29/27 φ 22.2x30x27mm. H: 36.8mm Alloy, Ball retainers



604H779
604H780

Applications MTB & ATB, Trekking & Comfort. Size: 1-1/8" x 26T. Dimension 25.4 x 34 x 30 Components: Alloy



604H781
Applications ATB, MTB, Racing & Trekking. Finish: Silver, ED, AD Size: 1-1/8" Threadless Headset Dimension 1-1/8" x 34 x 30



604H782
EC34/28.6/EC34/30 Alloy, 36°x45° D: φ 1-1/8"x34x30mm Height: 24.9mm



604H783
1-1/8"x26T (Internal threaded) 25.4x44x30. Height: 14+3.3= 17.3mm. W: 157g. Bearings: Semi-Cartridge Bearings. Material: Steel w/6061-T6 Top cover. Finish: Anodized/ED Black



604H784
1-1/8" φ 28.6x44x30. Material: Alloy(#1), nylon(#2,B), steel(#3,4,5). Type: threadless, cartridge. Height: 9.2+3=12.2mm. Weight: 133g



604H785
Integrated, threadless MTB/ ROAD. Size: 1-1/8" + 1-1/4". Aluminum. Finish: Anodized black or silver. Dia: 28.6/41/46.9/33. Stack H: 9.3+0.7=10. Bearings Semi cartridge. Set 5 pc. Weight: 79.5 g.



604H786
Finish Silver/ BK, AD Size: 1-1/8" Integrated. Headset. Campy Compatible SHIS norm : IS42/28.6/IS42/30



604H787
Alloy upper/bottom cups. Alloy 11mm cone spacer. Bearing upper: 1-1/8". Semi-cartridge. Bearing bottom: 1-1/4" double side sealed, 45°x45° Stack H: 15.3mm



604H788
Integrated, threadless MTB/ ROAD Size: 1-1/8"+1.5. Material: Aluminum. Finish Anodized black or silver. Dia: 28.6/41/52/39.76. Stack H: 9.3+1.0=10.3. Bearings Semi cartridge. Set: 4 pcs. W: 80.5 g



604H789
Integrated, threadless MTB/ ROAD Size 1-1/4". Material: Aluminum. Finish: Anodized black or silver. Dia: 31.75/41.8-46.9/33. Stack H: 15.7+0.7=16.4. Bearings Semi cartridge. Set: 5 pcs. W: 82.1g



604H790
External threaded BB fits road bikes. 2 sealed bearings For shell 68mm x 73mm Ceramic bearing available Weight: 102g



604H791
External BB set. Shimano compatible. 2 Sealed bearings For shell 68mm & 73mm Ceramic bearing available. Weight: 112g

Clamp & Quick Release



613C618
Material: Forged alloy, Dia: φ 31.8, φ 35.0. Finish: Anodized color



613C619
Clamp with two Light LED. Dia: 31.8/34.9 mm Button Cell 1.5V 4 PCS



613C620
Material: Alloy DIA: 31.8/ 34.9



613C621
Finish: anodized Black /Silver. DIA: 35/36.4



617I135
Material: Alloy Dia: Front : M5 x 110/115 MM Rear : M5 X 144/ 148.5/ 151.5MM



617I136
Material: Alloy Dia: Front : M5 x 110/115 MM Rear : M5 X 144/ 148.5/ 151.5MM



613C622
34.9mm / 9.5g



613C623
34.9MM / 9g



613C624
34.9MM / 20.5g



613C625
Material: Alloy DIA: 31.8/ 34.9



617I137
Material: Alloy Dia: Front : M5 x 110/115 MM Rear : M5 X 144/ 148.5/ 151.5MM



617I138
Material: Alloy Dia: Front : M5 x 110/115 MM Rear : M5 X 144/ 148.5/ 151.5MM



613C626
Forged 6061 T6 alloy, Dia: 31.8mm



613C627
Full CNC-machined 6061 T6 alloy, Dia: 28.6 /29.8/31.8/34.9mm



613C628
Cold-forged alum arms S.B. anodized Silver/ Black. Dia: 35/31.8mm



613C629
Finish: Polished, anodized Black/Silver Dia: 34.8



613C630
Precision CNC machined 7075 alloy Titanium bolt Dia: 34.8mm



613C631
Precision CNC machined 7075 alloy Titanium bolt Dia: 31.8mm



613C632
MTB, cold-forged alum arms. S.B. anodized SV/ BK. Dia: 31.8/35



Excellent Cycles

ProSuperGo

www.prosupergo.com



GEOTECH

www.geotechbikes.com

FOR SHIPMENT FROM TAIWAN/CHINA

BICYCLES, SPARE PARTS
PLS CONTACT WITH PRO SUPERGO INT'L CORP.

FOR SHIPMENT TO EU COUNTRY

PLS CONTACT OUR TURKEY PARTNER
www.geotechbikes.com, info@geotechbikes.com

3F NO.21 YUNG-FU STREET, SAN CHUNG DISTRICT 24156 , NEW TAIPEI CITY, TAIWAN

FAX NO: 886-2-22868595 PHONE: 886-2-22861939, 22874013, 22801645

psupergo@ms5.hinet.net