

Pro

Bikes

Excellent Cycles

Super

Quality

Go

Life!



2014

Parts & Accesories



Index

Light -----	01-02	Basket -----	38
Cycle GPS / computer -----	03-04	Brake set / Disc brake / Brake lever-----	39-44
Bell & Horn -----	05-06	Brake shoes -----	45-46
Bottle cage -----	07-08	Seat post -----	47-48
Water bottle -----	09	Chain -----	49
Back mirrors & Lock -----	10	Handle Bar -----	50-51
Lock -----	11	Bag -----	52-53
Pump -----	12-13	Stem -----	54-55
Kick stand -----	14-15	Bar End -----	56
Tool -----	16-21	Clamp -----	57-58
Grip -----	22-24	Pedal -----	59-62
Handle Bar Tape -----	25-26	Wheel set -----	63-64
Phone Bracket -----	27	Head Parts / B.B Parts -----	65-66
Apparel & gloves & glasses ----	28	Chain wheel & crank -----	67-68
Helmet -----	29-30	Quick-release -----	69
Chain cover / Mudguard -----	31-32	Cable parts -----	70-71
Baby seat / Rear Carrier / Hub -	33-34		
Saddle -----	35-37		

LIGHT/ USB LIGHT



6541102
Description: VEGA 3W USB Rechargeable Headlight. 15cm USB ccharge cable
Color: Black / Silver



6541103
Description: VEGA 1W Headlight.
Material: Aluminum alloy lamp case
Color: Black / Silver



6541104 USB
Description: 1 Watt USB Rechargeable Headlight
Material: Heat dissipation design with aluminum alloy



6541105
Description: 3 LEDs headlight Beam . Low Beam , Flashing
Color: Black / White / Red / Yellow / Blue / Purple



6541106 USB
Description: USB 3 Function 1 White LED
Material: ABS/Silicon/PC/PMMA
Color: Black / White / Blue / Purple



6541107
Description: Max 130 Lumens, 15 Lux 10M Aluminum body, Apply for AA sized Bat. *2pcs



6541108 USB
Description: 2 LEDs USB Rechargeable Safety Light. Super Bright / Boost / Constant / Flashing
Color: Black / White



6541109 USB
Description: 3 Watt Aluminum USB Rechargeable Headlight
Color: Black / Red / Gold / Blue / silver



6541110
Description: Bike Light Wireless. 10 LED. 7 Function Rear Light
Material: Silicon ABS



6541111 USB
Description: USB Aluminum Safety Front / Rear Light
Material: Water resistant
Color: Black / White / Yellow / Red / Blue



6541112 Battery Powered
6541112A USB Solar Chargeable

Description : 1W LED power LED. 6 or 8hrs
Color : White/Green/Yellow/Orange/Red/Pink/Purple/Black



6541115 W/R

Description : 3 ultra bright white LED FRONT / Red LED Rear
Material : Rainproof
Color: Black / White / Red / Pink / Blue / Green / Yellow



6541120 W/R

Description : LED 2 functions. white LED Front / Red LED Rear
Color: Black / White / Red / Pink / Blue / Green / Yellow / Orange



6541113 W/R

Description : 2 LED Color White Front / Red Rear. 2 functions. Rainproof
Color : White/Green/Yellow/Orange/Red/Pink/Purple/Black/Blue



6541117 W/R USB

Description : USB 2 White LED or 2 Red LED
Material: PMMA/ Silicon



6541121 USB

Description : USB 2 White LED
Material: PMMA/ Silicon



6541118

Description : 0.5W high Safety Light
Color: Black / White



6541122 W/R

Description : 0.5 Watt Red LED or 0.15 Watt White LED Water resistant



6541119 USB

Description : 3 Red LEDs
Material : Stainless hardware included



6541123 USB

Description : USB Light Function as a helmet clip light
Material : Water resistant.
Color : Black




6541114 W/R USB

Description : 2 LED Color White Front / Red Rear . 2 functions. Rainproof
Color : White/Green/Yellow/Orange/Red/Pink/Purple/Black/Blue



6541124 A/B/C

Face: A: Truculent B: Sinister C: Cool
Description : 2 LED Color White Front / Red Rear. 2 functions. Rainproof
Color: White/Green/Yellow/Orange/Red/Pink/Purple/Black



6541125 USB

Description : LED Shoes Clip. USB Rechargeable. Available in shoes or arm



688580

Description: Sharp Display

1. Ride mode/waypoint mode/route mode
2. Time, speed, distance, altitude, temperature
3. Calorie
4. Data log
5. Digital compass
6. Heart rate monitor/cadence/wheel speed sensor ant+2.4g solution
7. Guide software to manage your fitness plan and share your ride journal with your social network (Facebook, Twitter, etc)

Without heart rate monitor display: 2" 4 level gray lcd 128x160 pixels

Battery life GPS ON 820mah li-ion type rechargeable

Battery life GPS ON 15 hours

Water proof yes (ipx7)

Interface mini USB

Digital compass yes

Ant+ sensor no

Barometer no

Waypoint 100,000 log 6 lap points color: Black



688581

Description: ICON Display

1. Ride mode/waypoint mode/route mode
 2. Time, speed, distance, altitude, temperature
 3. Calorie
 4. data log
 5. Digital compass
 6. Guide software to manage your fitness plan and share your ride journal with your social network (Facebook, Twitter, etc)
- Display 1.8" icon type LCD

Battery life GPS ON 820mah li-ion type rechargeable

Battery life GPS ON 15 hours

Water proof YES (IPx7)

Interface mini USB

Digital compass yes

Ant+ sensor: No

Barometer: No

Waypoint 42,000 points color: Black



688582

Description: Sharp Display

1. Ride mode/waypoint mode/route mode
2. Time, speed, distance, altitude, temperature
3. Calorie
4. Data log
5. Digital compass
6. Heart rate monitor/cadence/wheel speed Sensor ant+2.4g solution
7. Guide software to manage your fitness plan and share your ride journal with your social network (Facebook, Twitter, etc)

Without heart rate monitor display: 2" 4 level gray lcd 128x160 pixels

Battery life GPS ON 820mah li-ion type rechargeable

Battery life GPS ON 15 hours

Water proof yes (ipx7)

Interface mini USB

Digital compass yes

Ant+ Sensor no

Barometer no

Waypoint 100,000 log 6 lap points color: Black



688583

Description: Sharp Display

1. Ride mode/waypoint mode/route mode
2. Time, speed, distance, altitude, temperature
3. Calorie
4. Data log
5. Digital compass
6. Heart rate monitor/cadence/wheel speed Sensor ant+2.4g solution
7. Guide software to manage your fitness plan and share your ride journal with your social network (Facebook, twitter, etc)

Without heart rate monitor display: 2" 4 level gray lcd 128x160 pixels

Battery life GPS ON 820mah li-ion type rechargeable

Battery life GPS ON 15 hours

Water proof yes (ipx7)

Interface mini USB

Digital compass yes

Ant+ Sensor no

Barometer no

Waypoint 100,000 log 6 lap points color: White

**635802**

Description: Windmill bell
Material: Alloy top, plastic base
Size: 75mm
Specification: 22.2mm/25.4mm/31.8mm
Color: Red

**635801**

Description: Windmill Bell
Material: Alloy top, Plastic base
Size: 75mm
Specification: 22.2mm/25.4mm/31.8mm
Color: Yellow

**635803**

Description: Butterfly bell
Material: Steel top, plastic base
Size: 60mm

**635853**

Description: Apple Bell
Operation: Knocking, Single Sound, lever position adjustable
Material: Alloy dome with plastic base and lever
Size: 22.2mm
Color: red & green

**635854**

Description: Without tool bell
 Easy to assemble without tool
Material: Alloy top with plastic strap
Size: Handle bar 22.2 ~ 31.8 mm
Dome size: 34mm
Color: White

**635855**

Description: Adjustable clip bell
Material: Alloy top; plastic base
 operation for all sizes of handle bar
Size: 31mm
Color: Silver/black

**635856**

Description: Mini bell
Material: Brass top with alloy clamp
 360 degree for hammer
Dome Size: 23mm
Handle bar size: 22.2mm

**635857**

Material: Brass top with plastic base
Dome Size: 23mm
Handle bar size: 25.4-31.8mm

**635858**

Description: Light bell 360°
 Rotating led Special design: plastic base, alloy top
Size: 48mm
Color: Gold/silver/black/blue/red

**635859**

Description: Bell
Material: Steel/brass top/alloy plastic base
Size: 30mm
Color: Black/red/silver/blue/gold/green

**635860**

Description: Innovative design for automatic or manual operation mode
Material: Brass top with plastic base
Dome Size: 34mm
Handle bar size: 22.2-25.4mm

**635861**

Description: Special design to assemble on space
Material: Brass top with alloy clamp
Dome Size: 47mm

**635862**

Description: Special design to assemble on space
Material: Brass top with plastic base
Size: Handlebar 22.2-25.4mm
Dome size: 41mm

**635863**

Description: Bell light battery x 2
Color: Red/gold/silver/black/white

**635852**

Description: Plastic and alloy top with plastic base
Size: 60mm
Specification: 22.2mm/25.4mm



6381301
Material: Alloy Combine with Plastic Side open cage



6381302
Material: Plastic
Function: Side open cage (Right Side)



6381303
Material: Alloy



6381304
Material: Aluminum Plate
Water Bottle Cage
Color: Black / silver / white



6381305B/6381305W
Material: Plastic body. Corolla adaplt the water from to 74mm in diameter
Color: Black / White



6381307
Material: PC
Color: Black / White



6381308B / 6381308W
Material: PC
Color: Black / White



6381315W / 6381315B
Material: Anti-side rubber pads co-molded



6381316
Material: Alloy
Adjustable: 60-76mm
 Recommended for supersion bike



6381311
Material: PC



6381323
Material: Aluminum Plate, 5052 ultra light aluminum materials, Rubber part makes cage more extension
Color: Black / silver / White



6381322
Material: Aluminum Plate, 5052 ultra light aluminum materials, Rubber part makes cage more extension
Color: Black / silver / White



6381326
Material: Alloy
Color: ED Black / Anodized Silver with black plastic



6381327
Material: Alloy
Color: ED Black with silver button Anodized silver with black button



6381328
Material: Plastic
Color: Black / White



6381306B/6381306W
Material: PC





6381330

For : Adjustable bottle cage, 3 position shifting



6381331

For : Multi-function bottle cage



6381332

Material: aluminum



6381333A/B/C/D/E

Material : PC

Color : Black / Green / Light Blue / Light Green / Blue



6381334

Available : For : 350c.c ~ 1500c.c All Bottle sizes are available
Material : Adjustable cage



6381335

Material : Aluminum Plate Water



6381336

Material : PC



6381339

Material : Water bottle cage in 6.0mm light steel wire



6381340

Material : Water bottle cage in 6.0mm light steel wire



6381341

Material : Water bottle cage in 6.0mm light steel wire



6381319

Material : With Any Bottle, Fastening Tape



6381343

For Bottle cage holder which can assemble rail of saddle

Material : Alloy 6061



6381260 A/B
 Material : PP
 Size : 605cc
6381260B W/Anti-dust Cap



6381262
 Material: Unique spout valve-Push to open
 Size : 650cc



6381263
 Material: Plastic
 W/Anti-dust Cap
 Size : 650cc



6381264 A/B/C
 Material : LD, LDPE,
 Size : A:800 / B: 600cc / C: 600cc



6381267
 Material : PP
 W/Anti-dust Cap
 Size : 750ml



6381268
 Material : LDPE
 Size : 750ml



6381269
 Material : LDPE
 Size : 800cc



6381270
 Material : LDPE
 W/Anti-dust Cap
 Size : 600cc



6381271 6381272
6381271 A/B/C/D/E/F
 Material: LDPE Size: 700cc
6381272 W/Anti-dust Cap



6381273 A/B/C
 Material : PP
 Volume : 500cc



6381274 A/B/C
 Material : PP
 Volume : 500cc



Cap options available



6381275 A/B/C/D/E/F/G
 Material : PP
 Size : 605cc



6381276 A/B
 Material : PP, LDPE,
 W/Anti-dust Cap
 Size : 680cc



6381277
 Material : LD PE
 Volume : 700cc



6381278
 Material : LD PE
 Volume : 600cc



6381279
 Material : LDPE
 Size : 550cc

**647520****Lens:** Stainless**Base:** Eco-friendly high impact nylon+ fiber**Clamp:** Aluminum ED-Black**Match:** Handlebar diameter 22.2mm**647521****Lens:** Stainless**Base:** Eco-friendly high impact nylon+ fiber**Clamp:** Aluminum ED-Black**Match:** Handlebar diameter 22.2mm**647522****Description:** Multi-angle adjustable
Convex mirror Available in single item**Material:** ABS+ coating /PA/ Glass**Fit:** \varnothing 14.5~ \varnothing 19.5mm handlebar end**647523****Description:** Multi-angle adjustable
Convex mirror Available in single item**Material:** ABS+ Coating /PA/ Glass**Fit:** \varnothing 14.5~ \varnothing 19.5mm handlebar end**647524****Lens:** Stainless**Base:** ECO-friendly nylon+fiber**Reflector:** White**Clamp:** Aluminum ED-Black or ED-Silver**Grip:** L130* \varnothing 130mm/Black & Red**647525****Lens:** Stainless**Base:** ECO-friendly nylon+fiber**Reflector:** White**Clamp:** Aluminum ED-Black or ED-Silver**Grip:** L130* \varnothing 130mm/Black & Red**647526****Description:** Back convex mirror 3" for mtb, folding
bike & Road**Material:** ABS /PP**647527****Description:** Back mirror 2" 'oval' for mtb, folding
bike & Road**Material:** ABS /PP**641920****Description:** Bottle lock with key
Size: 7mm x 150cm**641921****Description:** Fold lock with bracket
Size: 20mm x 70cm**641922****Description:** Fold lock with
bracket
Size: 25mm x 85cm**641923****Size:** 174mm x 260mm**641924****Size:** 110mm x 113mm**641925****Size:** 150mm x 193mm



641926

Size:170mm x 250mm



641927

Size:180mm x 245mm



641928

Description:Key lock
Size:8/10/12mm x 36"/48"/60"/72"
Color:Black/Blue/White/Violet



641929

Description:3 digit resettable
combination loop lock
Size:3mm x 36"/48"/60"/72"
Color:Black/Blue/White/Violet/Yellow
/Orange/Green/Pink/Red



641930

Description:Re-settable combination
cable lock
Re-settable number available
Material:plastic wheel/zinc
alloy/plastic/steel
Size:Dia : 8mm/10mm/12mm
L : 24"-84"



641931

Description:3 combination number
cable lock
Material: plastic wheel /zinc alloy
,plastic /steel
Size:Dia : 8mm/10mm
L : 24"-84 "



647505

Description:Profice design with
two tone colors
Size:15mm x 60cm



641886

Description:Double
security. Combination-key
Size:10mm x 180cm



641894

Description:Engineered streamline
design with plastec silver elegant
coated
Size:12mm x 180cm.10mm x 150cm



641900

Description:Double security
combination-key
Size:12mm x 180cm



641936

Size:Dia:8/10mm
L:60/90/120/150/180mm
Color:Black



641937

Description:Key type double loop lock
Size:8/10/12mm x 36"/48"/60"/72"
Color:Black/Blue/White/Violet



641938

Description:4 digit resettable
combination loop lock
Size:8mm x 36"/48"/60"/72"
Color: Black/White/Blue/Yellow/
Orange/Green/Pink/Violet/Red



641939

Description:Easy key access
allows you to insert your key
form any dorection
Size:Specifications:12/10mm x
120/150/180cm



641940

Description:Self coiling cable with
vinyl coating resistance rust
Easy key access allows you to insert
your key form any dorection
Size:Specifications:8/10mm x
120/150/180cm



641883

Description:Re-settable
compination cable lock
Material:plastic wheel/zinc
alloy/plastic/steel
Size:Diameter:8/10/12mm
L:24"-84"



641884

Description:Pat.key cable lock
Material:Aluminum alloy/zinc
alloy/plastic/steel/brass key
Size:Diameter:15/20mm
L:24"-84"



641895

Description:Pat.resettab
le combination u lock
Size:Dia:10mm
Dd:49mmx195mm



641944

Size:Dia:109mm
Color:Black/Gray



661910
FOR SIZE 24"-29" BIKE

Description: Fits on chain stay neck. fittings: 3/8" * 25mm - steel bolt
Material: Center kickstand. Alloy head with stainless stay
Color: Liquid coat black head with sandblasted stay



661911
FOR SIZE 24"-28" BIKE

Description: Fits on chain stay which is welding a fixed plate with 2 holes for 40mm
Material: Alloy Rear kickstand
Color: ED Black/V-Polished Silver



661912
FOR SIZE 20" / 24" / 26" / 700C / 28" BIKE

Description: Fittings: 3/8" * 25mm steel bolt - UCP finish
Material: Alloy Rear kickstand
Color: ED Black/V-Polished Silver



661913
FOR ANY SIZE BIKE

Description: Forging kickstand
Material: Alloy forged
Color: ED Black/Polish Silver



661914
FOR SIZE 20"-29" ADJUSTABLE

Description: Forging kickstand
Material: Alloy forged
Color: ED Black/Polish Silver



661915
FOR SIZE 26"-29" BIKE

Description: It is the most reliable "quick stand" due to add install position at the dropout. Still remaining two good points - length adjustment and no hurting to the frame



661916
FOR SIZE 20"-29" BIKE

Material: Alloy
Color: ED Black/Anodized Silver



661917
FOR SIZE 24"-29" BIKE

Description: Fits on chain stay neck. Fitting: 3/8" * 25mm - steel bolt UCP finish
Material: Alloy center kickstand
Color: Finish: ED Black/V-Polish Silver



661918
FOR SIZE 24"-29" BIKE

Description: Fits on 45-65° different dia. of set stay 16-25.4mm and chain stay 22-25.4mm
Material: Alloy rear kickstand
Color: Finish: ED Black/V-Polish Silver



661919
FOR SIZE 24"-29" BIKE

Description: Fits on rectangular tube chain stay. suitable for most mountain bike
Material: Alloy rear kickstand
Color: Finish: ED Black/V-Polish Silver

**6481650**

Description: Professional Mechanic Tool Kit including 23 items

**A: 6481652**

Description: With torque wrench set, 2-24nm . 3/4/5/6/8/10mm/T20/T25/T30/5mm-L

B: 6481653

Description: With press-fit BB installation tool and press-fit BB removal tool

**6481654**

Description: Box Tool Kit For Shimano use, professional selections of tool including 18 items

**6481655**

Description: Torque wrench kit
Size: Bits:3/4/5/6/8/10MM /T20/T25/T30

6481656**6481656**

Description: Torque Wrench
Size: 42-210 NM

6481657

Description: Torque Wrench
Size: 5-25 NM

**6481658**

Description: Digital Torque Wrench

Size: 1/2" square driver range: 6.8 ~ 135NM L: 454mm

**6481659**

Description: Simple Digital Torque Wrench

Material: 1/2" square driver, range: 10 ~ 200NM It needs to use with correct size of wrench and socket, and keep the wrench, digital torque adapter and socket at a vertical state

**6481660**

Description: Ergonomic design and convenient breaking chain tool. 12 kinds of bits for changing. Adjustable spoke wrench.

Material: Aluminum alloy 6061 AL T6
Size: 49 x 28 x 83 mm
Color: Black/Red/Yellow/Green

6481657**6481661**

Description: Angle adjustable ratchet head design, able to cope with a variety of parts to use, can quickly turn the screws loosen and tighten so much easier

Material: Aluminum Alloy 6061 AL T6
Size: 36 x 28 x 105 mm
Color: Black/Red/Yellow/Green

**6481662**

Description: Ergonomic design and convenient breaking chain tool. 12 kinds of bits for changing. Adjustable spoke wrench.

Material: Aluminum Alloy 6061 AL T6
Size: 51 x 28 x 89 mm
Color: Black/Red/Yellow/Green

**6481663**

Description: Ergonomic design and convenient breaking chain tool. 12 kinds of bits for changing Adjustable spoke wrench

Material: Aluminum Alloy 6061 AL T6
Size: 49 x 28 x 82 mm
Color: Black/Red/Yellow /Green

**6481664**

Description: Tool Kit includes 6 items

**6481665**

Description: Torque Wrench
Size: 1/4" Torque Fix Set, 2-24 NM 3/4/5/6/8/10mm T25/T30 and 5mm-L

**6481666**

Description: Multi function bike kit

**6481667**

Description: 8 in 1 flat tool w/Alloy arm, NP
Size: Hex2/3/4/5/6 mm/T25 /Flat /PH1

**6481668**

Description: 16 in 1 folding tool
Material: W/ CNC alloy arm, NP, chain tool
Size: Hex2/3/4/5/6/8 mm / T25 / flat /PH2, bottle opener, spoke wrench 12/14/15/16G/T30

**6481669**

Description: 8 in 1 folding tool
Material: W/ CNC alloy arm 6 bits, CP
Size: Hex2/3/4/5/6mm/PH2 /T25 /flat +5

**6481670**

Description: 16 in 1 folding tool
Material: w/ CNC Alloy arm 6 bits, CP
Size: hex2/3/4/5/6/8mm/PH2/T25/flat 5/spoke wrench, 13/14/15/16G/Mavic spline/chain cutter/bottle opener

**6481671**

Description: 12 in 1 folding tool
Material: w/ Y-plastic arm 6 CNC bits, NP
Size: Hex2/3/4/5/6 mm / T25 / flat /PH2, spoke wrench 12/14/15/16G

**6481672**

Description: Mini folding tool (Alloy plates)
Material: Made of Cr-V steel, NP finish
Size: 2/2.5/3/4/5/6/8/T25/+/-, 8/10mm box wrench, mini chain tool, 13 function



6481673
Description : Mini folding tool
Material : Made of Cr-V steel. NP finish.
Size : 2/2.5/3/4/5/6/8/T25/+/-, 8/10mm box wrench, mini chain tool. 13 function



6481674
Description : Mini folding tool
Material : Made of Cr-V steel. NP finish
Size : 2/2.5/3/4/5/6/8/T25/+/-, 8/10mm box wrench, mini chain tool. 13 function



6481675
Description : Mini alloy folding tool
Material : Made of Cr-V steel. NP finish
Size : Hex wrench 2/3/4/5/6mm, +/- screwdriver, T25. 8 function



6481676
Description : Alloy folding tool
Material : Made of Cr-V steel. NP finish.
Size : Hex wrench 2/2.5/3/4/5/6mm, +/- screwdriver. 8 function



6481677
Description : Multi tools 18 function
Size : Hex key C N C High polishing: 2/2.5/3/4/5/6/8 mm Spoke tool :14/15G & Mavic: M7 / M9 Phillips # 2 screwdriver
Torx: T25/T30/Chain tool
Open Wrench: 8/9/10 mm



6481678
Description : Multi tools, 12 Function
Size : Hex key CNC: 2/2.5/3/4/5/6 mm, 8/10mm wrench, Chain tool, Torx: T25



6481679
Description : Alloy folding tool
Material : Made of Cr-V steel. NP finish
Size : 2/2.5/3/4/5/6/8/T25/+/-, 8/9/10mm open wrench, spoke wrench, 0.127"/0.130"/0.136"/0.156", mini chain tool. 18 function



6481680/6481681/6481682
Description : 7-1 folding tool
Size : 2/3/4/5/6mm Hex, T25(+)-2 screwdriver
Description : 14-1 folding tool
Size : 2/2.5/3/4/5/6/8mm Hex, T25/T27/T30, (+)1/(+)-2/(-3)/(-)4, screwdriver



6481683
Description : Long type
Size: T10/T15/T20/T25/T27/T30/T40/T45/T50



6481684
Description : Short type
Size: T10/T15/T20/T25/T27/T30/T40/T45/T50



6481685
Description : Folding Tool
Size: 2/2.5/3/4/5/6/8mm/flat/Phillips screwdriver



6481687
Description : Alloy folding tool.
Material : Made of Cr-V steel. CP finish.
Size : Hex wrench 2/2.5/3/4/5/6mm, +/- screwdriver, T25. 9 function



6481689
Description : TOOLS
Material : #6150
Size : 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / X-Scraw driver / 25T / 30T Wrench 10



6481688
Description : Pocket multi-tool 8 in 1 function
Size : 3/4/5/6 mm Hex, chain rivet extractor (+)2/(-)4 screwdriver, T25



6481686
Description : Pocket multi-tool 7 in 1 function
Size : 3/4/5/6 mm Hex, (+)2/(-)4 screwdriver, T25



6481692
Description : Disc Brake Centering Adaptor is new design tool which is simple, convenient and fast to install disc brake accurately



6481693
Description : Bottom Bracket Wrench It designed for the installation and removal of Shimano Hollowtech II external B.B.



6481696
Description : Ultimate Chain River Extractor new chain tool for all chains, including Shimano & Campagnolo II speeds

**6481698**

Description: B.B. wrench for Shimano

**6481699**

Description: 2 in 1 cotterless crank tool

**6481700**

Description: Freewheel remover

**6481702**

Description: Freewheel turner
Size: For 5-10 speed freewheels

**6481701**

Description: Alloy folding tool.
Material: Made of Cr-V steel & alloy. NP finish
Size: 2/2.5/3/4/5/6/8/T25/+/- . 2 pcs tire lever, 8/10mm spanner, 0.130"/0.136"/0.156" & 2-size Mavic spoke wrench, chain tool

**6481704**

Description: Multi Tool 17 Function w/Chain tool
Size: Hex Key: 2/2.5/3/4/5/6/8 mm, Torx: T25 Phillips #2 / Flat Serwdriver Spoke tool: 14/15G, 0.136/0.156 Open wrench: 8/10mm

**6481705**

Description: 15mm pedal wrench

**6481706**

Description: 15mm pedal wrench

**6481707**

Description: Patch repair kit
Tire levers 2 pcs

**6481708**

Description: Steel core tire lever 3PCS/SET
Material: POM/STEEL

**6481709**

Description: Bottom Bracket Wrench, It designed for the installation and removal of Shimano Hollowtech II external BB

**6481710**

Description: Folding Chain Rivet Extractor, It designed to use on all chains including Shimano & Campagolo II speeds
Material: Features 8/9/10mm wrench and 3.2/3.3/3.5/4.0mm spoke wrench, 8mm Mavic spoke wrench and includes extra pin

**6481711**

Description: Cotterless Crank Extractor, 22mm x 1.0p heat-treated, C-P, for square axle

6481712

Description: Cotterless Crank Extractor with red handle

6481713

Description: Cotterless Crank



6481714

6481714

Description: Includes setting tube and 1" and 1-1/8" inserts Crown Race Setting Tool

6481715

Description: Crown Race Setting Tool
Size: For 1.5/1.8"

6481716

Description: Crown Race Setting Tool
Size: For 1.1/1.5"



6481715

6481716

**6481717**

Description: Ratchet and chain tools

**6481718**

Description: Ratchet and Co2 tools

**6481690**

Description: Hex Wrench Set
Size: Hex Wrench Set 2/2.5/3/4/5/6/8/T25mm

6481691

Description: Hex Wrench Set
Size: Hex Wrench Set 2/2.5/3/4/5/6/8/10mm

**6481719****Description:** Ratchet tools**6481720****Description:** Ratchet tool bar**6481721****Description:** Bicycle repair stand, 360 rotated head with both workbench and wall mount functions**6481722****Description:** Freewheel turner and pedal wrench, 2 sides of 15mm pedal wrench combines with freewheel turner**6481724****Description:** Chain rivet extractor for 7/8/9/10/11 speed**6481725****Description:** Multi tools, 18 Function**6481726****Description:** Bicycle chain tool with soft handle & CNC machining screw
Material: Made of steel, CP finish**6481727****Description:** Multi-function chain tool.
Size: Hex wrench 4/5/6mm, "+" screwdriver, spoke wrench 0.127"/0.130"/0.136"/0.156", mini chain tool with 8/9/10mm open wrench**6481728****Description:** Axle vise. Insert the axle into proper size and use with bench vise to prevent the axle from turning around**6481729****Description:** "Y" Hex key wrench 4/5/6mm**6481731****Description:** Freewheel remover**6481730****Description:** Forge "0" Spoke Adjuster**6481732****Description:** Bottom bracket tool**6481733****Description:** Freewheel remover**6481735****Description:** Bicycle chain tool with soft handle.
Material: Made of steel, UCP finish.
Size: For Shimano compatible HG/UG/IG chains. Up to 9 speed chains**6481736****Description:** Chain checker. Easy to use chain wear checker.
Material: Made of Cr-Mo steel**6481738****Description:** Frame & Fork Adjustment Tool**6481745****Description:** Tool case
Material: Neoprene**6481740****Description:** Chain cleaner**6481741****Description:** 2 in 1 cleaning brush



6481742
Description: Versatile cleaning kit



6481743
Description: Pedal Tool
Size: 6/8mm hex key wrench, use with 15mm pedal wrench



6481744
Description: Chain rivet extractor, suitable for UG, HG, Hp, 3/16" & 3/8" BMX/Freestyle and compatible with any chain including shimano, campagnolo II speeds



6481746
Description: Steel core tire lever 3pcs/set
Material: POM/STEEL



6481747
Description: Nylon/Fiberglass tire lever set.
Color: Set of 3 pcs, yellow color.



6481694
Description: Nylon/Fiberglass Filled Tire Lever Set



6481748
Description: Tire Lever Set /Box 30 sets tire lever set
Color: Red/black/green/blue/yellow



6481749-A
Description: Spoke Wrench
Size: For 0.27" (3.2mm) nipple, BK
6481749-B
Description: Spoke Wrench
Size: For 0.130" (3.3mm) nipple, GN
6481749-C
Description: Spoke Wrench



6481739
Description: Synthetic mineral oil
Material: Mineral oil



6481750
Description: Synthetic mineral oil
Material: Mineral oil



6481751
Description: Folding Rollers (red plastic cover with aluminum roller)
Material: PP & Aluminum



6481752
Description: Rollers (red plastic cover with aluminum roller)
Material: PP / Steel & Aluminum



6481754
Description: Helmet Display
Material: P.P.



6481755
Description: Flexible bike holder



6481756
Description: Work and display stand.
Size: For wheels from 20"~29"



6481757
Description: 2 in 1 Display stand
Size: For wheels from 24"~29"



6481763
Description: Bike wall hanger



6481768
Description: Portable storage stand.



6481695
Description: Bike stand



6481771
Description: Bicycle Tune-up Stand . Bike Storage Stand/ Bike Display Stand
Size: 20" to 29" wheels



6481772
Description: Bicycle Tune-up Stand . Bike Storage Stand/ Bike Display Stand
Size: 20" to 29" wheels



6481773
Description: Display Stand
Size: bikes from 24"-29" by sliding wheel in position easily.
Color: Black/ blue /red



6481774
Description: Economical Head Cup Press.
Size: For all sizes of head cup and one-piece bottom bracket cups



6481776
Description: Ceiling/ wall bike slider mount.
Max load: 60kg



6481777
Description: Slider hook
Max load: 20kg



6481778
Description: Bicycle Lever Storage Stand
Size: MTB/BMX tires in size 20" to 29" wheels.



6481779
Description: High intensity design Patent design to easily fit most skewer lever Suitable for most wheel sized under 27"-29"



6481780
Description: Enhanced "L" shape steel display stand
Size: Fitted for bikes from 20" to 29"



6481781
Description: Bike Stand, Adjustable height to fit different size from 26" to 29" wheels and road bikes



6481782
Description: Rubber Solution
Size: 20ml/pc Cold Patch 52mm*32mm 24 pcs



6481783
Description: Rubber Solution
Size: 20ml/pc Cold Patch 34mm*24mm 48 pcs

**6291541**

Material: Synthetics, gel
Key point: Plastic clamp
Size: Vis: 62, one side rings 132mm

**6291542**

Main body:
 Carbon fiber vinyl
 Rubber foam
Size: 128mm

**6291543**

Material: Kraton/SBR
 Open locker grip
Colorful. Full of diversity
 Vi generation locking system grip
Size: 129mm

**6291544**

Material: Kraton/SBR
 Colorful. Full of diversity
Size: 127mm

**6291545**

Material: Rubber/Gel
Size: 127mm

**6291546**

Material: Rubber/Gel
Size: 92mm

**6291549**

Material: Kraton/PP
 Inner: 22.4mm
 Color: Red/BK/Brown
Size: 128mm

**6291550**

Material: Kraton
 Color: Red/Green
 Inner: 20.5mm
Size: 130/143mm

**6291559**

Material: Kraton/ SBR
 Colorful. Full of diversity
Size: 127mm

**6291560**

Description: Open locker grip
 Composed of different set of
 handlebar tape straps
 Colorful. Full of diversity
 V generation locking system grip
Size: 130mm

**6291555**

Material: Kraton/clear
 silicone (outer layer)
 Inner: 22.4mm
Size: 130mm

**6291556**

Material: Soft PU
Size: 138/128mm

**6291557**

Description: Composed of
 different set of
 handlebar tape straps
 Colorful. Full of diversity
 Comfortable handle
Size: 130mm

**6291558**

Material: Kraton/ SBR
 Open locker grip
 Colorful: Full of diversity
 Vi generation locking
 system grip
Size: 129mm

**6291551**

Material: PP/GEL

**6291552**

Material: PP/GEL
Size: 135mm

**6291561**

Description: For freestyle
Material: Kraton rubber
Size: 145m/m. For freestyle

**6291565**

Material: Kraton
 Color: Red/BK/Yellow
 Inner: 20.5mm
Size: 130mm

**6291564**

Description: Open locker
 grip. Both sides open
 locker. Available for end
 plug
Size: 130mm

**6291563**

Description: Open locker grip
Material: Tpr with woody pattern
 printing V generation locking
 system grip
Size: 130mm



6291501

Material: Silicone
Size: 130mm



6291502

Material: Silicone 100%
Comfortable bike grip
Size: 125mm



6291503

Description: High Density
Hand Sewn
Size: 129mm



6291504

Material: Rubber
Size: 185 x 20mm



6291505

Description: Sponge leather
Size: 128mm



6291506

Description: Bmx grip 170mm
Material: Rubber BLK



6291507

Material: Rubber
Size: 120 x 20mm



6291509

Material: Rubber
Size: 120 x 20mm



6291510

Material: Rubber/Gel
Size: 130mm



6291511

Material: Rubber/Gel
Size: 130mm



6291512

Material: Rubber/Gel
Size: 130mm



6291513

Material: 100% Silicone
Color: Red/Gray/Blue/Black/White
Size: 130mm



6291515

Material: tpr
Color: Black
Size: 130mm



6291518

Description: High density
Hand sewn
Size: 129mm



6291519

Material: Rubber/Gel
Size: 130mm



6291520

Material: TPR
Color: Red
Size: 130mm



6291521

Material: Rubber
Size: 130 x 20mm



6291525

Material: Rubber/Gel
Size: 128/104/85mm



6291526

Material: Rubber/Gel
Size: 125/90mm



6291527

Description: Ring/clamp for lock grips
Material: Alloy



6291528

Material: PP/Rubber
Size: 130mm



6291529

Material: PP/Rubber
Size: 130mm



A: 6291530/B: 6291531
C: 6291532

Material: PP/high density foamed
Size: 128mm A: Hexangular shape/
B: Round shape/C: Round shape



6291533

Size: 34x133mm



6291534

Size: 34x140mm



6291537

Main body: PP+Kraton +Lock ring
Size: 132mm



6291538

Main body: PP+super light
foam+ lock ring, Size: 1128mm



6291539

Material: Synthetics, gel
Key point: Plastic clamp
Vis: G2, one side rings
Size: 130mm



6291540

Material: Synthetics, gel
Key point: Plastic clamp
Vis: G2, one side rings
Size: 132mm



6291430

Description: Eco-friendly TPR/ Black & Red

Material: Aluminum / C or ED-Silver

Size: R130 x L130mm



6291436

Description: ECO-friendly TPR/ Black/Grey

Material: Aluminum / ED-Black/ED-Silver

Size: L130/R130mm
L130/R97mm
L97/R97mm
L97/R130mm
(4size to select from)



6291476

Description: ECO-friendly TPR/ Black/Red

Material: Aluminum / ED-Black or ED-Silver

Size: R130 x L130mm



6291479

Material: Triple materials kraton/gel.W/alloy ring

Size: 134mm



6291480

Material: Triple density material gel/kraton w/alloy ring Swarovski crystal

Size: 130mm



6291482

Material: Silicone


Size: 130mm



6291483

Description: Silicon grip

Size: 130mm (ø32mm)



6291484

Description: Chain protectors

Material: Silicon

Thickness: 1mm

Size: Any size



6291493

Description: Double density

Material: Gel/kraton

Size: 133mm



6291486

Description: Plastic Black/kraton Black/gel Grey 135.7mm



6291487

Description: Plastic black/gel black 132mm.W/plastic clamp Closed end



6291488

Description: Plastic Black/Gel black 133mm.W/plastic clamp Closed end



6291495

Description: Carbon fiber vinyl & rubber foam

Size: 128mm



6291485

Description: Chain protectors

Material: Matt carbon look

Size: Any size



6291489

Description: White microfiber+black shockproof 200x3m

W/4 lines hole

W/adhesive tape

W/vlp-49-cp



6291490

Description: Black super light PU tapes+red shockproof 200x3m

W/4 lines hole

W/adhesive tape

W/vlp-49-cp



6291491

Description: Bk anti-slippery/shock proof 200x3cm

W/GEL

W/VLP-49-CP



6291492

Description: 29-eva Yellow 200x3cm

W/embossed "diamond" graphic

W/adhesive tape

W/vlp-49-cp



6291496

Description: Rubber sewing by hand made

Size: 128mm



6291497

Description: 122-EVA green 200x3cm

W/embossed "chinese style" graphic

W/adhesive tape

W/vlp-49-cp



6291498

Description: Red anti-slippery/shock proof 200x3cm

W/embossed "chinese style" graphic

W/VEXG

W/VLP-49-CP



6291499

Description: Black pu tape/shock proof 200x3cm

W/4 lines hole

W/adhesive tape

W/VLP-49-CP



6291500

Description: Black soft microfiber tapes/white shock proof 200x3cm

W/adhesive tape

W/vlp-49-CP



6291602
Material: EVA
Size: 190 x 3cm



6291598
Description: Marble design pattern Emboss pattern
Material: EVA
Size: 190 x 3cm



6291597
Material: EVA
Size: 190 x 3cm



6291591
Material: EVA foamed
Size: 3 x 185cm



6291603
Description: Tan color
Material: EVA foamed
Size: 3 x 185cm



6291604
Description: Brush surface
Material: EVA foamed
Size: 3 x 185cm



A: 6291605W B: 6291605R C: 6291606
Material: EVA foamed + cork
A: Brush surface B: Brush surface C: Brush surface
Size: 3 x 185cm



6291607
Description: Basketball surface
Material: PU/EVA foamed
Size: 3 x 200cm



6291608
Description: Golf surface
Material: PU/EVA foamed
Size: 3 x 200cm



6291610
Material: PU/EVA foamed
Size: 3cm x 200cm



6291611
Description: Fannelet surface
Material: PU/EVA foamed
Size: 3 x 195cm



6291593
Description: PU shockproof
Key point: Two-tone, pinholes



6291594
Description: Microfiber
Key point: Two-tone, reflective



6291595
Description: Pinholes
Key point: Shockproof, pattern



6291596
Description: Two-tone, PU
Key point: Anti-slippery



6291592
Material: PU/EVA foamed
Size: 3 x 200cm



6291599
Description: Tread design pattern
Material: EVA
Size: 190 x 3cm



6291600
Description: Dragon design pattern
Material: EVA
Size: 190 x 3cm



6291601
Description: Check design pattern
Material: EVA
Size: 190 x 3cm



6291571

Material: PU/Gray



6291572

Description: Features: hi-density & powerful performance. Best shock-absorbed. Super soft-touch
Material: EVA



6291573

Material: PU/Black



6291574

Material: PU/Black



6291575

Material: PU/White



6291576

Material: PU/Black



6291577

Material: PU/Black



6291578

Material: PU/Panther /Blue



6291579

Materials: TVC/EVA/Latex/Cork



6291580

Material: PU/EVA foamed
Size: 3 x 200cm



6291581

Material: PU/EVA foamed
Size: 3 x 200cm




6291582

Description: EVA handlebar tape
W/CB-DI DIS plugs
Color: Red/Black
Size: 3 x 200cm



6291583

Description: Cushion handlebar tape
Material: PU
W/2cp finish sticker & plugs



6291584

Description: Cushion handlebar tape
25mm x 2.15m x 2pcs
W/2pc plug



6291585

Materials: TVC/EVA/LATEX/Cork



6291590

Description: Handlebar tape w/2 plugs
Material: PU
Color: Brown
Size: 3 x 200cm



6291587

Description: Tape-blue
Material: EVA /EVA with cork
Width: 3 x 185cm



6291588

Description: Cushion handlebar tape
W/2PC plug



6291589

Description: Latex/Cork
Materials: TVC/EVA/



6291586

Materials: TVC/EVA/Latex/Cork



671900
Description: Hold my mobileconvertibel Handlebar bag
Size: 5inch



671885
Description: Htc sensation
 Samsung galaxy s2
Material: pu
For: i-phone 4/4s/5
Color: White
Size: 127 x 70 x 13mm



A:671886-BK
B:671888-W
Description:
For: HTC ONE
 Samsung GALAXY S4
 Blackberry z10
 Nokia Lumia 720
Material: PU
Size: 148 x 75 x 10mm



671887
Description:
For: i-phone 4/4S/5
 Htc sensation
 Samsung galaxy s2
Material: PU
Color: Black
Size: 127 x 70 x 13mm



671891
Description: Smart phone pouch
Attachment: nifco stl system
 Designed for samsung galaxy s4/
 galaxy note 2/3, and htc butterfly/one
Material: water-resistant 600d
 polyester / PVC
Size: 9.5 x 16.5 x 2cm



671889
Description:
 Recommended tube
Dia.to clamp:
 35mm/31.8mm/25.4mm/
 22.2mm
Material:
 nylon-fiber/stainless
 steel



671890
Description:
 Suitable for threadless stem
 (1 1/8" threadless headset)
Material: reinforced plastic
 body



671892
 Easy installation at the stem
 Adding extra position for
 light, gps, bell and soon



671893
 Easy installation at
 the stem or seat tube
 Adjustable angle of
 inclination



A:671894-1
A:Min: 78(w) x 150(l) mm
Max: 105(w) x 210(l)mm

B:671894-2
B: Min: 56(W) X 95(L) mm
Max: 87(W) X 150(L)mm



671895
FOR GARMIN
 200/500/510/800/810



671896
Material: AL 6061
Dia: 85 x 35 x 20mm



671899
Description: Phone holder
Width adjustable: suitable for 58mm-78mm
 width smart phone



617G372 SHIRT+ SHORT
SHIRT Material: 100%Polyester (Delight)
SHORT Material: 20%Lycra 80%Nylon+3D Pad
Size: XS/S/M/L/XL/2L/3L/4L/5L



617G371 SHIRT+ SHORT
SHIRT Material: 100%Polyester (Delight)
SHORT Material: 20%Lycra 80%Nylon+3D Pad
Size: XS/S/M/L/XL/2L/3L/4L/5L



617G373 SHIRT+ SHORT
SHIRT Material: 100%Polyester (Delight)
SHORT Material: 20%Lycra 80%Nylon+3D Pad
Size: XS/S/M/L/XL/2L/3L/4L/5L



617G370 SHIRT
SHIRT Material: 100%Polyester (Delight)
Size: XS/S/M/L/XL/2L/3L/4L/5L



617G377 WIND AND RAIN JACKET
Material: One peiece under 80g.One Winf stop. Water proof



617G375 WIND AND RAIN VEST
Material: One peiece under 65g One.Winf stop. Water proof



617G378 LONG SLEEVE
Material: 92%Polyester (Delight) 8% Spandex



617G374 SHORT SLEEVE
Material: 92%Polyester (Delight) 8% Spandex



617G381 SHORTS
Material: Men's Tights 3M Redlective elasticity webbing 30% Lycra 70 & Nylon + Gel PAD



617G380 SHORTS
Material: 7 panel Mesh Short: 20%Lycra 80%Nylon+ 3D Pad



617G383 GLOVES
Material: Spandex, Amara, Terry, Gel , anti-slip palm anti-slip palm



617G384 GLOVES
Material: Spandex, Lycra, Amara, Terry, Gel, anti-slip palm



617G382 GLOVES
Material: Spandex, Amara, Terry, Gel , anti-slip palm



682480
 White Blue nose & tip PC. Silver mirror lens
 Lens changeable function



682481
 Black Blue bridge PC. revo blue mirror lens
 Lens changeable function



682482
 Matt neon Yellow PC. (orange) Silver mirror lens.
 Lens changeable function



682483
 Shiny White red side Metal nose pad PC revo Red mirror lens. Lens changeable function



682484
 Black White tip PC revo red mirror lens. Adjustable nose pad. Lens changeable function



682493
 Blue Yellow tip Adjustable nose pad PC. Silver mirror lens



682486
 Shiny Grey black tip. Adjustable nose pad PC. silver mirror lens. Lens changeable function



682487
 Shiny White PC. smoke lens
 Lens changeable function



682488
 White Green tip PC. revo blue mirror lens
 Lens changeable function



682489
 Blue White PC. smoke lens.
 Lens changeable function



682490
 Shiny Red Black bridge PC. Silver mirror lens



682491
 Shiny Silver PC. Blue mirror lens. Lens changeable function



682485
 Shiny / Grey / Black tip. Adjustable nose pad
 Lens changeable function



682492
 Shiny Orange Black tip PC. revo Red mirror lens.
 Lens changeable function



680680A-J Description : Perfect Sport Helmet Size : 56-62cm . Technology in-mold



680681A-G Description : Perfect Sport Helmet Size : 54-60cm . Technology in-mold



680682A-J Description : Perfect Sport Helmet Size : 54-60cm . Technology in-mold



680685A-H Description : Perfect Sport Helmet Size : 56-62cm . Technology in 6 out -mold



680686A-I Description : Perfect Sport Helmet Size : 56-63 cm . Technology in-mold

BICYCLE/PARTS MAINTAIN LUBRICANT



6481784
Description : DRT-Y-TYPE LUBRICANT
Size : 120ml



6481785
Description : P.T.F.E. LUBRICANT
Size : 120ml



6481786
Description : WET-TYPE LUBRICANT
Size : 120ml



6481787
Description : CHAIN & FREEWHEEL
CLEANER
Size : 120ml



6481788
Description : GOLDEN LUBRICANT
Size : 80ml



6481789
Description : PARTS ANTI-SLIP
CREAM Size : 80ml



6481790
Description : NEUTRAL BIKE WASH
Size : 300ml



6141230
FOR SIZE 42T-44T

Description : Chain cover
Material: PC,surface
Finish: Shiny.ø60/ø102



6141232
FOR SIZE 38T-44T

Description : Chain cover
Size : C-C:390mm



6141233
FOR SIZE 36T-48T

Description :Chain covers
Material:Alloy,steel(color to order)
Size:Tolerance: ±1.5cm



6141234
FOR SIZE 36T-42T

Description : Chain covers
Material: Alloy, steel(color to order)
Size : Tolerance: ±1.5cm



6141235
FOR SIZE 36T-42T

Description : Chain covers
Material : Alloy,steel(color to order)
Size : Tolerance: ±1.5cm



6141200
FOR SIZE 700C,24"/26"/28"

Description : Length adjustable up to 25mm
Material : PP
Size :
2 size of clamps included for ø28-32mm & ø32-36mm seat-tubes
Color : Black



6141201
FOR ALL BIKE

Description : Series quick-release mudguard
Fixation type : pre-bolted
Material : PP



6141202
FOR SIZE 700C,26"

Description : Soft tpr material to fit different shape of down-tubes Special buckle with velcro-tie fixation for easy installation and release
Material:PP/TPR



6141203
FOR SIZE 24"-26"

Description : Suitable for suspension fork Quick-release front mudguard Angle adjustable rear mudguard with fixed clamp
Material: PP/TPR



6141204
FOR SIZE 700C, 28"

Description : Fit uni-crown fork cantilever brake style
Material : PP
Size :
Fit ø28.6-ø31.8mm seat-tube Side in and fix



6141205
FOR 27"-29" BIKE

Description : Rear for free extension
Color : Black/Gray



6141206
FOR 20"-28"

Description : Rear mudguard for free extension



6141207
FOR 20"-28"

Description : Rear mudguard for free extension
Color:Black/Gray



6141208
FOR MTB/FOLDING

Description : Folding
Material : PC
Size : Seatpost clamp:25.4/27.2/30.9/31.6mm
Color:White , Led:Red/Blue
Battery:Dry cell aaa 1.5v x 2
Electric storage:Steady-100hr,flash-120hr



6141209
FOR 20"

Description: Front fender
Color: Silver/Red/Yellow/Blue



6141210
FOR 16"-20"

Description: Rear fender
Color: Silver/Red/Yellow/Blue



6141211
FOR 16"

Description: Front or rear fender
Color: Silver/Red/Yellow/Blue



6141212
FOR 12"-16"

Material: PP



6141213
FOR 18"-20"

Material: PP



6141214
FOR 700 x 25C / 700 x 35XC

Description: Stay W/Adjuster
Material: Alloy, Leather



6141215
FOR 26"

Description: W/V-Type, Stay W/Adjuster
Material: PET Inside with single Alloy strips



6141217
FOR 26"

Description: W/V-Type, Stay W/Adjuster
Material: PET Inside with 3 Alloy strips



6141219
FOR 700X28C-38C

Description: Tire 1-1/4~1-3/8 Wheel
type: touring, sport and city bike
Material: Alloy color to order



6141220
FOR 700X28C-38C

Description: Tire 1-1/4~1-3/8 Wheel
type: touring, sport and city bike
Material: Alloy/steel/stainless color to order



6141218
FOR 700 x 25C/28C/35C

Material: Bamboo



6141216
FOR 45-50"

Material: Optional fused plastic tail ends
45~50mm

6141221-A



6141221-B



6141221-C



6141221-D



6141221-A Inside

Material: Steel hollow tube

6141221-B Inside

Material: Steel hollow tube

6141221-C Outside

Material: Outside, 5mm Alloy, 4mm Stainless

6141221-D Outside

Material: Outside, 5mm Alloy, 4mm Stainless

FOR 700X28C-38C



639880 FOR ALL BIKES

Description: Front baby seat with one-button Q/R safety system, seat dimensions width 280*height 540*depth 250mm
Size: Mounting 27-40mm
Color: Blue or gray



639881 FOR ALL BIKES

Description: Rear baby seat with one-button Q/R safety system attached protected handlebar and headrest adjustable footrests
Size: Mounting 27-40mm, seat dimensions width 310*height 750*depth 310mm
Color: Blue or Gray



639882 FOR ALL BIKES

Description: Rear baby seat assemble on rear carrier
Size: Attached protected handlebar and headrest adjustable footrests mounting 27-40mm seat dimensions width 310*height 670*depth 310mm
Color: Blue or Gray



639883 FOR ALL BIKES

Description: Rear baby seat assemble on rear carrier
Size: Attached protected handlebar and headrest adjustable footrests mounting 27-40mm seat dimensions width 310*height 670*depth 310mm
Color: Blue or Gray



639885 FOR ALL BIKES

Description: Alloy rear carrier
Material: Alloy
Size: Clamp:QR fits DIA 25.4~31.8mm
Color: P/C matt black, P/C matt silver



639858 FOR ALL BIKES

Description: Adjustable carrier
Material: Welded aluminum tube carrier
Size: 20"/24"/26"
Color: Black / Anodized colors



639887 FOR CITY BIKES

Description: Adjustable carrier
Material: Welded aluminum tube carrier
Size: 20"/24"/26"
Color: Black, Anodized colors



639888 FOR CITY BIKES

Description: Alloy rear rack
Material: Aluminum 6061
Size: Adjustable 26"-28"



639889 FOR CITY BIKES

Description: Alloy rear rack
Material: Aluminum 6061
Size: Adjustable 26"-28"



639890 FOR CITY BIKES

Description: Folding Rack
Material: Alloy
Size: 26"-29" adjustable
Color: Black & silver



639891 FOR CITY BIKES

Description: Alloy rear rack
Material: Aluminum 6061
Size: Adjustable 26"-28"



639892 FOR CITY BIKES

Description: Alloy rear carrier
Material: Alloy
Size: 16"-20", 20"-24"
Color: Black/Silver



639865
FOR CITY BIKES

Description : Alloy rear carrier
Material : Alloy
Size : 16"-20", 20"-24"
Color : Black/Silver



639897
FOR CITY BIKES

Description : Alloy rear rack
Material : Aluminum 6061
Size : Adjustable 24" - 28"



639895
FOR CITY BIKES

Description : Folding type
Spring clip is optional
Material : Alloy
Size : Adjustable 26" -28"
Color : P/C matt black P/C matt silver



639896
FOR CITY BIKES

Description : Alloy rear carrier
Material : Alloy rear carrier
Color : Black



639898
FOR CITY BIKES

Description : Alloy rear carrier
Material : Alloy
Size : Adjustable 26" ~29"
Color : P/C matt silver, ED Black



639899
FOR ALL BIKES

Description : Alloy electric rear carrier
Material : Alloy
Size : 26"/700C/28" and 29"
Color : P/C matt black, P/C matt silver



6171280
FOR ROAD

Description : Economical Road Hub set
Size : M12 axle for better strength



6171281
FOR ROAD/ MTB

Description : Road/MTB Disc Type Hub Set,
for 11spd.
Size : M12 axle for better strength.



6171282
FOR ROAD

Description : HUB
Material : AL7075
Size : Spoke holes 20/24/28/32/36 P.C.D.
58/45mm F.T.F. 61.6mm OFFSET 7.2mm D.L.D.
100mm
Color : Black/White



6171283
FOR ROAD

Description : HUB
Material : AL7075
Size : Spoke holes 20/24/28/32/36
P.C.D. 58/49mm F.T.F. IN/OUT 52.1mm
OFFSET SMN/CPNL 6.8/7.8mm AXLE
Ø10x140mm
Color : Black ,White



6171284

Description : Interchangeable end cap for MID,
Size : 15mm through, and 20mm through.



6171285
FOR ROAD

Description : HUB
Material : AL7075
Size : Spoke holes 20/24/28/32 P.C.D. 41/49mm
F.T.F. 57mm OFFSET 9.5mm AXLE Ø10x140mm
Color : Black,White



6171286
FOR ROAD

Description : HUB
Material : AL7075
Size : Spoke holes 20/24/28 P.C.D.
30mm, F.T.F. 68.7mm ,D.L.D. 100mm
AXLE Ø9x108mm
Color : Black / White



6171287
FOR MTB

Description : Hub Option: Converter axle from
1015 to 105.2mm
Material : Axle AL7075
Size : Spoke Hole: 14/28/32/36 Axle Dim.: Dia
15 (1012), 142mm Flange PCD: 58mm
Color : Black



6171288
FOR MTB

Description : Option: Converter axle from 1015 to 105.2mm
Material : Axle AL7075-T6
Size : Spoke Hole: 14/32/36 Axle Dim.: 10x15*100mm Flange
PCD: 58mm
Color : Black



6281260
 Size : 280 x 170mm
 Rail : CR-MD/stainless / ti
 Rivet : Stainless
 Color : Black / Brown / Honey



6281262
 Size : 280 x 155mm
 Rail : CR-MD/stainless / ti
 Rivet : Stainless
 Color : Black / Brown / Honey / Natural



6281263
 Size : 270 x 210 mm
 Rail : Steel spring (CP/BK)
 Rivet : Stainless
 Color : Black / Brown / Honey / Natural



6281265
 Size : 270 x 210 / F250 x 210mm
 Rail : Steel spring (rust)
 Rivet : Stainless
 Color : Classical / Brown



6281266
 Size : 270 x 210mm
 Rail : CR-MD (CP/BK/COPPER)
 Rivet : Stainless
 Color : Orange / Black / Brown




6281268
 Size : 280 x 170mm
 Rail : Titanium
 Rivet : Stainless
 Color : Yellow / Orange / Brown / Black



6281269
 Size : 270 x 210mm
 Rail : Steel spring (CP/black)
 Rivet : Stainless
 Color : Orange / Black / Brown

6281270 A/B/C/D/E/F
 Special nylon
 Body paint: Water transfer & paint
 Rail : Full carbon
 Rail body : Carbon original color
 Size: 270 x 120mm



6281276
 Size : 278 x 155mm
 Base : Single Density
 Fill : Light Foam, High Density
 Rail : Chromoly Steel
 Key Point : ArcTech / ZoneCut / Vmount



6281279
 Size : 274 x 163mm
 Base : Single Density
 Fill : Light Foam, High Density
 Rail : Chromoly Steel
 Key Point : ArcTech / ZoneCut / Vmount
 Color : White / Black



6281281
 Size : 277 x 170mm
 Base : Single Density
 Fill : Light Foam, High Density
 Rail : Chromoly Steel
 Key Point : ArcTech / ZoneCut / Vmount



6281284
 Size : 270 x 128mm
 Base : Single Density
 Fill : Light Foam, High Density
 Rail : Chromoly Steel
 Key Point : ArcTech / ZoneCut / Vmount



6281287
 Size : 273 x 128mm
 Base : Carbon Fiber Injectionm / Nylon Fiber injection
 Fill : Light Foam, High Density
 Rail : Crn/Ti Alloy Chromoly Steel
 Key Point : ArcTech / ZoneCut / Vmount



6281290
 Size : 280 x 143mm
 Base : Single Density
 Fill : Light Foam, High Density
 Rail : CrN/Ti Alloy Chromoly Steel
 Key Point : ArcTech / ZoneCut / Vmount

**6281293**

Size : 274 x 134mm

Base : Carbon Fiber Injectionm /Nylon Fiber injection

Fill : Light Foam / High Density

Rail : Carbon / Crn / Ti Alloy Chromoly

**6281296**

Size : 286 x 134mm

Base : Single Density

Fill : Light Foam, High Density

Rail : CrN / Ti Alloy / Chromoly steel **Key Point** : Arc Tech / ZoneCut**6281299**

Size : 286 x 134mm

Base : Single Density

Fill : Light Foam, High Density

Rail : CrN / Ti Alloy / Chromoly steel

Key Point : Arc Tech / ZoneCut**6281302**

Size : 262 x 134mm

Base : Carbon Fiber Injectionm , Nylon Fiber

Fill : Light Foam, High Density

Rail : CrN / Ti Alloy / Chromoly Steel

**62812305**

Size : 282 x 135mm

Base : Carbon Fiber Injection , Nylon Fiber Injection

Fill : Light Foam, High Density

Rail : Crn / Ti Alloy / Chromoly Steel

**6281308**

Size : 276 x 138mm

Base : Carbon Fiber Injection , Nylon Fiber Injection

Fill : Light Foam, High Density

Rail : Crn / Ti Alloy / Chromoly Steel

**6281311**

Size : 277 x 150mm

Base : Double Density

Fill : Gel Padding , High Density

Rail : Arc Tech / Zone Cut

**6281314**

Size : 276 x 157mm

Base : Single Density

Fill : Light Foam, High Density

Rail : Chromoly steel

**6281317**

Size : 255 x 130mm

Base : Single Density

Fill : Light Foam, High Density

Rail : Chromoly , steel

**6281319**

Size : 246 x 132mm

Base : Single density

Fill : Light foam/high density

Rail : CrN/ti alloy/chomoly/steel

Key point : Arctech**6281320**

Size : 268 x 173mm

Base : Double density

Fill : Light foam/high density

Rail : Chromoly/steel

**6281321**

Size : 279 x 163mm

Base : Single density

Fill : Gel padding high density

Rail : Steel / chromoly

**6281322**

Size : 287 x 144mm

Base : Single density

Fill : Gel padding /high density

Rail : Arctech /zone cut/vmount

**6281323**

Size : 279 x 153mm

Base : Single density

Fill : Light foam/high density

Rail : Chromoly /steel

Key point : Arctech/zone cut/vmount**6281324**

Size : 223 x 118mm

Base : Single density

Fill : High density

Seatpost : Tripod seatpost

Key point : Tripod mount**6281325**

Size : 254 x 173mm

Base : Double density

Fill : Gel padding /high density

Rail : Chromoly /steel

Key point : Arctech /zone cut**6281326**

Size : 269 x 142mm

Base : Carbon fiber injection/nylon fiber injection

Fill : Gel padding/high density

Rail : Crn/ti alloy/chromoly

**6281327**

Size : 255 x 175mm

Base : double density

Fill : gel padding/high density

Key point : Arctech /zone cut**6281329**

Size : 293 x 132mm

W/ Bed Steel Rail , Coa cover black

**6281331**

Size : 280 x 130mm

W/ satin rail , FUDD Black cover

**6281330**

Size : 264 x 194mm

W/ Bed Steel Rail , NC18 black cover

**6281332**

Size: 280 x 135mm
Description: Microfiber Black High density foam Reinforced saddle base in nylon fiber material Cr-Mo Satin Silver base wire W/scale W/Out clamp set

**6281333**

Size: 280 x 135mm
Description: B17 Black ED black base wire W/scale W/Out clamp set Embossing + Printing lines in Silver

**6281334**

Size: 280 X 130mm
Description: Microfiber black Super-light foam Lightweight & comfortable saddle for ATB/Road bike Cr-Mo two tones in black Without clamp

**6281335**

Size: 290 x 135mm
Description: genuine leather with anatomic hole design

**6281336**

Size: 285 x 125mm
Description: Microfiber White Super-light foam Reinforced saddle base in nylon fiber material Titanium base wire w/scale Without clamp

**6281337**

Size: 295 x 150mm
Description: PU Black High density foam Reinforced saddle base in nylon fiber material **Rail:** Satin silver W/ scale Without clamp

**6281338**

Size: 300 x 135mm
Description: Black TPU top Cr-Mo Black base wire ATB/Road Bike Style Saddle Cr-Mo Black base wire Without clamp

**6281339**

Size: 280 x 140mm
Description: 893 White ED Black base wire W/scale W/Out clamp set Printing + Welding incongruous pattern

**6281340**

Size: 280 x 145mm
Description: 893 White ED black base wire W/scale W/Out clamp set Printing + Welding incongruous pattern

**6281341**

Size: 250 x 155mm
Description: B17 White ED black base wire W/scale W/Out clamp set Printing + Welding congruous pattern

**6281342**

Size: 260mm x 260mm
Description: Electric or exerciser bike saddle Vinyl top. W/soft thick pu foam. W/spring

**6281344**

Size: 265mm x 142mm
Description: Fix gear bike saddle Vinyl top or leather top W/soft pu foam

**6281328**

Size: 277 x 166mm
Base: single density
Fill: high density
Seatpost: tripod seatpost
Key point: tripod mount

**6281351**

Size: 272 x 140mm
Description: Synthetic Leather Cover Super Light Foam High Tension Steel Rails

**6281350**

Size: 265x130mm
Rail: Steel ED Black

**6281345**

Size: 224 x 129mm
Base: single density
Fill: high density
Seatpost: Tripod seatpost
Key point: Tripod mount

**6281346**

Size: 234 x 138mm
Base: single density
Fill: high density
Seatpost: Tripod seatpost
Key point: Tripod mount

**6281348**

Size: 171 x 111mm
Base: single density
Fill: light foam/high density
Seatpost: aluminum / steel
Diameter: \varnothing 22.2mm/25.4mm/26.8mm/27.2mm
L: 200/250mm
Key point: integrated seatpost adjustable seatpost angles (66°/68°/70°/72°)

**6141250 A/B/C**

Description:Rear basket with qr function and handle Natural
Size:45x31x21 cm / pinewood
Color:Natural Brown/Dark Brown

**6141251**

Description:Pet basket with hooks adjustable free stay and lid cover
Size:45x30x40 cm

**6141252 A/B**

Description:Apple shape front basket with QR and handle with grip
Size:31x20x30 cm
Color:White/Green/Mix Black

**6141253 A/B/C**

Description:front basket
Size:37x30x22/19 cm
Color:White/Pink/Green/Blue/Purple/Red/Gray/Dark Brown/Black

**6141254**

Description:front basket
Size:36x26x28 cm

**6141255**

Description:P.E. wood.Rear basket with cover and fitting parts
Size:42x31x22 cm /14mm
Color:Mocha/Dark Brown/Black

**6141256**

Description:Rear basket with fitting parts
Size:40x31x17/8.5mm

**6141257**

Material:PP
Size:Fit 26"-700c
Color:Yellow/Vlue/Dark Brown/Green/Red

**6141258**

Description:Pannier basket with hooks and handle with grip.W/back lock
Size:33x24x32 cm

**6141259**

Description:Pannier basket with hooks and handle with grip
Size:33x25x32 cm

**6141260 A/B/C**


Description:Pannier basket with hooks and handle with grip
Size:33x25x32 cm
Color:Orange/Dark Purple/Dark Green

**6141261 A/B/C**

Description:front basket
Size:38x30x20 cm
Color:White/Silver/Black

**6141262**

Description:Rear basket with fitting parts
Size:44x27x20 / 15 cm
Color:All Black/Mix Black/Mix Golden Black

**6141263 A/B**

Description:Rear basket with fitting parts
Size:44x27x20 / 15 cm
Color:Brown/Mix Brown/Mix Black

**6141264 A/B/C**

Description:front basket
Size:35x26x25 / 23 cm
Color:Pink/Green/Blue

**6141265 A/B**

Description:front basket with qr.handle with grip and urber feet
Size:35x26.5x25 / 23 cm
Color:Silver/Pink/Black

**6141266 A/B**

Description:Apple shape front basket with qr and handle with grip
Size:31x20x30 cm
Color:Red/Black

**6141267**

Description:front basket with QR and handle with grip
Size:34x26x25 / 22 cm
Color:White/Silver/Silver Gold/Silver Purple/Ti Silver/Matte Black



**617D870
FOR MTB**

Description: Open system.dual piston easy installation.adjustment and maintenance.Rotor:high heat dispersion & heat tolerance . Fluid:non-corrosive mineral oil excellent heat expansion properties

Material : Caliper :forged aluminum body .free angle of hose connector for varied frames easy pads replace from top.finish:black
Lever: forged aluminum lever/cast aluminum bracket. tool free reach adjustment. two pieces hinged bracket.can be combined with machmaker or l-spec.2 finger blade. finish:black

Size : Dia:Ø160mm.Also available:Ø180mm / Ø203mm



**617D871
FOR MTB**

Description: Open system.dual piston easy installation.adjustment and maintenance.Rotor:light polygon airflow type.high heat dispersion & heat tolerance

Material : Caliper:forged aluminum body.free angle of hose connector for varied frames easy pads replace from top.finish:black
Lever:cast aluminum lever & bracket.reach adjustment.two pieces hinged bracket.can be combined with machmake or l-spec.2 finger blade
Fluid:non-corrosive mineral oil excellent heat expansion properties

Size : Dia:Ø160mm/86-90mm



**617D872
FOR MTB**

Description: Open system.dual piston easy installation.adjustment and maintenance.Rotor:light polygon airflow type.high heat dispersion & heat tolerance

Material : Caliper: forged aluminum body.free angle of hose connector for varied frames easy pads replace from top.finish:black
Lever:cast aluminum lever & bracket.reach adjustment.two pieces hinged bracket.can be combined with machmaker or l-spec.2 finger blade
Fluid:non-corrosive mineral oil excellent heat expansion properties

Size : Dia:Ø160mm.Also available:Ø180mm/Ø203mm



**617D873
FOR MTB**

Description : Open system.dual piston easy installation.adjustment and maintenance .Rotor:light polygon airflow type.high heat dispersion & heat tolerance

Material : Caliper: forged aluminum body.free angle of hose connector for varied frames easy pads replace from top.finish:black
Lever:cast aluminum lever & bracket.reach adjustment.two pieces hinged bracket.can be combined with machmaker or l-spec.2 finger blade
Fluid:non-corrosive mineral oil excellent heat expansion properties

Size : Dia:Ø160mm.Also available:Ø180mm/Ø203mm

**617D874
FOR CITY**

Description: Cable actuated mechanical disc brake.actuated with road levers.Rotor:wave type

Material : Caliper:single-piece aluminum body.automatic caliper centering (a.c.c) pads adjustment.automatic pad angle adjustment via floating plates cable mud-proof.finish: black Fluid: non-corrosive mineral oil excellent heat expansion properties
Pads:organic compound

Size : Also available:Ø160mm.Dia:Ø140mm



**617D875
FOR MTB**

Description: Cable actuated mechanical disc brake.actuated with linear pull brake levers.Rotor : wave type

Material : Caliper:single-piece aluminum body.automatic caliper centering (a.c.c) pads adjustment.automatic pad angle adjustment via floating plates cable mud-proof.finish:black Fluid:non-corrosive mineral oil excellent heat expansion properties
Pads:organic compound

Size : Also available:Ø180mm/Ø203mm Dia:Ø160mm





617D876 FOR E-BIKE

Description : Open system.dual piston.sensor control designed. Easy installation.adjustment and maintenance
Rotor:wave type.high heat dispersion & heat tolerance

Material : Caliper:forged aluminum body.free angle of hose connector for varied frames easy pads replace from top Finish: BlackLever:forged aluminum lever / cast aluminum bracket.adjustable angle reservoir tank.lock device mechanism.reach adjustment.tow pieces bracket.2.5 finger blade Fluid:NON-corrosive mineral oil excellent heat expansion properties

Size : Dia:Ø160mm Also available:Ø180mm



617D908 FOR MTB/CITY

Description : Open system.dual piston.radial master cylinder hydraulic disc brake.easy installation.adjustment and maintenance Rotor:high heat dispersion & heat tolerance

Material : Caliper:forged aluminum body.automatic caliper positioning via front and rear adapters Lever:forged aluminum bracket & lever.reach adjustment.two pieces bracket designed.2 finger blade Finish:Black Fluid:NON-corrosive mineral oil excellent heat expansion properties

Size : Diameter Option:140/160/180/203mm



617D877 FOR E-BIKE

Description : Open system.dual piston.for sports and utility bikes (SUB). Easy installation.adjustment and maintenance Rotor:round type.high heat dispersion & heat tolerance

Material : Caliper:forged aluminum body.free angle of hose connector for varied frames easy pads replace from top.finish:black Lever: forged aluminum lever / cast aluminum bracket.adjustable angle reservoir tank.lock device mechanism.reach adjustment.tow pieces bracket.2.5 finger blade Finish:Black Fluid:NON-corrosive mineral oil excellent heat expansion properties

Size : Dia:Ø160mm Also available:Ø180mm



617D879 FOR MTB/CITY

Description : Open system.dual piston.for sports and utility bikes (SUB). Easy installation.adjustment and maintenance Rotor:round type.high heat dispersion & heat tolerance

Material : Caliper:forged aluminum body.free angle of hose connector for varied frames easy pads replace from top Finish:Black Lever:cast aluminum lever & bracket .reach adjustment.one piece bracket.3 finger blade .finish:black Fluid:NON-corrosive mineral oil excellent heat expansion properties

Size : Dia:Ø160mm Also available:Ø180mm



617D878 FOR E-BIKE

Description : Open system.dual piston.sensor control designed.designed for recumbent or 3-wheel bicycles. Easy installation.adjustment and maintenance Rotor:wave type.high heat dispersion & heat tolerance

Material : Caliper:forged aluminum body.free angle of hose connector for varied frames easy pads replace from top Finish:Black Lever:forged aluminum lever / cast aluminum bracket.adjustable angle reservoir tank.lock device mechanism.reach adjustment.tow pieces bracket.2.5 finger blade Fluid:NON-corrosive mineral oil excellent heat expansion properties

Size : Dia:Ø160mm Also available:Ø180mm



617D880 FOR MTB/CITY

Description : Open system.dual piston.designed for recumbent or 3-wheel bicycles. Easy installation.adjustment and maintenance Rotor:round type.high heat dispersion & heat tolerance

Material : Caliper:forged aluminum body.free angle of hose connector for varied frames easy pads replace from top Finish:Black Lever:forged aluminum lever / cast aluminum bracket.adjustable angle reservoir tank lock device mechanism.reach adjustment.two pieces bracket.2.5 finger blade Fluid:NON-corrosive mineral oil excellent heat expansion properties

Size : Dia:Ø160mm Also available:Ø180mm



617D881 FOR MTB

Description : Hydranic disc brake.easy installation.adjustment and maintenance

617D884 FOR MTB/CITY

Description : closed system.dual piston.radial master cylinder hydraulic disc brake.easy installation.adjustment and maintenance
Rotor:high heat dispersion & heat tolerance

Material : Caliper:forged aluminum body.automatic caliper positioning via right and left adapters.parallel design provide better braking performance.
Lever:forged aluminum bracket & lever.reach adjustment.two pieces bracket designed.3 finger blade Finish:White/Black Fluid:NON-corrosive mineral oil

Size : Diameter option:140/160/180/203mm

617D882 FOR ROAD

Description : Hydranic disc brake.easy installation.adjustment and maintenance

617D883 FOR MTB

Description : Cable actuated mechanical disc brake fit all international dimintions



617D885 FOR MTB/CITY

Description : Hydraulic disc brake
Material : Pads:metal ceramic compound Fluid:mineral oil
Size : Dia:160mm
Color : WH/YW/BL/RD/BK

617D886 FOR MTB/CITY

Description : Mechanical disc brake.square seme-metallic pads patent automatic parallel adjustment

Size : Rotor:160mm.Adarter for mount:IS:F160mm/180mm/203mm
IS:R140mm/160mm/180mm/203mm PM:F160mm/180mm/203mm

Color : Finish:Black

617D887 FOR MTB/CITY

Description : Mechanical disc brake.round seme-metallic pads patent automatic parallel adjustment

Size : Rotor:160mm.Adarter for mount: IS:F160mm/180mm/203mm
IS:R140mm/160mm/180mm/203mm PM:F160mm/180mm/203mm

Color : Finish:Black

617D888 FOR MTB/CITY

Description : Mechanical disc brake.round seme-metallic pads patent automatic parallel adjustment

Size : Rotor:160mm.Adarter for mount:IS:R160mm/180mm/203mm
IS:R140mm/160mm/180mm/203mm PM:F160mm/180mm/203mm

Color : Finish:Black

**617D889-1**

Size:160mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

617D889-2

Size:180mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

617D889-3

Size:203mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

**617D855-1**

Size:160mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

617D855-2

Size:180mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

617D855-3

Size:203mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

**617D891-1**

Size:140mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

617D891-2

Size:160mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

617D891-3


Size:180mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

617D891-4

Size:203mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

**617D892-1**

Size:160mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

617D892-2


Size:180mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

617D892-3

Size:203mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

**617D893-1**

Size:160mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

617D893-2

Size:180mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

617D893-3

Size:203mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

**617D894-1**

Size:140mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

617D894-2


Size:160mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

617D894-3

Size:180mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

**617D895
FOR MTB****Description:**Excellent heat dissipation**Size Options:**160mm/180mm**Color:**RD/BK/BL/GN/GD/SL




617D896
FOR MTB

Description:Excellent heat dissipation
Size Options:160mm/180mm
Color:RD/BK/BL/GN/GD/SL



617D897
FOR MTB

Description:Excellent heat dissipation
Size Options:160mm/180mm
Color:RD/BK/BL/GN/GD/SL



617D898

Size:Stainless:Ø140mm
Color:Blue/Red/Gold/Black

617D899

Size:Stainless:Ø160mm
Color:Blue/Red/Gold/Black

617D900

Size:Stainless:Ø180mm
Color:Blue/Red/Gold/Black

617D901

Size:Stainless:Ø203mm
Color:Blue/Red/Gold/Black



617D902

Description:Postmount caliper.international.standard fork
Size:180mm
Color:Black/Green/Blue/Red/Yellow/Orange



617D903

Description:Postmount caliper.international.standard fork
Size:180mm
Color:Black/Green/Blue/Red/Yellow/Orange



617D904

Description:Postmount caliper.international.standard fork
Size:203mm rotor
Color:Black/Green/Blue/Red/Yellow/Orange



617D905

Description:Postmount caliper.international.standard fork
Size:160mm
Color:Black/Green/Blue/Red/Yellow/Orange



617D906

Description:International standard fork
Size:180mm
Color:Black/Blue/Red/Yellow/Orange



617D907

Description:International standard fork
Size:203mm
Color:Black/Green/Blue/Red/Yellow/Orange

**6170889-1**

Size:160mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

6170889-2


Size:180mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

6170889-3

Size:203mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

**6170892-1**

Size:160mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

6170892-2

Size:180mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

6170892-3

Size:203mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

**6170855-1**

Size:160mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

6170855-2


Size:180mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

6170855-3

Size:203mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

**6170893-1**

Size:160mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

6170893-2

Size:180mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

6170893-3

Size:203mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

**6170891-1**

Size:140mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

6170891-2

Size:160mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

6170891-3

Size:180mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

6170891-4

Size:203mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

6170894-1

Size:140mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

6170894-2

Size:160mm

Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

6170894-3

Size:180mm


Color:WH/RD/BL/BK/YW/PU/GN/PK/LP/DR/AG/LB

6170895**FOR MTB**

Description:Excellent heat dissipation

Size Options:160mm/180mm

Color:RD/BK/BL/GN/GO/SL





6181080
FOR ROAD / MTB

Description : Cartridge brake shoes set
Material : Aluminum-pad holder
Size : L:72mm
Color : Silver/Black / Carbon / Anodized



6181081
FOR ROAD / MTB

Description : Brake shoes
Material : Rubber
Size : L:55mm
Color : Red



6181082
FOR ROAD / MTB

Description : Brake shoes
Material : Rubber
Size : L :55mm



6181083
FOR CALIPER

Description : Brake shoes
Material : Rubber
Size : L:50mm
Color :Black



6181084
FOR ROAD / MTB

Description : Brake shoes
Material : Rubber
Size : L:70mm
Color :Black



6181085
FOR ROAD / MTB

Description : Brake shoes
Size : L:60mm
Color : Black



6181086
FOR MTB

Description : Anodized matt black
aluminum threaded type holder
Triple colors pads
Material : Rubber /Aluminum
Size : L:72mm



6181087
FOR BMX

Description : Brake shoes
Material : Rubber
Size : 72mm
Color:Orange/Blue/Yellow/Green/Purple



6181088
FOR MTB

Description : Brake shoes
Size : L:70mm



6181089
FOR CALIPER

Description : Brake shoes for caliper
Size : 38mm
Color : Black



6181090
FOR ROAD / MTB

Description : Hydraulic



6181091
FOR MTB

Description : Carbon disc brake pads



6181092
FOR ROAD / MTB

Description : Hydraulic



6181093
FOR MTB

Description : Carbon disc brake pads



6181094
FOR MTB

Description : Carbon disc brake pads



**6181095
FOR MTB**

Description: Cool organic disc brake pads



**6181096
FOR TRIATHLON BIKE /
TRIAL BIKE**

Description: Road brake shoe set
Size: L:55mm
Color: Black holder/Brown color



**6181097
FOR TRIATHLON BIKE /
TRIAL BIKE**

Description: Road brake shoe set
Size: L:55mm
Color: Black holder/Triple color



**6181098
FOR TRIATHLON BIKE /
TRIAL BIKE**

Description: Road brake shoe set
Size: L:55mm
Color: Black holder/Black color



6181035

Description: Alivio, Acera BR-M600,
M600/MX,M750/M739/M570/M330/M420
/M510



**6181042
FOR MTB**

Description: Compatible:shimano
xtr/deore xt Type:v-type brake
Size: L:70mm



**6181043
FOR MTB**

Description: Compatible:shimano xtr/deore
xt Type:v-type brake
Size: L:70mm



6181047

Description: Cartridge Replacement Lining
Size: L:55mm



6181048

Description: Cartridge Replacement Lining
Size:L:55mm



**6181049
FOR MTB**

Description: Brake shoes
Size:L:70mm



**6181045
FOR MTB**

Description: Brake shoes
Size: L:68mm



**6181053
FOR ROAD**

Description: Brake pads for Racing bike
Size: L:55mm



**6181054
FOR MTB**

Description: National Flag(pad) brake shoes
Size:L:70mm

**608881**

Description: Control lever up & down
Material: Alloy #6061-T6
Load: 70kg. But 90kg available Setting
Shaft finish: Hard Black anodized
Finish: Polished
Color: Black
Offset: 15mm
Dia: 30.9/31.6/33.9 mm
L: 350mm/ travel 80mm
 400mm/ travel 100mm/425mm/ travel 120mm

**608882**

Material: Alloy #2014-T6
Finish: polished or sand blasted
Offset: 24mm Adjust- 62°-91° Angle
Dia: 27.2/31.6mm
L: 27.2x350mm
 31.6x350mm

**608883**

Material: Aluminum + Carbon
Dia: 31.6mm
L: 350mm

**608884**

Material: Aluminum + Carbon
Dia: 31.6mm
L: 350mm

**608885**

Material: CR-MO axle tube+
 AL 6061 outside tube
Finish: Anodized
Color: Black
Offset: 0mm
Dia.: 27.2/31.6
L: 400/445mm
Travel: 90/55/110mm

**608886**

Material: CR-MO axle tube+
 AL 6061 outside tube
Finish: Anodized
Color: Black
Offset: 0mm
Dia: 27.2/31.6mm
L: 400/445mm
Travel: 90/55/110mm

**608887**

Material: Titanium
Thickness: 0.9T
Dia: 26.8/27.0/27.2mm
L: 350mm

**608888**

Material: Full carbon tube w/ forge head
Offset: 18mm
Dia: 27.2mm
L: 300/350/400mm

**608889**

Material: Alloy #6061-T6 PG tube
Finish: Polished/Sand blasted
Dia: 27.2~31.6mm
L: 300/350/400mm

GEOLECH

**608890**

Material: AL6061 shaft + Stainless
Color: Black/Silver/Anodized/ S.B Color
Offset: 8mm
Rise: -13° ~ +13°
Dia: ø30.9/ø31.6mm
L: (Max): 350/400mm
(Min): 250/300mm

**608891**

Material: Carbon shaft + forged alloy head
 AL2014 shaft + forged alloy head
 AL6061 shaft + forged alloy head
Rise: -14° ~ +4°
L: 250/300/350/400mm

**608892**

Material: AL2014 shaft+ forged alloy head
Color: Silver/Black/Anodized color
Color: W/Carbon fiber 3k weave wrap
Offset: 20mm
Rise: -13° ~ +8°
Dia: ø25.4~ø31.6mm
L: 250/300/350/400mm

**608893**

Description: EN-R/EN-M approved
 3D forged one piece. 2014-T6 oval shaft
Finished: Anodized
Offset: 15mm
L: 300/350mm
Size: 27.2/30.9/31.6mm

**608894**

Description: 3D forge AL2014
Color: S.B. Black W/S.B. Black cap, stainless bolt
L: 27.2 x 350/31.6x350mm Laser/mini insert

**608895**

Description: Low profile style head
Material: #2014 alloy shaft + forged alloy head
Offset: 20mm
Rise: -13°-13°-, 27.2 x 300mm SB BLK

**608896**

Material: full carbon fiber
Offset: 15mm
L: 350/400mm
Size: 30.9/31.6mm

**608897**

Material: AL6061/AL7075/Carbon
Finish: Shiny Black/ Shiny Silver /Matt
 Black/Matt Silver/P.WH/ACF
Offset: 0mm
Cradle: 43x46
Rise: -5° ~ +80°
Dia: 27.2/30.9/31.6mm
L: 300/350/400mm

**608898**

Finished: Anodized
L: 250/300/350/400mm
Size(normal): 25.0~27.2mm
Size(over): 27.4~31.8mm

FOR SPEED : 11



699700
For : SHIMANO, Campagnolo and SRAM
11 speed drive train system

Size : 1/2" x 11/128"
Speed : 11 / 110 Link
Color: Ti-N Black / Ti-N Gold / NP Silver



699550
For : SHIMANO, Campagnolo and SRAM
11 speed drive train system

Size : 1/2" x 11/128"
Speed : 11 / 110 Link
Color: Ti-N Black / Ti-N Gold / NP Silver



699701
For : Shimano, Campagnolo and Sram
11 speed drive train system

Material: Titanium
Size : 1/2" x 11/128" Speed : 11 / 110 Link
Color: Ti-N Black / Ti-N Gold / NP Silver



699702
For : Shimano, Campagnolo and Sram
11 speed drive train system

Size : 1/2" x 11/128"
Speed : 11 - 110 Link
Color: DLC / DLC red

FOR SPEED : 10



699551
For : SHIMANO, Campagnolo and SRAM
10 speed drive train system

Size : 1/2" x 11/128"
Speed : 10 / 110 Link
Color: Ti-N Black / Ti-N Gold / NP Silver



699553
For : SHIMANO, Campagnolo and SRAM
10 speed drive train system

Size : 1/2" x 11/128"
Speed : 10 / 110 Link
Color: NP Silver / Silver Gray / Grey Gray



699557
For : Road Bike, Mountain Bike,
Derailleur Chain

Size : 1/2" x 11/128"
Speed : 10 / 110 Link
Color: Ti-N (Gold) / Silver Silver / Gray



699703
For : Road / Mountain / Anti-Rust
Series

Size : 1/2" x 11/128"
Speed : 10 - 110 Link
Color: EPT



699556
For : Road Bike, Mountain Bike,
Derailleur Chain

Size : 1/2" x 11/128"
Speed : 9 / 110 Link
Color: Ti-N (Gold) / Silver Silver / Silver
Gray



699660
For : Shimano / Sram system

Size : 1/2" x 11/128"
Speed : 9 / 110 Link
Color: Silver / Dark silver



699662
For : Shimano Tourney and non-index
systems
Size : 1/2" x 3/32"
Speed : 5 & 6 Speed - 116 Link
Color: Silver/Black & Black/Black



699665
Size : 1/2" x 3/32"
Speed : 8 Speed - 116 Link
Color : Black/Black



699663
Size : 1/2" x 5/64"
Speed : 1S Speed - 110 Link
Color : Black/Black



699664
Size : 1/2" x 5/64"
Speed : 6 & 7 Speed - 116 Link
Color : Black/Black



699667
Size : 1/2" x 1/8" & 1/2" x 3/32"
Speed : Single Speed Tensile
Color : Multi-Colors

**615880**

Description: W/detachable pad
(stem and handlebar not included)

Material: Alloy 6061

W/extrusion clamp

Dia. 31.8mm

Finish: Sand Blasted/Anodized
Colors

**615881**

Material: Titanium

Thickness: 1.1t

Rise: 30mm

Clamp: 25.4mm

Wedth: 620mm

**615882**

Material: Alloy 6061

Width: 530 x 780mm

Size: Borboce:

25.4/31.8mm, Rise: 15-70mm

**615883**

Material: Alloy PG/DB/TB

Width: 500-780mm

Raise: 15-70mm

Bar bore: 25.4/31.8mm

**615884**

Material: AL6061/AL2014

Dia: 31.8

Width: 620/640/660/680/700/720/740/760/780mm

Rise: 12mm

Sweep: 9°

Finish: Shiny Black/Shiny Silver/Matt Black/Matt Silver

**615885**

MTB riser handlebar

Material: Alloy 6061 (MTB453A)

Center: 31.8mm/90mm

Upsweep: 6°

Backsweep: 9°

Width: 600/620/640/660mm

Finish: Sand Blasted Black

**615886**

Material: Alloy 6061

Center: 31.8/70mm

Back sweep: 9°

Width: 580-720mm

Finish: Sand Blasted Black

**615887**

Material: AL6061/7050

Dia: Ø31.8/Ø25.4

Width: 600/630mm

Rise: 26mm(Ø25.4)/20mm(Ø31.8)

Sweep: 25.4(40°)/31.8(35°)

Finish: Shiny Black/Shiny Silver/Matt
Black/Matt Silver

**615888**

Material: Alloy 6061/7050

Dia: Ø31.8/Ø25.4

Width: 600/630mm

Rise: 25mm(Ø25.4)/23mm(Ø31.8)

Sweep: 30°/15°

Finish: Shiny Black/Shiny Silver/Matt
Black/Matt Silver

**615889**

Material: AL6061

Dia: Ø31.8

Width: 600/630mm

Rise: 63mm

Sweep: 30°/15°

Finish: Shiny Black/Shiny Silver/Matt
Black/Matt Silver



SINGLE TAPERED

615890

Bar center: 34.9mm

Rise: 12/25/38mm

Width: 710/750mm

Backsweep: 8°

Upsweep: 5.5°

**A: 615893**

Material: Alloy 6061
 Butting: D.B.
 Bar bore: 31.8mm
 Width: 680/700/720/740/760/780mm
 Rise: 25mm
 Backweep: 9°
 Rise bar

B: 615894

Material: 7050
 Butting: TRI
 Width: 680/700/720/740/760/780mm
 Rise: 25mm
 Backweep: 9°
 Rise bar

**615897**

Bar center: 35mm
 Width: 400-440mm
 Drop: 145mm
 Reach: 90 grams

**615899**

Bar center: 35mm
 Width: 400-440mm
 Drop: 136mm
 Reach: 64 grams

**615901**

Bar bore: 26.0mm
 Drop: 150mm
 Reach: 95mm
 Width: 400/420/440mm
 Finished: S.B. black

**615902**

Material: Alloy #6060
 Drop: 116mm
 Reach: 75mm
 Bar bore: 31.8mm
 Width: 360/380/400/420mm
 Finish: Sand Blasted Black

**615903**

Material: Alloy 6061
 Drop: 130mm
 Reach: 68.8 (70mm)
 Back sweep: 6°
 Bar bore: 31.8mm
 Width: 380/400/420/440mm
 Finish: Sand Blasted Black

**615904**

Material: AL 6061
 Option: Alloy with carbon fiber wrapped
 Bar bore: \varnothing 25.4mm
 Back sweep: 41°
 Width: 435/580/600mm
 Finish: Black/Silver/Anodized/S.B. color

**615905**

Material: Alloy 6061
 Bar bore: \varnothing 25.4mm
 Back sweep: 4°
 Width: 620mm
 Rise: 131/151/161mm
 Finish: Black/Silver/Anodized/S.B. color



671850

Description: LED Saddle Bag whale
Size: 22 x 8 x 7.5 cm



671897

Description: LED Saddle Bag shark
Size: 20 x 9 x 8.7 cm



671851

Size: 18 x 8.5 x 10 cm



671852

Color: Black/Brown/Honey/Natural
Size: 180 x 90 x 120 mm



671853

Color: Red/Khaki/Honey/Brown/Chocolate/Black
Size: 200 x 70 x 95 mm



671855

Size: 18 x 8.5 x 10 cm



671856

Size: 18 x 8.5 x 10 cm



671857

Size: 27 x 10.5 x 17 cm



671858

Description: Saddle bag
W/qr3
W/zipper pull
Material: 450d



671859

Description: Buckle: buckle strap
Material: Nylon/PU



671860

Description: Buckle: BT-1n
Material: 420d Nylon/PU



671861

Material: Water-resistant 1680d/nylon
Material: Water-resistant 600d/nylon
W/straps(5x7.6cm)
Size: 6.5 x 13 x 7 cm



671862

Material: Water-resistant 600d polyester
Expandable compartment, reflective
W/clip system
Size: 13 x 9 x 8 cm



671863

Description: Saddle bag
W/t-bar
W/zipper pull
300d



A: 671865-1
B: 671865-2
C: 671865-3

Description: Saddle bag
Material: 600d polyester
Size: A: L-17/9.5/11 cm
B: M-16/8.5/9 cm
C: S-14/7/8 cm



671866

Description: Trunk bag, material 600d polyester + poly honeycomb
Size: 33 x 17 x 15 cm



671867

Description: Saddle bag
W/qr3
W/zipper pull
600d polyester



A:671873-1
B:671873-2
C:671873-3
Description:Top Tube Bags, A mobile phone bag waterproof mobile phone bag
Material:600D Polyester
Size: which fit most of 4", 4.7" or 5" mobile phones
A: 18.5x15.8cm
B: 17.2x14cm
C: 16.2x13cm

671869
Size: 17.5 x 6.5 x 10.5 cm

671870
Description:Trunk bag, bottle holder
Material:600d polyester + poly honeycomb
Size: 37 x 14 x 17cm

671871
Description:Pannier, ideal for cycle touring drawstring closure with big lid and buckle fastening
Material:600d polyester + poly honeycomb
Size: 30 x 13 x 40 cm



671874
Description: Pannier
Material:600d polyester + poly honeycomb
Size: 33 x 10 x 28cm

671875
Description: Top tube bag
Material:600d polyester
Size: 16.5x7x9.5 cm

671877
Description: Waterproof bag suitable for use on the front or rear rack
Material:nylon (rip-stop) + tarpaulin reflective stripe 3m™
Size: 25 x 16 x 36 cm

671876
Description: Cycling hydration pack
Material: water-resistant 600d polyester
Total capacity: 3.5ltr
Hydration capacity: 2ltr
W/1.5ltr. Tpu bladder
W/1.5ltr. Eva bladder
Size: 33 x 47 x 11cm

671878
Description: Cycling hydration pack
Material: water-resistant 600d polyester
Total capacity: 2.5ltr
Hydration capacity: 2ltr
W/1.5ltr. Tpu bladder
W/1.5ltr. Eva bladder
Dimension: 43 x 22 x 4cm

671880
Buckle strap fastener system
One compartment
3m reflective band
Size: S(5.5 x 3 x 3.25mm)
M(6.75 x 3.25 x 3.5mm)
L(7.5 x 3.75 x 4mm)



671883
Dimension: 12 x 5 x 6.5cm 100% waterproof messenger bag
 It comes with a laptop/tablet layer and a front zipper pocket
Material: Nylon (rip-stop) + tarpaulin
Size: 36x12.5x30cm



671881
Description: Saddle bag- extra-small size
Material: Water-resistant 600d polyester
Attachment: Velcro strap
Dimension: 12 x 5 x 6.5cm

671882
Size: 11.8 x 9.5 x 6.9cm

671854
Size: 16 x 8 x 9cm

GEO TECH

**6161170**

Description: Exquisite light weight 3D forged stem
Material: Alloy #2014-t6
Color: Sand Blasted OR Hi-polished/ Anodized Colors
Dia. 28.6mm. H: 38mm
Angle: +/- 6°
Bar bore: 31.8mm
EXT: 80/90/100/110/120mm

**6161171**

Description: EN-R EN-M approved 3D forged/ 6061-t6 aluminum Alloy faceplate
Color: S.B. black
EXT: +/- 8° x 170/80/90/100/110/120mm
 +/- 12° x 170/80/90/100/110/120mm
 +/- 16° x 170/80/90/100/110/120mm
 ø31.8mm diameter
 ø28.6mm steerer clamp

**6161172**

Description: En-m approved 3D forged, 6016-t6 aluminum
EXT: 70/80/90/100/110mm
Angle: -7 degree
Dia: 35.0mm
Steerer: 28.6mm
Height: 40mm

**6161173**

Description: En-m approved 3D forged, 6016-t6 aluminum
EXT: 70/80/90/100/110mm
Angle: -7 degree
Dia: 31.8mm
Steerer: 28.6mm
Height: 40mm

**6161174**

Description: 3D forged
EXT: 28.6 x 60~120mm
Bar bore: 31.8mm angle ± 7°
Stack height: 40mm w/o logo

**6161175**

Material: Alloy #6061-t6
Dia: 28.6mm h: 38mm
Angle: +/- 7°
Bar bore: 31.8mm
EXT: 70/80/90/100/110/120mm
Color: Sand Blasted Silver/Black

**6161176**

Description: Melt forged/forged cap
EXT: 28.6 x 60/80/100mm
Bar bore: 22.2mm
Angle: 0°
Stack height: 30mm w/o logo

**6161177**

Description: Melt forged/forged cap
EXT: 28.6 x 70/90/100mm
Bar bore: 22.2mm
Angle: 0° stack

**6161178**

Description: 3D forged
Material: 6061 Alloy
Rise: 70EG
EXT: 70-110mm
Bar bore: 31.8mm
Clip i.d.: 25.4/28.6mm BK

**6161179**

Description: Melt-Forged/Forged Cap
Bar Bore: 31.8mm
Angle: 10°
Stack Height: 40mm
Size: 28.6 x 90/110mm

**6161180**

Description: 3D forged
 28.6 X 60/70/80/90/100/110/120mm
Bar Bore: 25.4/26.0/31.8mm
Angle: ± 7°
Stack Height: 40mm

**6161181**

Description: 3D forge
Material: ø16061/28.6*6d*31.8mm
Color: S.B. Black W/S.B. Black Face Plate
 Stainless Bolt
Size: Desc: 70~130mm

**6161182**

Description: 3D forge
Material: AL6061/28.6*70*35.0mm
Color: S.B. black w/S.B. black face plate.
 Stainless bolt
Size: Desc: 70~130mm

**6161183**

Description: 3D Forged AL6061, 4-bolt Ahead Stem
Color: Black/Silver/Anodized/ S.B. Color
EXT: 7° 60/80/90/100/110mm
 12° 90/100/110mm/ 17° 80/110mm
Rise: 7°/12°/17° **Bar Bore:** ø 31.8mm
Clamp i.d.: ø28.2/ø38.2/ø39.7mm
Stack Height: 50.8mm

**6161184**

Description: 3D forged ø16061, 4-bolt ahead stem
Color: Black/Silver/Anodized/ S.B. Color
EXT: 60/70/80/90/100/110/120/130mm
Rise: ±6°
Bar bore: ø31.8mm
Clamp i.d.: ø25.4/ø28.6mm
Stack height: 37mm



6161185
Material: Al-forged alloy
Angle: +10°
Size: Ø31.8 x H45mm / D28.6 x H45mm



6161186
Material: 3D forged
Color: Matt black/Matt silver
EXT: 95/110(25.4) 90/110(31.8)
Bar bore: 25.4/31.8
Steerer: 28.6/39.7
Angle: -20°~+60°
L: 41mm



6161187
Material: Melt-forged
Color: Shiny Black/Shiny Silver/ Matt Black/ Matt Silver
EXT: 100
Bar bore: 25.4mm
Steerer: 28.6
Angle: 0°~+80°
L: 70mm



6161188
Material: 3D forged
Color: Shiny Black/Shiny Silver/ Matt Black/ Matt Silver
EXT: 90/100
Bar bore: 25.4/31.8mm
Steerer: 28.6
Angle: 0°~+90°
L: 63mm(Steerer clamp insert 37)



6161189
Material: Forged AL6061 (adjustable ahead stem)
Color: Black/Silver/Anodized/S.B. color
EXT: 108mm
Angle: 40°~140°
Bar bore: Ø31.8mm
Clamp I.D.: Ø25.4/Ø28.6mm
Stack height: 40mm



6161190
Material: Melt-forged alloy
Dia: 22.2mm
EXT: 90mm
Bar bore: 25.4mm
Angle: 0°~60°
L: 150mm



6161191
Material: Melt-forged/SUS
Color: Shiny Black/Shiny Silver/ Matt Black/ Matt Silver
EXT: 110mm
Bar bore: 25.4mm
Steerer: 22.2/25.4
Angle: 0°~+80°
L: 180/230mm



6161192
Color: Barrel Silver/ ED Black
L: 60/80/100mm
Angle: -18 degree
Dia: 25.4mm
Steerer: 22.2mm
Height: 150/180mm
 (180mm is not available in 100mm)



6161193
Material: AL6061
Base diameter: 28.6
Height: 110-180mm/110-210mm
Stem adjuster: 70/100
Color: Matt black/ Matt silver



6161194
Description: Melt forged/forged cap
Ext: 28.6 x 50mm
Bar bore: 22.2mm
Angle: 0°
Stack height: 30mm



6161195
Description: Melt forged/forged cap
Ext: 28.6 x 50mm
Bar bore: 22.2mm
Angle: 0°
Stack height: 30mm



6161196
Description: Melt forged/forged cap
Ext: 28.6 x 50mm
Bar bore: 22.2mm
Angle: 0°
Stack height: 30mm



6161197
Description: Mele forged
Color: Ed black for tw
Size: 28.6 X 50 x 22.2 B x 30H



6161198
Description: Mele forged
Color: Ed black for tw
Size: 28.6 X 50 x 22.2 B x 30H



6161199
Width: 37.2mm
Height: 105mm
Safety standard: E.U.BS EN-14764:2005
Material: Machined by CNC machine tools
Optional colors: Silver/Black
L: 55mm

**6291450****Description:** Body: ECO-friendly TPR/ Black & Red**Material:** Bar-end: aluminum /ed-black
Length: R130xL130mm**6291451****Description:**Body: ECO-friendly TPR/Black & Grey & Orange**Material:**Bar-end aluminum /ED-black
Length: R130xL130mm**6291452****Description:** Body: eco friendly TPR/ black & red**Material:** Bar-end: aluminum /ed-black / compass**Size:** R130 x L130mm**6291453****Description:** Class high quality**Material:** Triple density Alloy clamp
Bar end nylon+fiber**Size:** R137mm X L95mm**6291454****Description:** Body: eco friendly TPR/ black + grey**Material:** Bar-end: aluminum /ED-black**Length:** L130/R130mm
L130/R97mm
L97/R97mm
L97/R130mm (4size to select from)**6291455****Description:** Body: ECO friendly tpr/black & grey**Material:** Bar-end: aluminum /ED-black**Length:** L130/R130mm
L130/R97mm
L97/R97mm
L97/R130mm (4size to select from)**6291456****Material:** Body: eco friendly aluminum ED-black**6291457****Material:** Body: ECO friendly aluminum ED-black**6291458****Description:** Led bar ends Abs+tp
Size: 140mm**6291460****Material:** Nylon+fiber
Color: Black Carbon Looking**6291468****Description:** Triple density
Material: Kraton/nylon+fiber
Size:148mm/95mm**6291469****Material:** Gel/kraton w/ nylon+fiber barend
Size: 137mm triple density**6291471****Material:** AL6061, Stainless bolts
Size: 85/95mm w/o**6291472****Material:** AL6061, Stainless bolts
Size: 85/100mm w/o**6291473****Description:** Central of the hole to the end is 175mm
Material: Alloy bar end
Size: Ø22.2mm

**613C650**

Material: Alloy #6061-T6
Size: 31.8mm
Finish: Polished or Sand Blasted/Anodized Colors

**613C651**

Material: AL6061.cold forged
Size: 28.6,31.8,34.9mm

**613C652**

Material: AL 6061.cold forged
Size: 28.6/31.8/34.9mm

**613C653**

Material: AL6061. Cold forged
Size: 28.6/31.8/34.9mm

**613C654**

Description: Forged Alloy Clamp
Size: 29.8/31.8/34.9/36mm

**613C655**

Material: AL6061.cold forged
Size: 28.6/31.8/34.9mm

**613C656**

Material: AL6061.cold forged
Size: 31.8/34.9mm

**613C657**

Description: Allen Key version
Material: Alloy #6061-T6
Color: Polished or Sand Blasted/Anodized colors
Size: 31.8/34.9mm

**613C658**

Description: QR Seat Clamp
Material: AL 6061
Size: 31.8mm

**613C659**

Material: Alloy #6061-T6
Color: Polished or Sand Blasted/Anodized colors
Size: 31.8/34.9mm

**613C660**

Description: Adjustable nut version
Material: Alloy #6061-T6
Color: Polished or Sand Blasted/Anodized colors
Size: 31.8/34.9mm 31.8/34.9mm/31.8mm

**613C661**

Material: Alloy 6061
Process: Extrusion
Size: 28.6mm

**613C674**

Material: AL6061.cold forged
Size: 31.8/34.9mm

**613C675**

Material: Alloy 6061
Process: Extrusion
Size: 31.8/34.9mm

**613C664**

Size: Clamp ID: 31.8/35mm

**613C665**

Material: Alloy 6061-t6
Color: Both Sand Blasted & Anodized
Size: 31.8/ 34.9

**613C666**

Material: AL 6061 Cr-mo Steel
Size: 31.8mm

**613C667**

Description: Alloy Clamp W/Quick Release with brass easer and alloy nut
Size: 31.8/34.9mm

**613C668**

Material: AL6061.cold forged
Size: 28.6,31.8,34.9m/m

**613C669**

Material: Forged 6061 T6 alloy
Size: 31.8mm

**613C670**

Material: Fully CNC machined 6061 T6 alloy
Size: 28.6/29.8/31.8/34.9mm

**613C722**

Material: Nylon
Size: For seat-tube Ø28.6/Ø31.8/Ø34.9mm

**613C724**

Material: Forged 6061 T6 alloy, CNC-machined
Size: 28.6/29.8/31.8/34.9mm



613C676
Material:AL6061.cold forged
Size: 31.8mm



613C677
Material:AL6061.Cold forged
Size: 31.8mm



613C678
Material:AL6061.cold forged
Size: 28.6mm



613C679
Material:AL6061.cold forged
Size: 28.6/31.8/34.9mm



613C680
Material:AL6061.cold forged
Size: 28.6/31.8/34.9mm



613C681
Material:AL 6061.7005.cold firged
Size: 28.6/31.8/34.9mm



613C684
Material:AL6061.7005 cold forged
Size: 28.6/31.8/34.9mm



613C685
Material:AL6061 cold forged
Size: 28.6,31.8,34.9mm



613C686
Material:Forged 6061 T6 Alloy
Size: 28.6/31.8/34.9mm



613C687
Material:Forged 6061 T6 Alloy
Size: 28.6/31.8/34.9mm



613C688
Material:Forged 6061 T6 Alloy
Size: 28.6/31.8/34.9mm



613C689
Material:AL6061.7005.cold forged
Size: 28.6/31.8/34.9mm



613C690
Description: Cable hanger .1 1/8"
Cable drop: 34mm
 Cold forged aluminum
Color: Silver or Black anodized
 with short flexie 95mm



613C691
Material:Fully CNC-machined 6061 T6 Alloy
Size: 28.6/29.8/31.8/34.9mm



613C692
Material:Fully CNC-machined 6061 T6 Alloy
Size: 28.6/29.8/31.8/34.9mm



613C693
Material:Alloy#6061-T6.31.8mm/34.9mm(43g)(100mm)



613C694
 Front cable hanger



613C695
Description: Spacer
Size: 1-1/8" x6mm
 1-1/8" X 10mm



613C696
Description: 1-1/8"
 Polycarbonate(OD 35mm)



613C697
Size: W:5mm



613C698
Size: W:10mm



**6301204
FOR MTB**

Material: Coated Aluminum.
Axle: CNC machined CR-MO
Bearing: Is1 & double sealed ball bearings
Binding: Dual-sided, adjustable tension
Size: 90 x 90mm



**6301206
FOR MTB**

Material: Coated aluminum
Axle: CNC machined cr-mo
Bearing: Roller & double sealed ball bearings
Binding: Dual-sided, adjustable tension
Size: 83.5 x 75.5 mm



**6301203
FOR MTB**

Material: Coated aluminum
Axle: CNC machined CR-MO
Bearing: Is1 & double sealed ball bearings
Binding: Dual-sided, adjustable tension
Size: 83.5 x 75.5mm



**6301200
FOR MTB**

Material: Coated aluminum
Axle: CNC machined CR-MO
Roller & double sealed ball bearings
Binding: Dual-sided, adjustable tension
Size: 90 x 90mm



**6301205
FOR MTB**

Material: Coated aluminum.
Axle: CNC machined CR-MO
Bearing: Roller & double sealed ball bearings
Binding: Dual-sided, adjustable tension
Size: 83.5 x 58.5mm



**6301202
FOR MTB**

Material: Coated aluminum
Axle: CNC machined CR-MO
Bearing: Is1 & double sealed ball bearings
Binding: Dual-sided, adjustable tension
Size: 83.5 x 58.5 mm



**6301201
FOR MTB**

Material: Coated aluminum
Axle: CNC machined cr-mo
Bearing: Ball bearings
Binding: Dual-sided, adjustable tension
Size: 81 x 58.5mm



**6301208
FOR MTB**

Material: Alloy painted color
Axle: CR-MO
Bearing: Sealed bearing
Shimano compatible
Size: 79 x 55 x 34mm



**6301247
FOR MTB**

Material: silver alloy body
Axle: CR-MO / boron
Bearing: loose balls
Size: 109 x 63 x 20mm



**6301211
FOR MTB**

Material: One-piece, aluminum, investment casting W/replaceable pin 0404
Axle: CR-MO CNC machined
Bearings: Dual & sealed bearing
Size: 92 x 93 x 21 cm



**6301268
FOR CITY**

Axle: Boron
Body: PP black/TPR grey
Bearing: Ball-type
Size: 110 x 69mm



**6301242
FOR CITY**

Body: Aluminum with sand Paper
Spindle: Boron
Bearing: 20U
Size: 106 X 75 X 27mm



**6301259
FOR CITY**

Axle: Boron
Body: PP black
Bearing: Ball -type
Size: 108 x 69mm



**6301241
FOR CITY**

Material: One piece alloy barrel silver with kraton top
Axle: Boron, 20U
Size: 108.4 x 82.4 x 27.2mm



**6301266
FOR CITY**

Material: One piece alloy barrel silver with kraton top
Axle: Boron, 20U
Size: 108.4 x 82.4 x 27.2mm



**6301212
FOR CITY**

Material: Plastic black body with kraton top
Axle: Boron, 20U
Size: 106.5 x 81 x 23.8mm



6301232
FOR MTB

Axle: CR-MO
Body: Nylon +20%g
Size: 110 x 100mm



6301235
FOR MTB

Body: Aluminum/magnesium
Finish: Aluminum ed black or painted/magnesium painted colors
Spindle: CR-MO
Bearing: Ball bearing
Size: 100 x 100 x 26.2mm



6301245
FOR MTB

Body: Barrel polished aluminum
Cage: aluminum anodized
Spindle: CR-MO CNC machined
Bearings: Double du design
Toe clip: Attachable
Reflector: Optional
Size: 94 X 64 mm



6301243
FOR MTB

Body: Plastic black
Cage: Alloy black
Axle: Boron, 20U
Size: 103 x 76 x 25.5mm



6301244
FOR MTB

Body: Barrel polished aluminum
Cage: Aluminum anodized
Spindle: CR-MO CNC machined
Bearings: Double du design
Toe clip: Attachable
Reflector: Optional
Size: 94 x 64mm



6301221
FOR MTB

Body: Barrel polished aluminum
Axle: 7mm boron steel
Bearing: Ball bearing
Reflector: Optional
Size: 101 x 79mm



6301250
FOR MTB

Description: Low profile reflector
Body: barrel polished aluminum
Axle: cnc machined cr-mo
Bearing: Is1 & double sealed ball bearings
Reflector: fineline optional
Size: 105 x 102 x 20mm



6301224
FOR BMX

Body: Magnesium extruded
CNC painted color
Axle: CR-MO, sealed bearing
Size: 108 x 106 x 17.5mm



6301246
FOR MTB

Body: One-piece aluminum
Polished silver or ED color
Spindle: CR-MO/boron/steel
Bearings: Steel ball design
Reflector: Optional
Size: 94 x 63mm



6301251
FOR MTB

Body: Alloy barrel silver
Cage: Alloy black
Axle: Boron, 20U
Size: 99.7X 63.2 X 23.5mm



6301252
FOR MTB

Body: Plastic black
Cage: Alloy black
Axle: Boron, 20U
Size: 103 x 76.3 x 34.3mm



6301215
FOR BMX

Body: One-piece aluminum
W/replaceable pin D4D4
Spindle: CR-MO/ boron/steel
Bearings: Steel /ball design
Color: Any color
Size: 90 x 83 x 27mm



6301225
FOR BMX

Body: Alloy forged and cnc
anodized color
Axle: CR-MO, sealed bearing
Size: 114.5 x 99 x 10mm



6301223
FOR BMX

Body: Alloy extruded cnc
anodized color
Axle: CR-MO, sealed bearing
Size: 108 x 106 x 17.5mm



6301217
FOR BMX

Description: Low profile reflector
Body: long fiber glass reinforced nylon
Axle: CNC machined cr-mo
Bearing: Is1 & double sealed ball bearings
Reflector: fineline included
Size: 113.5 x 110 x 18mm



6301226
FOR BMX

Body: Alloy extruded cnc
anodized color
Axle: CR-MO, sealed bearing
Size: 112 x 101.5 x 20mm



6301240
FOR ROAD

Description: Low profile reflector
Body: One-piece pp body
Axle: 7mm boron steel
Bearing: Ball bearings, extended cup
Reflector: fineline included
Size: 91 x 100mm



6301210
FOR ROAD

Body: Alloy painted color
Axle: CR-MO
Bearing: Sealed bearing
Shimano: Compatible
Size: 83 x 77 x 34



6301209
FOR ROAD

Body: One piece alloy body
Axle: CR-MO w/6mm allen-key
Bearing: Loose balls
Size: 86 x 90 x 31mm



6301207
FOR ROAD

Body: Engineering plastic
Axle: 7mm boron steel
Bearing: Ball bearings
Binding: Adjustable tension (80~180kgf.cm)
Cleat: vp-arc5/arc6 7 degree float
Optional: vp-blk5/blk6 fixed
Reflector: Optional
Size: 82 x 92mm



6301219
FOR FR/DH/BMX

Body: Extruded/ CNC machined aluminum platform, replaceable grip pins
Axle: CNC machined CR-MO
Bearing: ISL & double sealed ball bearings
Size: 105 x 105 x 22mm



6301222
FOR E-BIKE/CITY

Axle: Boron ed
Body: Alloy silver/PP black/TPR grey
Bearing: Ball-type
Size: 111 x 80 mm



6301263
FOR MTB/CITY

Body: One piece black PP
Axle: Boron/ CR-MO
Bearing: Loose balls
Size: 108 x 94 x 24mm



6301261
FOR TREKKING/CITY

Body: Black PP /TPR GRAY
Axle: Boron
Bearing: Loose balls
Size: 110 X 97 X 27mm



6301238
FOR CITY/TREKKING/E-BIKES

Axle: Boron
Bearing: Ball type
Size: 108 x 69mm



6301216
FOR FR/DH/BMX

Body: Cold-forged one-piece cnc aluminum silver replaceable grip pins
Axle: CNC machined CR-MO
Bearing: double ISL bearings
Size: 120 x 109 x 18mm



6301254
FOR FREERIDE/DOWNHILL/BMX

Body: One-piece aluminum Polished silver or ed black, W/replaceable pin
Spindle: CR-MO/boron/steel
Bearings: Steel ball design
Size: 93 x 105mm



6301230
FOR TREKKING/URBAN/CITY

Description: Low profile Non-slip tread
Body: barrel polished aluminum, inlaid tpe tread
Axle: 7mm boron steel
Bearing: ball bearings
Reflector: included
Size: 107.5 x 68.5mm



6301260
FOR TREKKING/CITY

Body: Silver alloy/TPR GRAY
Axle: Boron
Bearing: Loose balls
Size: 106.5 X 73 X 27mm



6301249
FOR MTB-TREKKING

Description: Low prfile reflector Light weight
Body: Barrel polished aluminum
Cage: Anod silver or ed black aluminum
Axle: CNC machined CR-MO
Bearing: Ball bearings
Toe clip: Attachable
Reflector: Fineline optional
Size: 97 x 63mm



6301257
FOR MTB/CROSS/CITY

Axle: Boron
Bearing: Ball type
Size: 108 x 84mm



6301258
FOR CITY/TREKKING

Axle: Boron
Bearing: Ball type
Size: 103 x 78mm



6301097
FOR E-BIKE/TREKKING/MTB ROAD

Body: Aluminum 6061 extruded/ cnc mahined
Treatment: Anodized black or silver red
Axle: CR-MO /CNC machined, sealed ball bearings & ISL (made in germany)
Cage: Eco-friendly high impact nylon+ fiber
Reflector: Japan & U.S.A. & U.K stand
Size: 97 x 93mm



6301098
FOR E-BIKE/TREKKING/MTB ROAD/BMX

Body: Aluminum 6061 extruded/ cnc mahined
Treatment: Anodized black or silver red
Axle: CR-MO /CNC machined, sealed ball bearings & ISL (made in germany)
Cage: Eco-friendly high impact nylon+ fiber
Reflector: Japan & u.s.a. & u.k stand
Size: 99 x 99mm



6301099
FOR E-BIKE/TREKKING/MTB/ ROAD

Body: Aluminum 6061 extruded/ cnc mahined
Treatment: Anodized black or silver red
Axle: CR-MO /CNC machined, sealed ball bearings & ISL (made in germany)
Cage: ECO-friendly high impact nylon+ fiber
Reflector: japan & U.S.A. & U.K stand
Size: 85 x 85m

GEO TECH



6301231
FOR MTB/FIXED-GEAR

Body: Alloy extrusion cnc finished
Bearing: 1du+1sealed
Spindle: Titanium/cr-mo
Pin: Replaceable pins
Color: Any color
Size: 83 x 80 x 18mm



6301253
FOR MTB

Body: Magnesium body painted color
Axle: Boron, 20U
Pin: Replaceable a pin
Size: 111.5 x 102 x 27.6mm



6301228
FOR BMX/FIXED-GEAR/DOWNHILL

Body: Barrel polished aluminum
Bearing: Ball bearings/1du+sealed
Spindle: CR-MO
Pin: Molded pins/replaceable pins
Color: Any color
Size: 100 x 105 x 22.5mm



6301227
FOR BMX/FIXED-GEAR

Body: 1-PC PC hi-impact body
Insert/PP/Nylon in reflector
Bearing: Ball bearings
Spindle: CR-MO
Pin: Mold Pins
Color: Any color
Size: 100 x 105 x 18.5mm



6301234
FOR DOWNHILL/ BMX

Body: Alloy extrusion cnc finished
Bearing: 2du+1 sealed
Spindle: CR-MO
Pin: Replaceable pins
Color: Any color
Size: 100 x 105 x 10mm



6301236
FOR
FREERIDE/DOWNHILL/BMX

Body: CNC alloy body with screw pin
Axle: CR-MO
Bearing: sealed bearing
Size: 99 x 98 x 16mm



6301218
FOR
FREERIDE/DOWNHILL/BMX

Body: CNC machined aluminum
Axle: Cr-Mo CNC machined
Bearing: 2 sealed ball bearing
Color: silver or optional
Size: 100 x 92 x 18mm



6301262
FOR MTB/CITY

Body: One piece black PP
Axle: Boron/ CR-MO
Bearing: Loose balls
Size: 107 x 102 x 25mm



6301220
FOR FR/DH/BMX

Body: Extruded/cnc machined aluminum platform, replaceable grip pins
Axle: CNC machined cr-mo
Bearing: 1sl & double sealed ball bearings
Size: 112 x 97 x 16mm



6301233
FOR DOWNHILL
/BMX/FIXED-GEAR

Body: Nylon fiber
Bearing: Ball bearing
Spindle: CR-MO
Pin: Mold pins
Color: Any color
Size: 100mm x 105mm x 24mm



6301229
FOR BMX/FIXED-GEAR

Body: 1-PC PC hi-impact body
Insert/PP/Nylon in reflector
Bearing: Ball bearings
Spindle: CR-MO
Pin: Mold Pins
Color: Any color
Size: 100mm x 105mm x 18.5mm



6301237
FOR
FREERIDE/DOWNHILL/BMX

Body: CNC magnesium with screw pin
Axle: CR-MO
Bearing: Sealed bearing
Size: 104 x 100 x 16mm



6301239
FOR URBAN / CITY

Light weight low profile
Body: One-piece pp body
Axle: 7mm boron steel
Bearing: Ball bearing extended cup
Reflector: Included
Size: 100 x 80mm



6301265
FOR BEACH CRUISER

Body: UCP steel, PVC tread blocks
Spindle: CR-MO/boron/steel
Bearings: Steel ball design
Reflector: Optional
Color: Black or white
Size: 115 x 72mm




6301255
FOR MTB/CROSS/CITY

Axle: Boron
Bearing: Ball type
Size: 111 x 79mm



6301256
FOR MTB/CROSS/CITY

Axle: Boron
Bearing: Ball type
Size: 111 x 79mm



6301264
FOR CLASSIC

Body: Cp steel, PVC tread blocks
Spindle: CR-MO/boron /steel
Bearings: Steel ball design
Reflector: Optional **Color:** Black/ White
Size: 108 x 63mm



6301267

Fully spd compatible
Aluminum body with a full platform
72mm width, Heat treated steel vx bindings
Forged, heat-treated cnc machined cromoly steel axle, 1sl and double sealed cartridge bearings, Rebuild kits available
Adjustable release tension, 472 grams per pair

GEO TECH



26 " CARBON WHEEL SET

712212-1:

KT-DL-SASF Hub Black 204y 109/144L (anod.Black) + CARBON Rim mr26ck + spokes psr2016 + Alloy nipples

712212-2:

KT-DL-YU3R Hub Black 204y 148/184L (anod.Black) + CARBON Rim mr26ck + spokes psr2016 + Alloy nipples



27.5 "(650B) CARBON WHEEL SET

712213-1:

KT-DL-SASF Hub Black 204y 109/144L (anod.Black) + CARBON RIM R650B + spokes psr2016 + Alloy nipples

712213-2:

KT-DL-YU3R Hub Black 204y 148/184L (anod.Black) + CARBON RIM MR650B + spokes psr2016 + Alloy nipples



29 " CARBON WHEEL SET

712214-1:

KT-DL-SASF Hub Black 204y 109/144L (anod.Black) + CARBON rim mr29ck + spokes psr2016 + Alloy nipples

712214-2:

KT-DL-YU3R Hub Black 204y 148/184L (anod.Black) + CARBON Rim mr29ck + spokes psr2016 + Alloy nipples



700C CARBON WHEEL SET W/O TIRE TUBE

712211-1:

KT-QL-M88F Hub Black 204vv 109/141L(Black)+ CARBON
Rim c46 clincher+spokes psrx-tra1425+Alloy nipples

712211-2:

KT-QL-ZL7R Hub Black 205vv 144/175L(Black)+ CARBON
Rim c46 clincher+spokes psrx-tra1425+Alloy nipples



26" MTB ALLOY WHEEL SET W/O TIRE TUBE, W/O DISK BRAKE

712209-1:

KT-QL-Y62R Hub Black 205y 148/184L(Black)+ kinlin Alloy
Rim xd230 (26x559)+spokes psr2018 +brass nipples

712209-2 :

KT-QL-SY2F Hub Black 204y 108/144L(Black) + kinlin Alloy
Rim xd230 (26x559)+spokes psr2018+ brass nipples



700C ROAD ALLOY WHEEL SET W/O TIRE TUBE

712210-1:

KT-QL-2K2F Hub Black 204vv 109/141L(Black)+ kinlin
Rim alloy rim xr 240 +spokes psr1430+ brass nipples

712210-2:

KT-QL-2K2R Hub Black 205vv 144/175L(Black)+ kin lin
Rim alloy rim xr 240+spokes psr1430+ brass nipples

**604H920**

Description : Headset
Material : Carbon + ally
Size : 1-1/8" steerer
Dia : 28.6mm

**604H921
FOR BMX**

Description : Semi-integrated
 ,threadless BMX
Material : Carbon fiber cover
Size : 1-1/8"
Color : Black

**604H922**

Description : The most
 competitive tapered
Material : steel, ball retainers
Size : 1-1/8"
Color : Black

**604H923**

Description : The most
 competitive tapered
material : Alloy
Size : 1-1/8"
Color : Black

**604H924**

Description : Threadless Headset
Material : 6061/T6 CNC Machined
 Top Cover
Size : 1-1/8" x 42 x 52.2 x 39.8
Color : Black

**604H925**

Description : Headset
Material : 6061/T6 CNC Machined Top
 Cover & Upper Cup, Cr-Mo Lower Cup
 & Crown Race
Size : 1.5" Head Tube Reduce to 1-1/8"
For Tube Dimension : 1-1/8"x55x39.8
Color : Silver /BK/AD

**604H926**

Description : The Most
 Competitive Tapered
Material : Alloy Cap/Steel Cups
 & Crown Race
Size : 1-1/8"
Color : Black

**604H927**

Description : Plastic Cap For Tapered
Material : Rubber/Nylon / AL6061
Size : 1-1/8"
Color : Black / Silver

**604H928
FOR TOURING/ATB/MTB**

Description : Threadless / semi-
 integrated
Material : Alloy /Nylon / Steel
Size : 1-1/4"
Color : Anodized silver , anodized
 black , Steel : B

**604H929
FOR TOURING/ATB/MTB**

Description : Threadless / semi-
 integrated
Material : Alloy/Nylon/Steel
Size : 1-1/4"
Color : Anodized silver /Anodized black,
 Steel : B

**604H930
FOR MTB/DOWNHILL BIKE**

Description : Threadless MTB
 freeride / Downhill specifications
Material : Aluminum cover, steel
 cups
Size : 1.5"
Color : Finish ED black or CP

**604H931
FOR EXERCISE BIKE**

Description : Threadless / semi-integrated
Material : Alloy, nylon , steel
Size : 1-1/8"/1-1/2"
Color : Anodized black , Steel :BEd

**604H932
FOR TOURING,ATB,MTB**

Description : Threadless / semi-integrated
Material : Alloy /Nylon /Steel
Size : 1-1/8"
Color : Anodized black , steel :BEd

**604H933
FOR MTB / ROAD**

Description : Specifications Integrated
Material : Aluminum
Size : 1-1/8" upper + 1-1/2" lower, Dia : 28.6/39.8/41.8
 Top cover : O.D. 46/48mm
Color : Anodized black or silver



604H935
FOR MTB / ROAD

Description: Press fit bottom
Material: PA+Fiber
Size: 46*68mm
Color: Black
Axle: dia30 x 30mm



604H936
FOR MTB / ROAD

Description: Press-fit bb set for spindle 24mm
Shimano system compatible
Size: for 86.5mm road/89.5mm and 92mm MTB



604H937
FOR ALL BIKES

Description: BSA
Material: Pcs sealed bearings steel body
cold forged & CNC machined isis spline
hollow axle (CR-MO)
Size: 1.37"x24T, R/I
Color: Black



604H938
FOR ALL BIKES

Description: Press fit type
Material: Forged alloy and CNC machined
Size: DIA 24mm
Color: Shell



604H939
FOR ALL BIKES

Description: Press fit type
Material: forged alloy and CNC machined
Size: DIA 24mm
Color: Black



604H940
FOR MTB

Description: Press fit type
Material: Forged alloy and CNC machined
Size: 68mm/73mm
Color: Gold



604H941
FOR ROAD

Description: Press fit type
Material: Forged alloy and CNC machined
Size: 68mm/73mm
Color: Red



604H942
FOR ALL BIKES

Description: 3 in 1 integrated BB
Size: Reducer available for bb30(42mm)
press-FIT 30(46mm) and os bb



604H947
FOR MTB

Description: Compatible
Specifications
Material: Alloy
Size: Thread 41mm od alloy cups axle
24mm through axle
Nylon sheath ceramic sealed bearing
Color: Black/red



604H943
FOR ALL BIKES

Description: Conical top cover
Material: Nylon
Size: 1-1/8"
Color:
Black/Grey/White/Pink/Green/Red/Blue/Purple



604H945
FOR ALL BIKES

Description: Headset
Material: Carbon
Size: 1-1/8"



604H946
FOR ALL BIKES

Description: Ahead cap
Material: AL6061T6
Size: Dia:28.6mm



604H944
FOR ALL BIKES

Material: Alloy cap
Size: 22.2 / 25.4 mm

BELT-DRIVE



610890-1
For: BELT-DRIVE

Belt-Crank: CNC 64/66/68/70/72/74/
76/78/80T, BCD - 130mm

Sprocket:
A: 25T-S-3(Alloy) Internal Gear (SHIMANO) / Nexus 3
B: 32T-S-3(Alloy) Internal Gear (SHIMANO) / Nexus 3
C: 28/29/30/31/32/33/34/
35/36T-CNC(Alloy)



610890
For: BELT-DRIVE

Belt-Crank: POM 64/80/100T, BCD - 104, BB Axle - 116mm

Internal Gear (SHIMANO):
/ Nexus 7/Nexus 8/Alfine 8/Alfine 11



610891
For: BELT-DRIVE

Belt-Crank: POM 64/80/100T, BCD - 104, BB Axle - 110mm



Sprocket:



Stabilizer



610892
For : MTB

Integrated outside Bearing BB
Chainring: 42/28T, 40/28T, 38/24T,
36/22T. Alloy 7075/T6 CNC
Crank: Hollow carbon
L: 170, 175mm
BCD: 104/64mm



610893
For : Road

Integrated outside bearing BB
Chainring: 53/39T, 52/36T, 50/36T,
50/34T, 34/46T. Teeth 7075/T6 CNC
Crank: Hollow carbon
L: 170/172.5/175mm
BCD: 110mm



610894
For : Trialbike

Integrated outside Bearing BB
Chainring: 42/28T, 40/28T, 38/24T,
36/22T. Steel or alloy
Crank: Forged 6061/T6 Alloy
L: 170/175mm
BCD: 104/64mm



610895
For : BMX

Integrated Outside Bearing BB
Chainring: 32/33/34/36/38/39T
Crank: Forged 6066/T6 alloy
L: 155/160/165/170/175mm
BCD: 104mm



610896
For : MTB

Integrated ISIS Drive, BB 100mm
Chainring options: BCD 64: 22-30T,
BCD 104: 30-52T
Crank: Forged 6061/T6 alloy
L: 170/175mm
BCD: 104/64mm
Chainline: 71.8mm



610897
For : Single speed

Steel or alloy chainwheel Alloy chainwheel protector with alloy crank.
Chainring : 42/44/46/48T
Crank : Alloy 170mm
BCD : 104mm
Chainline : 45mm
Axle length : 110.5mm



610898
For : BMX

Integrated Outside Bearing BB
Chainring : 32,33,34,36,38,39T
Crank : Forged 6061/T6 alloy
L : 170/175mm
BCD : 104mm



610899
For : MTB

Chainring : 40,30, 22T
Outer ring : Allo SB BK anodized / CNC
Center ring : Steel ED Black
Crank : Forged 6061 ally forged
L : 152/165/170mm
BCD : 96/64 mm
Chainline : 50mm
Spindle length : 133.5mm



610900
For : Fixed Gear

Chainring : 44/46/48/50/52T Alloy
Crank : Forged 6061/T6 Alloy
L : 165 / 170mm
BCD : 144 mm
Axle length : 103mm



610901
For : MTB

Integrated B.B system :
A : OUTSIDE BEARING
B : PRESS FIT BEARING
Rings : 38T AL, 24T AL / Alloy Stamping/ CNC
Crank Material : 6061 Forged alloy crank
Finish : Sand Blasted BK anodized
L : 175/170/165mm
BCD : 104,64 mm
Chainline : 48.5mm
Fat bike : 68/70.5/73mm
Spindle length : 133.5mm



610902
For : City bike

21'S,24'S : 48T/38T/28T
Ring Finish : Steel ED BK or painted
Crank Material : 6061 alloy Forged
L : 175-152mm
BCD : 104 / 64mm
Chainline : 47mm
Chainguard : PAI PVC cover
Fat Bike : 68/70.5/73mm
Spindle Length : 119mm



610903
For : City bike

Chainring : 42T/44T
Outer ring : alloy Anodized / steel ED BK / painted
Ring Fixation : interchangeable
Arm Finish : Polish silver / BK anodized
Crank Material : 6061 alloy forged
L : 175/170/165/152mm
BCD : 104mm



610873
Material : 7075/T6 alloy
 BC : 1.37-24TP



610874
Material : 7075/T6 alloy
 BC : 1.29-24TP



610866
Size : M15x1.0x16.5 mm
 Material : Alloy 7075-T6



610865
Size : M8x8.5-9.9x7L
 Material : Alloy 7075-T6

**A: 6171233**

Description: Alloy forged QR, w/out bent level in scale similar as shimano steel QR CR-MO cp skewer w/ steel washer nut

B: 6171234

Description: Alloy qr. Handy level style CR-MO cp skewer w/steel washer

C: 6171235

Description: Alloy qr, all available swing skewer as ti Marked "t" at last of qr item no. (t= titanium)

D: 6171236

Description: Alloy qr, all available cost down w/no steel washer and phos Plated skewer. Marked "e" at last of each qr item no. (e= economical)

**A: 6171230****B: 6171231****C: 6171232**

Material: Ti/stainless steel/ steel

Size: M5 x 110-200mm

M6 x 110-200mm

**6171200**

Size:
F: M5 x 112 - 114 mm
R: M5 x 143/148/151 mm

**6171201**

Description: Quick release lever forged
Material: Axle: CR-MO flat
Size:
F: M5 x 112 - 114 mm
R: M5 x 143/148/151 mm

**6171202**

Description: Quick release with to light
Material: Axle: Titanium
Size:
F: M5 x 12 - 114 mm
R: M5 x 143, 148, 151 mm
LR-1130 button cell 1.5V 4pcs

**6171237**

Description: Lever/nut: CNC
Material: Axle: CR-MO
Size:
F: m5 x 112-114mm
R: m5 x 143/148/151mm

**6171212**

Description: Hub QR
Material: AL 7075 Axle. Alce
L: 145mm
Dia: 15mm

**6171204**

Description: Stylish looking colorful QR

**6171205**

Description: Rubber available in Blue /Red/ Grey/Black

**6171206**

Description: Hub QR/M5.
Material: carbon Lever CR-MO or Titanium Axle
Size:
Length:
F: 109/112/115
R: 144/148.5/151.5

**6171207**

Description: For 130x 9mm or 135x9mm rear fork

**6171209**

Description: Hub quick release w/ forged handle
Size: F: 31 R: 35

**6171210**

Material: Lever AL7075 T6
Axle is Titanium

**6171211**


Material: Lever AL7075 T6
Axle is Titanium

**6171216**

Description: Suitable for 9mm dropout

**6171203**

Description: both sand blasted & anodized
Material: Alloy 6061-T6
Size: 31.8 / 34.9

**810030****Description:** Much lighter than conventional cables**Material:** Interlink alloy housing technology for precision**Color:** Silver/Black/Gold/Blue/Red/Green**810001****Dia:** Super supreme 5.5mm**Color:** Clear Blue/Smoke
Black/Red/Blue/Yellow
SIZE TO ORDER**810002****Dia:** Super 5.5mm**Color:** Clear Blue
SIZE TO ORDER**810003-1****Dia:** Ultimate 5.5mm**Color:** Black/White/Red/Blue/Yellow/Green/Pink/Orange**810003-2****Dia:** Ultimate 5mm**Color:** Black/White/Red/Blue/Yellow/Green/Pink/Orange**810006****BRAKE ATB/MTB/ROAD****810006-1:** L:1700mm. 7x6 & 6x11 31s slick galvanized**810006-2:** L:1700mm. 7x6 & 6x11 31s superior shine**810006-3:** L:2000mm. 4x4 & 5x3 31s slick galvanized**810006-4:** L:2000mm. 4x4 & 5x3 31s superior shine**810004****BRAKE ATB/MTB****810004-1:** L:1700mm. 31 slick galvanized**810004-2:** L:1700mm. Superior shine**810004-3:** L:1700mm. 31 slick galvanized**810004-4:** L:1700mm**810004-5:** L:2000mm. 31 slick galvanized**810004-6:** L:2000mm. Superior shine**810005-1:** Brake **Color:** Black/White/Gray/Blue/Red/Pink/Yellow/Maxxis Orange/Merida Green**810005-2:** Shift 4mm**Color:** Black/White/Gray/Blue/Red/Pink/Yellow/Maxxis Orange/Merida Green/Black/Grey**810037**

Universal shift. 2000mm

31 stands stainless steel super shine

**810033****Description:** Suitable for shimano/sram**Size:** 2300mm cable kit (for brake)

Suitable for shimano/sram

Color: Silver**810034****Description:** 1kss slick speed change cable**Size:** L:2100mm**810038****Description:** Air tTnui stainless brake cabk set**Size:** 7x7 or 6x11

L:1800mm

**810039****Description:** Diamond Teflon conating**Size:** 7x7 or 6x11. L:1800mm**Color:** Red/Gold/Brown**810040****Description:** Air tTnui stainless derailleur cabk set**Size:** 4.5x4.5. L:2200mm**810041****Description:** Adjustment for derailleur to improve the accuracy**Size:** Suitable for the housing between 4mm to 5mm

**810010**

Description:For road bike derailleur cable
Material:Alloy adjuster bolt
Size: M5x13.5mm
Color: Anodized

**810011**

Description:For road bike derailleur cable
Material:Alloy adjuster bolt
Size: M5x18mm.
Color: Anodized

**810012**

Material: Rubber DEM
Size: Shield 40 mm

**810013**

Size:O-ring 1.5mm, wire protector
3pcs/set

**810014**

Description:Bullet in Line Adjuster Adjustment for derailleur to improve the accuracy. Fool proof design to prevent over adjusting
Size:Usable for the housing between 4mm to 5mm Optional colors for the appearance

**810015**

Size:Suitable for 4-5mm cable kit. 3.6 x 40L
Color:Black/White/
 Purple/Blue/Red/Pink/Yellow/Orange/Green

**810016**

Material:Silicon Housing Shield
Color:
 Pink/Purple/Orange/Green/Blue/Green

**810017**

Material: Silcon. Cable protector for brake & derailleur wire
 derailleur (3mm) 2pcs, brake (4mm) 2pcs

**810018**

Material:Alloy adjuster bolt for road bike derailleur cable
Size: M5x18mm
Color: Anodized



810019-A For 20" Freestyle cable
810019-B For 20" Freestyle cable

**810020**

Material: Alloy CNC machined
Size:Down tube shifter mount to handle bar Spec # 26 with 24 & 22.2 shim

**810021**

Material:Polymer/ stick-on

**810022**

Material:Polymer/Zipti

Pro
Bikes



Excellent Cycles
ProSuperGo



Super Quality

Go Life!

OFFICE: 3F NO.21 YUNG-FU STREET, SAN CHUNG

DISTRICT 24156, NEW TAIPEI CITY, TAIWAN

TEL: 886-2-22861939, 22874013, 22801645

FAX: 886-2-22868595

www.prosupergo.com psupergo@ms5.hinet.net

