

2013

Parts & Accessories

Excelent Cycles  
**ProSuperGo**

# Index

Light	1-3	Seat post	43-44
Cycle computer	4	Chain	45
Bell	5-6	Handle Bar	46-47
Bottle cage	7-8	Handle Bar Tape	48-49
Water bottle	9-10	Stem	50-53
Back mirrors & Lock	11	Bar End	54
Lock	12	Clamp	55-56
Pump	13-14	Pedal	57-59
Kick stand	15-16	Wheel set	60-64
Tool	17-20	Head parts/ B.B.PARTS	65-67
Grip	21-23	Chain wheel & crank	68-69
Bag	24-26	Quick-release	70
Gloves & Apparel	27	Cables parts	71-72
Helmet	28-29		
Mudguard	30-31		
Rear carrier	32-33		
Saddle	34-36		
Basket	37		
Brake set	38-39		
Brake shoes	40-42		





**6541050**  
1w LED Battery: AAAx3. Color: black/white



**6541055**  
color: black/pink/blue/white/gray. 1W LED / 3 functions



**6541060**  
front Battery: AAAx3. 1w LED. 2 Function. rear Battery: AAAx2. 3 LED. 4 Function



**6541051**  
1W LED Battery: AAAx2 Color: black/white



**6541056**  
LED 1. 3 functions battery. LED: Three Watt White Color: black



**6541061**  
3 LED. 2 Function. Battery: AAAx3. color: black/white REAR: Battery: AAAx2. LED. 2 Function



**6541052**  
3 LED. 2 Function Battery: AAAx3 color: black/white



**6541057**  
1W LED Battery AAAx3



**6541062**  
Size: 70mmx40mmx30mm color: black/white Battery: AAAx2 .3 LED. 2 Function. Battery: AAAx3 AAAx2(R)



**6541053**  
3 LED. 4 Function Color black/white Battery: AAA x 3



**6541058**  
Size: 35 diameter x 98mm. Battery: LR-03(aaa)x4. LED: one Watt White LED x1. color: black/silver/blue/red



**6541054**  
3 white LED



**6541059**  
LED: 5 Front and 1 Rear White 3 functions. Battery: LR-06(AA)x3. LEDs. Color: white/red




**6541063**  
.4 LED ultra-bright LEDs. color: RED/white





**6541064**  
 Battery:AAx4, W:28g, 2 LED, 2  
 Function,Color:blue/pink/red  
 /yellow/green/white



**6541071**  
 Color:LED:4Xwhite  
 LED:4xwhite LED



**6541065**  
 1ledx2, 4 function,  
 color:black/white,0,  
 2w ledx2, 5mm



**6541068**  
 3 led, 4 function  
 color:black /  
 white.battery:aaax2



**6541072**  
 Size:74x30x39mm, Battery:  
 Rechargeable battery,  
 LED:2 Half watt clear /red LEDs or  
 combination.  
 Body color:Transparent  
 white/black/orange/green/yello  
 w/purple/blue/pink/red.



**6541066**  
 White 0.2w LEDx1,  
 5mm LEDx2, 4  
 Function  
 Color:black or  
 white



**6541069**  
 .1w LED,LEDx1,  
 2Function,Red 2  
 LED,2 Function,  
 W:36g,color:black/  
 pink/blue/white



**6541073**  
 1LED:1Battery:CR2032X2  
 color:white/black/red



**6541067**  
 Mini LED,2 functions:  
 Clear/Red LEDs,Body  
 color:white / black



**6541070**  
 3 functions:High beam,low beam &  
 flash,Size:82x37x26mm,LED:1  
 one/half-watt Clear/Red LED  
 Color:White / red.



**6541074**  
 LED:1 diameter,  
 Battery:CR2032x2, Body  
 color:black





**6541075**  
For V-brake & Disc-brake. Material: Alloy  
Size: 22.2mm



**6541079**  
With 3 Bright LED. "AA"  
R14/15V battery



**6541083**  
3 Red LEDs. W34g  
Running Color: RED



**6541076**  
Lightguide safety  
rear light



**6541080**  
Size: 42x42x18mm  
Battery: CR2032x2. LED: 1  
Half-Watt and 4 Red LEDs  
Body color: white / black



**6541084**  
LED: 1 Half watt and 2  
clear/Red LEDs light. 3  
functions  
Battery: CR2032x2. Lens  
color: Clear /Red



**6541077**  
The world's 1st top-mount  
LED flash light is



**6541081**  
Battery: Rechargeable  
LED: 1 battery color: white /  
black / orange / green / yellow  
w/ purple / blue / pink / red



**6541085**  
10 LED. 7 Function.  
Battery: CR2032x1+ AAx3



**6541078**  
Light LR-1130 button  
cell 1.5v 4pcs Color:  
blue/green/red/bl  
ack/silver/gold



**6541082**  
Clasp light LED LR-  
1130 button cell  
1.5v 2pcs



**6541086**  
LED safety (w/o battery)  
color: black/white/red/yel  
low/green/blue





**635801**  
Windmill bell.  
Size:75mm. Alloy top.  
Plastic base



**635802**  
Windmill bell.  
Size:75mm. Alloy  
top. Plastic base



**635803**  
Butterfly bell.  
Size:60mm. Steel  
top. Plastic base



**635804**  
Size:45mm.  
Material:alloy top with  
plastic base



**635805**  
Size:45mm.  
Material:alloy top  
with plastic base



**635806**  
Diameter:38mm. Material: alloy  
top. Plastic.  
Color:orange/black:white/black.  
Operation:knocking



**635807**  
Diameter : 80mm. Color :  
silver/black. Material :  
steel top & base



**635808**  
Material: brass dome with  
steel base and lever. Dome  
size: ø55mm. Size:22.2mm  
& 25.4mm



**635809**  
Material: Brass dome with  
steel base and lever. Dome  
size: ø55mm. Size:22.2mm &  
25.4mm



**635810**  
Special Design : alloy top also  
available. Color :  
silver/black/blue/red/yellow.  
Material : steel top, plastic base



**635811**  
Size:60mm. Plastic and alloy top  
with plastic base



**635812**  
Diameter:38mm  
Special design:plastic base,alloy  
top. Material:alloy. Steel. Gold



**635813**  
Size:33mm.  
Material:alloy top with  
plastic base



**635814**  
Diameter:30mm.: alloy /  
steel / brass / top ,plastic  
base. Color: black. Silver.  
Cp. Gold



**635815**  
Diameter : 38mm. Special  
Design : 360° rotating.  
Color : silver/black/gold



**635816**  
Mini Bell For Brake lever



**635817**  
Diameter:30mm. Material:steel:cp.  
Brass. Alloy:black, red, silver,  
blue, gold, green





**635818**  
MULTI-FUNCTION BIKE HORN  
AND MINI MIRROR



**635819**  
100DB/3M / 2PCS/LED  
LAMP, USES  
2PCS/CR2032/3V



**635820**  
MULTI-FUNCTION  
BIKE ALARM AND  
MINI MIRROR



**635821**  
EASY TO FIT HANDBAR  
OR BAREND



**635822**  
90DB/3M SUPER BUZZER  
ALARM. 2PCS/LED LAMP.  
USE 2/PCS/CR2032/3V



**635823**  
DIAMETER:31MM.  
MATERIAL:ALLOY TOP,  
PLASTIC BASE



**635824**  
Easy installation on  
handlebar. LED light.  
Fits H/Bar  
ø19~25.4mm. Power:  
2 "CR2032" / 3.0V  
battery. Mode: LIGHT  
FLASH OFF



**635825**  
Easy installation on  
handlebar. LED light.  
Fits H/Bar  
ø19~25.4mm. Power:  
2 "CR2032" / 3.0V  
battery. Mode: LIGHT  
FLASH OFF



**635826**  
Easy installation on  
handlebar. LED light.  
Fits H/Bar  
ø19~25.4mm. Power: 2  
"CR2032" / 3.0V  
battery. Mode: LIGHT  
FLASH OFF



**635827**  
Easy installation on handlebar. LED light. Fits H/Bar ø19~25.4mm.  
Power: 2 "CR2032" / 3.0V battery. Mode: LIGHT FLASH OFF



**635828**  
2PCS/LED,LAMP,  
USES 2/PCS  
/AG13/1.5V



**635829**  
QUICK RELEASE  
ATTACHMENTS EASY  
FOR MOUNTING



**635830**  
80DB/3M  
SUPER BUZZER  
BELL



**635831**  
80DB/3M SUPER  
BUZZER BELL.  
2PCS/LED  
LAMP, USE 2 PCS  
AV13/1.5V



**635832**  
EASY TO FIT  
HANDBAR. QUICK  
RELEASE  
ATTACHMENTS EASY  
FOR MOUNTING





**6381170**

Material:ABS.  
Available: Color Option



**6381171**

Material:ALLOY. Available: Color Option



**6381172**

Material:PC.  
Available: color option



**6381173**

Variable geometry Bottle cage / PC+  
Transfer Carbon pattern Ambits:60-75 mm



**6381174**

Material:Carbon fiber 3K or UD Saddle  
rear cage. Not suggest for Carbon rail.  
W/I accessories strap and tool mount



**6381175**

Material:Alloy. Color:T9/T10/T17/T18/T19/Anodize  
color



**6381176**

Color:blue/black



**6381177**

Material: Alloy



**6381178**

Material: Aluminum



**6381179**

Material:Alloy 6061 w/dia.6mm



**6381180**

Material:Alloy



**6381181**

Multi-fuction bottle cage  
Cans/pet bottles can be fitted



**6381182**

Material:PC  
Color: transfer print



**6381183**

Material:PC  
Color: transfer print



**6381184**

Material:PC  
Color: transfer print



**6381185**

Nylon or pc



**6381186**

Material:Alloy.  
Finish/Color:Sandblasted  
Anod.Black/Silver Powder Coating  
white



**6381187**

Material:Alloy. Finish: powder  
coating. Color:  
black/silver/white



**6381188**

Material: alloy.  
Finish: Sandblasted,Anodized



**6381189**

Material: pc Color:blk/red/white.  
Weight:3lg



**6381190**

Material: Alloy



**6381191**

Material: Nylon Fiber



**6381192**

Type: Aluminium plate.  
Finish color: Anodized matt  
silver/black

**6381193**

Type: Aluminium plate.  
Finish/color: Anodized matt  
silver/black

**6381194**

Type:Aluminium plate.  
finish/color:Anodized matt  
silver/black

**6381195**

Type: Aluminium plate.  
Finish color: Anodized matt  
silver/black

**6381196**

Material: alloy.  
Color: blk/silver / white.  
Finish:Powder Coated & anodized

**6381197**

Type: Aluminium plate.  
Finish/color: Anodized matt  
silver/blk

**6381198**

Material:PC.  
Color: blk/red/white.

**6381199**

Material:Alloy.  
Finish/Color:Sandblasted  
Anod.Black/Silver powder  
Coating White . Carbon  
Looking

**6381243**

Material:Plastic.  
Color:blk/white/silver

**6381244**

Carbon bottle cage

**6381245**

Material:PC.  
Color: blk/red/white

**6381246**

Material Nylon

**6381247**

Material: Plastic

**6381248**

Material: Alloy

**6381249**

Material: plastic

**6381250**

Material:Aluminum plate.  
Finish/color:Sandblasted  
.black/silver powder  
coating white

**6381251**

Material: Aluminum plate.  
Finish/color:Sandblasted bla  
ck/silver powder coating  
white

**6381252**

Material:Full Carbon.  
Color:White

**6381253**

Material:alloy.  
Finish/Color:Sandbla  
sted +Anod Silver/  
Sandblasted +Anod  
black.P/C white

**6381254**

Clamping the water  
bottle cage for  
triathlon bar Bundle for  
easy hold  
Material: AL 6061-T6

**6381255**

Clamping the water bottle  
cage For triathlon bar  
Material: AL 6061-T6

**6381256**

Clamping water bottle cage  
for triathlon bar touch  
Fastener for easy hold  
Material: al6061-t6 or  
carbon coating

**6381257**

Material: plastic  
Features: bracket for  
bottle cage/  
fixed on handlebar  
Color: black





**6381200**

Chocolate.vanilla.grapes.orange  
s. Screw cap. 750cc.Material:  
Ldpe



**6381201**

Material: Ldpe  
700CC



**6381212**

Material: Ldpe  
750CC/550CC



**6381203**

Capacity:750cc/1000cc  
Material: Ldpe



**6381204**

Material: Ldpe  
Screw cap. 400cc



**6381205**

Material: Ldpe  
Screw cap. 750cc.



**6381206**

Material:pctg.  
Size:55x90x200mm.  
Volume:450ml



**6381207**

Material:pp/pctg.  
Size:77x330mm.  
Volume:0.5l/0.75l/1.0l/1.5l



**6381208**

Material:pctg.  
Size:30x165mm.  
Volume:350ml



**6381209**

Screw cap.  
Material: Ldpe  
400cc



**6381210**

Screw cap.  
Material: Ldpe  
400cc



A B C D

**6381211**

Screw cap.  
Material: Ldpe  
400c.c



**6381258**

With special outlet which has  
bigger flow.  
With different colored nozzles for  
options



**6381213**

Insulated bottle. Material:pp.  
Volume:708c.c. W/anti-dust cap



**6381214**

350cc  
Material: Ldpe



**6381215**

350cc  
Material: Ldpe



**6381216**

350cc  
Material: Ldpe



**6381217**

350cc  
Material: Ldpe



**6381218**

350cc  
Material: Ldpe



**6381219**

350cc  
Material: Ldpe



10



**6381220**  
Material: pp  
500cc



**6381221**  
Material: pp  
500cc



**6381222**  
Material: pp  
700cc/1000cc



**6381223**  
Material: pp  
H:205 cm/8pin



**6381224**  
Material: pp  
H:205 cm/8pin



**6381225**  
600cc. With our new  
launched cap(cb-1500bt)



**6381226**  
Material: pp  
700cc



**6381227**  
Material: pp  
700cc



**6381228**  
Material: pp  
700cc



**6381229**  
Material: pp  
700cc



**6381230**  
Material: pp  
700cc



**6381231**  
Material: pp  
700cc



**6381232**  
Material: pp  
700cc



**6381233**  
Material: pp  
700cc



**6381234**  
Material: pp  
700cc



**6381235**  
Material: pp  
700cc



**6381236**  
The warming light is  
available. 3 red led  
illumination flashing light.  
Perfect for outdoor  
lantern and stylish indoor  
light. Power:2"1154"/1.5v  
battery  
Material: Ldpe



**6381237**  
Material: pp  
700cc



**6381238**  
Material: pp  
700cc



**6381239**  
Screw cap.  
Material: LDPE  
400cc



**6381240**  
Material: pp  
595cc



**6381241**  
Material: Ldpe  
700cc



**6381242**  
Material: Ldpe  
600cc

Bottle





**647500**  
Back Convex Mirror 2" For  
MTB, Folding bike & Road.  
Material: ABS / PP



**647501**  
Back Convex Mirror 3" For  
MTB, Folding bike & Road.  
Material: ABS / PP



**647502**  
Back Convex Mirror OVAL " For  
MTB, Folding bike & Road.  
Material: ABS / PP



**647503**  
Wrist Band



**647504**  
Gloves



**647505**  
Profice design with two  
tone colors...



**647509**  
Safety & Environmental -  
Stainelss Mirror. Multi-function link  
/ Aluminum Anodized. High strength-  
plastic / atomization Black



**647510**  
Stainelss / Mirror. Aluminum / Anodized  
Black. High strength-plastic / atomization  
black



**647506**  
Material PP. Anti-dazzle. Available  
in left/right



**647507**  
Material PP. Anti-dazzle. Available in  
left/right



**647508**  
Super folding lock & holder



**641880**  
8mm~15mm  
Length: 30cm~180cm



**641881**  
Integrated combination  
lock. Vinyl coating  
protects bikes. Restable  
code



**641882**  
3 numbers re-settable  
combination cable lock.  
Diameter: 8,10mm. Length:  
customize



**641883**  
Re-settable compination  
cable lock.  
diameter: 8,10,12mm  
length: customize





**641884**  
Pat. key cable lock.  
Diameter:15,20mm.  
length: customize



**641885**  
Adjustable cable lock. Soft  
rubber cover.  
Diameter:10mm(a)  
length:120/150/180/210cm(b)



**641886**  
Double security  
combination-key



**641887**  
Re-settable combination  
Cable lock. Diameter:8,10,12mm.  
Length: customize



**641888**  
8mm-15mm  
Length: 30cm-180cm



**641889**  
Lock color: black/Orange



**641890**  
Easy to use two type cable lock. With  
companion and key .when you forget the  
password can use key to unlock the lock.  
Size:8mm/10mm/12mm\*24",36",48",60",72"



**641891**  
Engineered streamline  
design with plastic  
silver elegant coated



**641892**  
Disk lock with special design. disk lock  
with disk reminder. The disk reminder  
prevents riding away while disk lock is still  
engaged. size: 7mm,10mm,12.7mm



**641893**  
Resettable combination pad lock.  
Size:10\*48.5\*50m/m. Cable size:  
customize



**641894**  
Engineered streamline  
design with plastic  
silver elegant coated



**641895**  
Resettable combination u  
lock.size:10\*48.5\*195m/m  
10\*48.5\*245m/m



**641896**  
Re-settable combination u  
lock. U shackle heat-  
treatment available



**641897**  
180mm x 245cm



**641898**  
Resettable combination u  
lock. Size:11\*100\*200m/m



**641899**  
180mm x 245cm



**641900**  
Double security  
combination-key



**641901**  
key lock. color:  
black/red/blue/yellow/ora  
nge. Size: 8mm x 24" ~72"





**6491050**  
6063 Aluminum barrel  
Max. Pressure 120 psi



**6491051**  
Reinforced plastic  
barrel 2-Tone soft touch  
t-handle



**6491052**  
Reinforced plastic  
barrel Max



**6491053**  
Reinforced plastic  
barrel



**6491054**  
6063 T6 Aluminum barrel 2in  
1 Mini pump for both high  
volume and



**6491055**  
Lightweight Max.  
pressure 80 psi



**6491056**  
222mmX25mm  
115g / 130psi / 9bar  
CNC aluminum  
extractable flexible hose



**6491057**  
Plastic pump head. Max. Pressure 80 psi



**6491058**  
Barrel CNC Aluminum. Capacity 160psi /  
11bar. Size 285\*33.5\*36mm



**6491059**  
6063 Aluminum barrel



**6491060**  
Carbon barrel Max. pressure 120 psi. (8.5 bar)



**6491061**  
Half metal regulator CO2 inflator. Push in  
valve head. Presta/ Schrader.



**6491062**  
Alum parts with CNC machining Max. Pressure 140 psi



**6491063**  
Barrel Aluminum. Capacity 160psi / 11bar. Size  
263\*16.5\*24mm



**6491064**  
Durable nylon w/ fiber barrel



**6491065**  
CNC made push control CO2 inflator. Push in valve  
head. Presta/Schrader/Safe lock device.



**6491066L**  
16g CO2 replacement 20 pack





**661870**  
Material:alloy.  
Adjustable:20-24" or  
24-28"



**661871**  
Type:fits on chain stay  
which is welding a fixed  
plate with 2 holes(18mm  
and 40mm distances)  
bike size:adjustable



**661872**  
Material:alloy.  
Adjustable:20-24" or  
24-28"



**661873**  
Adjustable for  
24"~28"



**661874**  
Adjustable extension  
fits 20"-28"  
for square stay 26x19



**661875**  
Material:alloy.  
Adjustable for 24"~29"



**661876**  
Alloy kick stand  
suitable for 20" to 28"



**661877**  
Material: steel  
Size:26"-29" or 24"-  
28" adjustable  
Color:black/silver



**661878**  
Fits on seat stay and chain  
stay 45'-65'. Bike  
size:adjustable 24"~29".  
color:red black and matt silver



**661879**  
Material:steel  
Size:26"27"28"29"  
Finish:red black/cp silver  
color:black/silver



**661880**  
Alloy. For atb/mtb.  
Fits 24" to 28"  
adjustable



**661881**  
Material:alloy.  
Size:24".26".28".29"



**661882**

High strength forging kickstand adjustable. can be used for 29" bikes fitted on chain stay neck for e-bikes.trekking bikes

**661883**

Material:alloy  
Size:adjustable 24"-28"  
Function:adjustable by pressing without tools  
Fool-proofing design for adjustable system

**661884**

Alloy kick stand, quick-release with lock, adjustable 24"-29"

**661885**

Material:alloy  
size:20".24".26".27".28"

**661886**

Material: alloy  
Size: 24"-28"

**661887**

For 24"-29" adjustable.  
Finish/color:ed black/v-polish silver

**661888**

Bike size:adjustable 26"-29". Finish/color:ed black. V-polish silver

**661889**

Bike:adjustable 24"-28"  
Finish/color:ed black/v-polish silver

**661890**

Bike size:adjustable 24"-29"  
Finish/color: ed black. V-polish silver

**661891**

Bike size:adjustable 24"-29"  
Finish/color: ed black. V-polish silver





**6481550**  
Work Station



**6481551**  
BB tapping & facing tool, for facing and English + Italian tapping



**6481552**  
Head tube reaming & facing tool. For 1" and 1-1/8" conventional headset systems



**6481553**  
Bike Hand Box Tool Kit



**6481554**  
Bike tool set



**6481555**  
For Shimano Bike Hand Box Tool Kit



**6481556**  
Bike tool set



**6481557**  
1/4" Digital Torque Set. 1.25-25mm adaptor. Length: 245mm



**6481558**  
Bike tool set



**6481559**  
BB tapping tool. For English tapping



**6481560**  
Tool Kit Includes 6 items. Crank puler. Chain rivet extractor. Tire lever. Hex Ket wrench set. Patch kit. 15mm spanner



**6481561**  
Frame & Fork Adjustment Tool. For expanding and narrowing stel forks and chain stays



**6481562**  
Chain Rivet Extractor For 3/32" to 3/16" Chain For 8,9,10 Speed Chain. W/1 Spare pin



**6481563**  
Chain Rivet Extractor For 11 speed Chain. W/1 spare pin & 1 chain pin Guider



**6481564**  
Bicycle chain tool



**6481565**  
Bicycle chain tool



**6481566**  
Patch Repair kit  
Tire levers 2 pcs  
Self-adhesive patches 6 pcs.  
Instruction 1pcs. Sandpaper 1pcs



**6481567**  
Tire lever set (3 pieces 1 set) plastic-metal boosted



**6481568**  
Steel core tire lever set



**6481569**  
Tire Lever Set





**6481570**  
Folding Tool  
2/2.5/3/4/5/6/8 mm hex key wrench,  
+ screwdriver, T25 wrench,  
tire lever, 3.2/3.3/3.5  
and Mavic spoke wrench,  
8mm/9mm/10mm wrench



**6481571**  
Folding Tool 2/2.5/3/4/5/6/8  
mm hex key wrench, + screwdriver,  
T25 wrench, tire lever, chain rivet  
extractor, 3.2/3.3/3.5 and Mavic  
spoke wrench, 8mm/9mm/10mm  
wrench and 15 mm wrench



**6481572**  
2/2.5/3/4/5/6mm  
hex key wrench,  
+/- screwdriver, T25  
wrench, 3.2/3.3/3.5  
and Mavic spoke wrench



**6481573**  
Alloy folding tool.  
2/2.5/3/4/5/6/8/T25  
+/-, 8/9/10mm open  
wrench, spoke wrench,  
0.127"/0.130"/0.136"/0.  
156", mini chain tool.18  
function



**6481574**  
Mini folding tool.  
2/3/4/5/6/ +/- /T25,  
8 function



**6481575**  
Mini alloy folding tool. Hex  
wrench 2/3/4/5/6mm,  
+/- screwdriver, T25, 8  
function



**6481576**  
21 in 1 Folding tool.  
2.5/3/4/5/6 hex key wrench  
5/6/7/8/9/10/11/12/13/14m  
m box. Ph2 screwdriver T25.  
Chain rivet extractor. Spoke  
wrench 3.2mm/3.5mm Bottle  
opener



**6481577**  
7 in 1 Multi-tool  
2/3/4/5/6 mm Hex key  
wrench. Screwdriver T25



**6481578**  
Mini alloy folding tool



**6481579**  
60.3mm X 47.6mm X 18mm  
/ 70g. 6 function 70g. 3, 4,  
5 hex key, CO2 inflator  
integrated construction.  
Excl. Cartridge and  
insulation



**6481580**  
Hey Key CNC:  
2/2.5/3/4/5/6/8 mm,  
Torx:T25, Phillips & Flat  
screwdriver, Tire Lever x 2  
pcs. Open wrench: 8/10mm,  
Spoke tool: 3.3/3.45/4.0 /  
Mavic



**6481581**  
8 in 1 Function  
3/4/5/6 mm hex key  
wrench. Screwdriver,  
T25



**6481582**  
Designed for BB 30  
bearing removal. YC-  
30BB can be used  
with the handle



**6481583**  
Hydraulic Cable Cutter system  
maintain. Changeable blade.  
Not for steel wire cable



**6481584**  
Outdoor display/parking stand.  
Saddle position fitting, suitable  
for all bikes  
Excellent stability. Locking  
position design provide  
burglarproof function. Optional  
Accessories can be used as repair  
stand at indoor. Saddle position  
fitting



**6481585**  
Outdoor parking stand. (Wall  
mounting type). Gas-lift w/ effort-  
saving device  
Easy and rapid use. Tensile force  
Max. 8kgs (up to 13kgs) Locking  
design for burglarproof function



**6481586**  
Wheel Centering Gauge.  
For rim size 24" to 29"



**6481587**  
Rear Dropout Adjustment Tool.  
For rim 20" to 29"



**6481588**  
Bike hook



**6481589**  
Flexible Length. Screwy tool bottle



**6481590**  
Crown Race Setting Tool  
For 1", 1/8", 1.5"



**6481591**  
Spoke wrench 3.2/3.45mm unique  
four-sided design provides extra  
strength and helps prevent slipping  
and deformation of aluminum  
nipples. 3.5mm, 4.0mm for Shimano  
aluminum nipples





**6481592**  
Corso lite. Manual Adjustable Magnetic Trainer. fits 18" to 29" bikes PATENTED



**6481593**  
Rear-axle mounted bike trainer. Foldable fan resistance



**6481594**  
Trainer with new high power resistance to provide grant workout with six positions



**6481595**  
An extensive range of resistance. Smooth and quiet fluid unit. Superb quality of ride. Foldable trainer with secure legs



**6481596**  
New 30% more power magnetic. Resistance New stylish and convenient adjustable resistance with remote lever. Aluminum alloy frame & foldable Available with steel frame



**6481597**  
Wall hanger bike display stand. Extended design of Tower Delux. Fixed on the wall by 3 bolts



**6481598**  
Book Holder



**6481599**  
I pad Holder



**6481600**  
Smart Phone Holder Smart Phone Holder. Width adjustable: suitable for 58mm-78mm width smart phone



**6481601**  
Suitable for all road and mountain bikes, including 28" Specially designed and stable pedal make it more easily to get on and off. Folded down promptly and easy to be stored and carried



**6481602**  
For one or two-sided parking. Space between wheels 350mm. tire widths of up to 63mm



**6481603**  
Bike Stand Patent design. The most convenient bik estand is a perfect design for display your bike at anywhere



**6481604**  
Wheel Truing Stand for wheel from 16" - 29"



**6481605**  
Foldable bike hanger. 2 screws fixed. Material: steel



**6481606**  
In house display stand. Made by acrylic and wood. Adjusting by spacers to fit various tire



**6481607**  
Robust tubular steel construction. Also suitable for mountain bikes. Hoop spacing for bicycle with tire widths of up to 63mm





**6481608**  
15mm pedal  
wrench



**6481609**  
Rotor flattening  
tool



**6481610**  
For Shimano  
Hollowtech II bottom  
brackets, attached  
adjusting cap tool



**6481611**  
For Shimano  
cassette  
freewheel



**6481612**  
For Shimano MF  
freewheel & Campagnolo  
BB/cassettes locking



**6481613**  
Bottom bracket tool,  
Shimano & ISIS Drive  
compatible



**6481614**  
Tire Lever The excellent  
design combines plastic  
and steel 2 sides tire lever  
to meet different tire  
situation



**6481615**  
14mm box wrench  
crank tool



**6481616**  
Freewheel turner &  
locking tool



**6481617**  
Freewheel turner



**6481618**  
Advanced tool for both open and  
close the chain master link. Patent  
design



**6481619**  
feature of bottle opener



**6481620**  
B.B Wrench for use Shimano  
and Campagnolo Hollowtech II  
& Truvativ gxp & fsa. Crank  
installation tool for use  
Shimano & Truvativ.



**6481621**  
Bottom Bracket Wrench. It designed  
for the installation and removal of  
Shimano Hollowtech II external B.B  
Including BB-9000



**6481622**  
2,2.5, 3, 4, 5, 6, hex key +(PH1,PH2)/-  
(5mm) screwdriver /T10,T25,T27 star  
key /Spoke wrench 3.30,3.45] Chain  
breaker(9/10 spd)



**6481623**  
Space saving bicycle  
parking due to alternating  
low and high positions. Space  
between wheels 350mm.  
tire widths of up to 63mm



**6481624**  
Two-piece set with  
hanging hook. And  
tire support



**6481625**  
Suitable for almost all  
bicycle sizes, types  
and models





**6291350**

The series of led by V-Grip use | single led with the "obverse beam by light-guide panel technology". it could make the most efficiency to get powerful light L : 148mm/95mm



**6291351**

L137mm/95mm Made from Gel Covered Leather Hand-Stitched



**6291352**

L130mm Double Density Material Gel / kraton



**6291353**

L137mm Double Density Material/kraton



**6291354**

L134mm Triple materials kraton / gel, w/alloy Ring



**6291355**

Material:Rubber/Gel. L:130mm



**6291356**

Tpr Grip / Black & Gray. Aluminum Bar end / Liquid coated white or EO black Ornament-cap / tpr



**6291357**

Tpr Grip Black & Grey. Aluminum Bar end / EO Black



**6291358**

Tpr Grip Black & Grey. Aluminum Bar end / EO Black



**6291359**

Accord with ergonomics. Can lighten fatigue that hands hold effectively



**6291360**

Tpr Grip / Black & Red. Aluminum Bar end / PC Cap Liquid coated white or EO black Compass type



**6291361**

Tpr Grip Black & Red. Aluminum Bar end / EO Black



**6291362**

L137mm/95mm. Triple Density Material. Alloy Clamp. Class High Quality



**6291363**

Ø20mm Material Gel, vexk. Key point Double Density. Vis w/o vise. Length 130/92mm



**6291364**

Ø22.4mm Material Synthetics, Gel. Key point Triple Density. Vis G2, One Side Ring. L: 133mm



**6291365**

Material Synthetics, Gel. Size : 130mm





**6291366**  
130mm Special with Mixed color.  
color: purple/red/white/yellow



**6291367**  
CB-350ILX 125mm Special  
with Mixed color  
color:  
blue/black/green/purple/  
red/yellow



**6291368**  
Double Deonty Material Gel  
/ kroaton



**6291369**  
Drive Size: 130mm.  
w/end cap



**6291370**  
140mm Special with Mixed color.



**6291371**  
L : 125mm M :105mm S : 83mm  
Material: Kraton Rubber



**6291372**  
Ø20.5mm Material synthetics  
Cover. Key point Single Density  
Light Weight. Vis. w/o vise. Length  
125mm



**6291373**  
Material Gel. Key point Single  
Density. Ø20.5mm. Vis W/O Vise.  
Length 125/100mm



**6291374**  
(closed end) Ø22.4mm  
Material Synthetics, Gel  
Cover. Key point Anatomic  
Design. Vis G2, Two Side Rings.  
Length 129mm



**6291375**  
L: 140mm



**6291376**  
Material Synthetics Gel. Key  
Point Double Density. Ø22.4mm  
W/Flange. Vis G2 One Side  
Rings. L: 132mm



**6291377**  
High density. Abrasion-  
resistant Hand Sewn L: 129mm



**6291378**  
Carbon Sponge L: 128mm



**6291379**  
Special with Mixed  
color. L: 135mm



**6291380**  
High Density Hand sewn  
129mm



**6291381**  
Sponge 128mm



**6291382**  
Add to inquiry. Sed to inquiry black





**6291383**  
Drive Size: 130mm. w/end cap



**6291387**  
Drive Size: 130mm. w/end cap



**6291391**  
Drive Size: 130mm. w/end cap



**6291395**  
Drive Size: 130mm. w/end cap



**6291399**  
Drive Size: 130mm. w/end cap



**6291403**  
Drive Size: 130mm. w/end cap



**6291384**  
Material: High Density Foamed  
Size: 130mm.



**6291388**  
Material: High Density Foamed  
Size: 130mm.



**6291392**  
Size: 120mm x 20mm



**6291396**  
Size: 98-130mm x 20mm



**6291400**  
Material: Rubber/Gel.  
Size: 127/92mm.



**6291404**  
L: 135mm(L) Material: PP/Gel



**6291385**  
Size: 145mm x 22.2mm



**6291389**  
Size: 145mm For Freestyle.  
Material: Kraton Rubber



**6291393**  
Material: Rubber/Gel. Size: 128/104/85mm.



**6291397**  
Material: PP/Gel



**6291401**  
Add to inquiry. Send to inquiry Back



**6291386**  
Size: 95-125mm x 20mm



**6291390**  
Ø22.4mm Material Synthetics, Gel. Key point Triple Density. Vis. Length 135.7mm



**6291394**  
Material: Rubber/Gel.  
Size: 127mm.



**6291398**  
Size: 120mm x 20mm



**6291402**  
Add to inquiry. Send to inquiry Back



**6291405**  
Lock Foam Grip. Material: HD Foam I Side Lock.





**671800A**  
**671800B**

cycling waist bag, a square light attachment for the rear light, and a transparent layer at top for the smart phone



**671801**

Size: 180 x 90 x 70mm.  
Color: reference color card 3



**671802**

Size: 180 x 90 x 120mm.  
Color: reference color card 3



**671803**

Size: 245 x 100 x 170mm  
Color: Amber, Pink, Aqua



**671804**

Size: 210 x 175 x 160mm



**671805**

Size: 200 x 70 x 95mm. Color: reference color card 3



**671806**

For handlebar bag. With handlebar QR system



**671808**

Single fashion pannier. It has a big front pocket, quick release rack fitting and webbing carry handle. The internal zipped pocket for important items. With detachable shoulder strap



**671809**

100% waterproof bag. New Messenger Bag. With shoulder strap. Inner management pocket



**671807A**  
**671807B**

Single shopping pannier. It has a quick release rack fitting, webbing carry handles and two front pockets





**671810**

Top tube bag. A new design for easy access to bag and special Velcro straps allow users to cut the Velcro strap to the appropriate length, in order to fit the bicycle frame



**671811**

Top Tube BAG-The big mouth saddle bag 2.D. Big opening design for easy access



**671814**

Aero-dynamic saddle bag includes two pockets at sides; left pocket has big capacity, right pocket for holding tools



**671816**

Trunk bag designs with rigid foam-lined walls. It contains an internal pouch, two large zipped side pockets, and extra pocket on top



**671819**

Handy frame pack is designed with horizontal zipped opening, for carrying tools, first aid kit or other essential small items. It can be fastened to the top tube and seat tube with Velcro straps



**671821**

Seat Bags



**671812**

Seat Bags



**671815**

Seat Bags



**671817**

Seat Bags



**671820**

Seat Bags



**671822**

Rear Pannier Bag



**671813**

Cylinder saddle bag. It has a transparent layer at front for smart phone. for handlebar bag with two extra holders



**671818**

Top tube bag with big capacity. Special Velcro straps allow users to cut the Velcro strap to the appropriate length, in order to fit the bicycle frame





**671823**  
Rear Pannier Bag



**671824**  
trunk bag used in 2 ways, either trunk bag or single shoulder bag. The front pocket includes a mesh pocket, pump holder, tire holder, and tool holder



**671825**  
Material: N/T Size: 390 x 450 x 140mm. Volume: 20L.  
Features: 1. Anti-puncture and waterproof. 2. Patented Quick-release buckle for easier and faster installation



**671826**  
Trunk bag with EVA molded bottom, big capacity for the main bag, and a small zipped side pocket. Pump attachments on the base. Alloy frame with quick release fitting attaches to the seat post (LT-43)



**671827**  
Tool Bag For Road Bike



**671828**  
Smartphone Pouch



**671829**  
Rear Pannier Bag



**671831**  
Rear Pannier Bag



**671830**  
Lightweight bicycle cover, which made by water resistance material, comes with a shoulder strap, wheel strap and storage bag. Users can put bicycle into the cover from top side





**617G350**  
Cycling Gloves



Lycra Mesh Breathable



**617G355**  
Neoprene



**617G356**  
Shoes cover keep warm wind resistance



**617G351**  
Cycling Gloves

**617G354**  
Mini Cap. Keep you arm and dry.  
Dyeable/Warm/Bacteria resistance and deodorizer / Easy care and quick dry. Material: 50% Polyester + 35% Polyester 15% Spandex



**617G352**  
Cycling Gloves



A B C D E F G H I J

617G353-1

617G353-2



**617G353-1**  
Under Shorts  
(add pad) Side Mesh.

**617G353-2**  
Under Shorts  
add pad) All Mesh



K L M N O P Q R S T

**617G357**  
Material: 100% Polyester(Delight) quick-dry fiber





**680650**

25 Air Vents. Size : 54-60cm. Technology in-mold



**680651**

21 Air Vents. Size : 56-62cm. Technology in-mold



**680652**

26 Air Vents. Size : 56-63cm. Technology in-mold



**680653**

24 Air Vents. Size : 54-60cm. Technology in-mold



**680654**

21 Air Vents. Size : 54-60cm. Technology in-mold



**680655**

11 Air Vents. Material ABS





**680656**

23 Air Vents. Size : 56-62cm. Technology in-mold



**680657**

28 Air Vents. Size : 56-62cm. Technology in-mold

**680658**

21 Air Vents. Size : 54-60cm. Technology in-mold



**680659**

26 Air Vents. Size : 54-60cm. Technology in-mold

**680660**

25 Air Vents. Size : 54-60cm. Technology in-mold



**680661**

15 Air Vents. Size : 56-62cm. Technology in-mold  
15 Air Vents. Size : 56-62cm. Technology OUT-mold



**680662**

12 Air Vents. Material ABS





**6411050**  
Mtb



**6411051**  
Mtb 24"-26"



**6411052**  
Mtb 24"-26"



**6411053**  
Mtb 26"



**6411054**  
Material:pc/pp



**6411055**  
Dress guide for 26",  
700c bike



**6411056**  
Material:pc. Finish:gloss.



**6411057**  
Chain cover. For 38t-48t.  
Material:alloy.  
Tolerance:±1.5mm



**6411058**  
Chain cover. For 44t-46t-48t.  
Material:alloy. Tolerance:±1.5mm



**6411059**  
Material:aluminum / pp. For 44t and 52t.  
L 515 ~ 585 x w160 x h 40 mm/

6411060



6411062A



6411063A



6411064



6411066



6411061



6411062B



6411063B



6411065



6411067



**6411060**  
**6411061**

Full chain cover for single chain teeth max 38t  
Half chain cover for single chain teeth max 38t. Two tone colour

**6411062**

Material:p.c. Finish:gloss  
6411062a: 460mm  
6411062b: 445~470mm

**6411063**

Material:p.c. Finish:gloss  
6411063a: 450~470mm  
6411063b: 475~490mm

**6411064**

**6411065**

Full chain cover max 38t  
Half full chain cover

**6411066**

**6411067**

Material:pc. Surface finish: Shiny. For 42t-44t. 860.102

6411068



6411069



6411070

**6411068**

Chain cover for single or triple chainwheel  
Within 48t smooth surface without deco

**6411069**

(two colours)

**6411070**

Chain covers for 48t.  
Single and triple chainwheel use

6411071



6411072



6411073

**6411071**

Chain cover for single chainwheel  
Max:38t with an extend length by scissors cutting

**6411072**

Chain cover for single or triple chainwheel max:44t with an extend length by scissors cutting

**6411073**

Two tone color for triple chainwheel max:44t





**6411074**  
For racing bike with an easy assemble bracket



**6411075**  
Aluminum fender(extrusion). Various color & surface treatments Light-weight



**6411076**  
Aluminum fender. Various color & surface treatments. Light-weight



**6411077**  
Aluminum fender(rolled-type). Made by rolling technic, strong & durable. Simplified shape,sleek look on road bike



**6411078**  
ALUMINUM FENDER(EXTRUSION). LIGHT-WEIGHT & DURABLE. SLEEK SHAPE



**6411079**  
700X25C-28C,700X35C 12'-28' ALLOY,COLOR TO ORDER COMPATIBLE WITH FENDER TAIL 803C



**6411080**  
700X25C-28C,700X35C 16'-28' ALLOY,LEATHER,COLOR TO ORDER



**6411081**  
Led. assemble on seat post. 20"-700c



**6411082**  
Black, assemble on bridge



**6411083**  
Led. assemble on seat post. 20"-700c



**6411084**  
Front fender. Assemble on gridge



**6411085**  
v-ledifs . flash ender



**6411086**  
Led 26" mtb use



**6411087**  
Material:p.p Stretchable rear mudguard For mtb/down-hill/bmx



**6411088**  
Mounting: for 24"-28" Suspension bike other features: Rear mudguard for free extension. Two tone color. Color:black/gray



**6411089**  
Mounting:for 24"-28" suspension bike. Other features:rear mudguard for free extension. Two tone color.color black/gray



**6411090**  
Mounting:for 24"-28" suspension bike. Other features:rear for all seat post. Two tone color. Color:black/carbon look



**6411091**  
Material:s.t.p.p Suitable for suspension bikes. Special duotone color design. With 64f2 to fits 25.4-32mm seat post



**6411092**  
Material:p.p



**6411093**  
Mudguard for 700c bike with 35c & 38c with tire



**6411094**  
Led in rear fender for 20-22"



**6411095**  
Fender with led in front and rear. For 24-29". Quick release bracket. Usb charger



**639850**

Ø27-40mm.  
Color Blue/Gray.  
Other features Adjustable footrests.  
Front fixation: Mounting Max Load 15kg. Seat dimensions: width 260 x height 525 x depth 190mm  
Rear fixation: Mounting Max Load 22kg. Seat dimensions: W/headrest: width 310 x height 695 x depth 240mm W/O headrest: width 310 X Height 610 x depth 240mm

**639851**

Description: Die cast one piece frame, Spring clip is optional Two stays design. Max loading: 25kg. Bike size: Adjustable 26"-29".  
Finish/color: P/C matt black, P/C matt Silver ED black

**639852**

Description: Compatible with disc brakes frame or any frame Die cast one piece frame Spring. Max loading: 25kg. Bike size: Adjustable 26"-29".  
Finish/color: P/C matt Black.

**639853**

Taiwan. Description: Die cast one piece frame, Spring clip is optional Two stays design. Max loading: 25kg.  
Bike size: 24", 26", 700c, 28".  
Finish/color: P/C matt black, P/C matt silver ED Black

**639854**

Description: Spring clip is optional. Max loading: 25kg. Bike size: Adjustable 26"-29".  
Finish P/C matt black, P/C matt silver ED Black

**639855**

Material: Alloy. Size: 26", 700C. Function: For E-bike to put the battery. Max load: 25KG

**639856**

Material: 6061 Aluminum  
Max. load : 25kg  
Size: 26"-28" adjustable

**639857**

Material: Alloy Design for Racing Bike  
Easily Assemble (DIY) No Welding

**639858**

Adjustable carrier. Material: Welded aluminum tube carrier. Bike size: 20", 24", 26".  
Color: Black, Anodized colors

**639859**

Material: 6061 Aluminum  
Max. load : 25kg  
Size: 26"-28" adjustable



**639860**

Suitable for BOSCH battery Spring clip is optional. Round tube design. Max loading: 25kg. Bike size: 26", 700C, 28", 29".  
Finish/color: P/C matt black, P/C matt Silver Anodized matt silver

**639861**

QR Rear Carrier. especially for disc brake bike. Material: alloy. Size: 26"-29" Finish : powder coated. Color: black, silver

**639862**


Suitable for battery system Locking device (Width 70mm Length 143-151mm)  
Spring clip is optional. Max loading: 25kg. Bike size: Adjustable 26"-29". Finish/color: P/C matt black, P/C matt silver Anodized matt silver



BALL CARRIER

**639863**

Material: Alloy. Function: Quick release for seat post 27-32mm. Special design to fix ball well. Frame adjustable to strength the loading

**639864**

QR adjustable front carrier Material: alloy  
Finish: powder coating  
Color: black & silver

**639865**

Material: alloy. Size: 16"-20", 20"-24".  
Finish: powder coated. Color: black, silver. Max: EN14872 25kgs

**639866**

Folding Rack Material: alloy. Size: 26"-28"  
Finish : powder coated. Color: black, silver

**639867**

Rear Carrier fits on seat post. Material: alloy. Size: 25.4-31.8mm. finish: powder coated. Color: black, silver

**639868**

Material: alloy. Size: 16"-20", 20"-24".  
Finish: powder coated. Color: black, silver  
Max: EN14872 25kgs

**639869**

Material: alloy. Size: 26"-29"  
Finish : powder coated. Color: black, silver





**6281201**  
Steel Spring 270 x 210mm.  
Color: referencr color card3



**6281202**  
CR-MO Stainless, Ti 280 x 155  
mm. Color: referencr color  
card3



**6281203**  
Steel Spring M: 270 x 210mm /  
F 250 x 210mm Color:  
referencr color card3



**6281204**  
Steel Spring M: 270 x 210mm / F  
250 x 210mm Color: referencr  
color card3



**6281205**  
Steel Spring 270 x 210mm.  
Color: referencr color card3



**6281206**  
CR-MO Stainless Ti 280 x 150mm.  
Color: reference color card 3



**6281207**  
Size 278x130mm



**6281208**  
Size: 275 x 132 mm. Base Single Density.  
Fill Light Foam, High Density. Rail Crn/Ti  
Alloy. Chromoly. Steel Key Point ArcTech,  
ZoneCut.



**6281209**  
Size: 274 x 134mm Base: Carbon Fiber  
injection, Nylon Fiber injection. Fill: Light  
foam High Density. Rail: Crn-Ti Alloy,  
Chromoly Steel.



**6281210**  
Size: 286 x 134mm Base: Single Density Fill  
CrN/Ti Alloy Chromoly steel. Rail: CrN-Ti Alloy,  
Chromoly Steel



**6281211**  
Size: 280 x 143 mm. Base: Single Density. Fill: Light  
foam High Density. Rail: CrN/Ti Alloy Chromoly Steel  
Key Point: ArcTech vmount, T-Bar



**6281212**  
Size: 286 x 134mm. Base: Single Density. Fill:  
Light Foam High Density. Rail: CrN/Ti Alloy,  
Chromoly steel. Key Point: Arctech ZoneCut



**6281213**  
Size: 270 x 128 mm. Base Single Density. Fill  
Light Foam, High Density. Rail: Chromoly,  
steel



**6281214**  
Size: 273 x 128 mm. Base: Double Density.  
Fill: Light foam High Density. Rail: Chromoly  
steel. Key Point: Arctech Zonecut U



**6281215**  
Size: 262 x 134mm. Base: Carbon Fiber  
injection Nylon Fiber injection. Fill: light  
Foam High Density. Rail: CrN/Ti Alloy,  
Chromoly . steel. Key Point: Arctech  
Zonecut vmount







**6281216**  
Size 261x216 mm. Base Double Density. Fill Light Foam. Gel Padding. High Density. Rail Chromoly. Elastomer. Spring. Steel



**6281221**  
Size 274x163 mm. Base Single Density. Fill Light Foam. High Density. Rail Chromoly. Steel



**6281226**  
Size 258x137mm. Base Single Density. Fill Light Foam • High Density. Rail Chromoly • Steel.



**6281217**  
Size 261x196 mm. Base Double Density. Fill Super Soft Foam. Light Foam. High Density. Rail Chromoly. Steel.



**6281222**  
Size 277x150 mm. Base Double Density. Fill Gel Padding. High Density. Rail Chromoly. Steel



**6281227**  
Size 264x215 mm. Base Double Density. Fill Light Foam. High Density. Rail Chromoly. Steel



**6281218**  
Size 259x180 mm. Base Double Density. Fill Light Foam. High Density. Rail Chromoly. Steel



**6281223**  
Size 201x141mm. Base Single Density. Fill Light Foam. High Density. Rail Steel. Aluminum



**6281229**  
Size 276x138 mm. Base Carbon Fiber Injection. Nylon Fiber Injection. Fill Light Foam. High Density. Rail CrN/Ti Alloy. Chromoly. Steel



**6281219**  
Size: 276 x 157mm. Base Single Density. Fill Light Foam. Rail Chromoly Steel



**6281224**  
Size: 282 x 135mm. Base Carbon Fiber injection. Nylon Fiber injection. Fill Light Foam. High Density. Rail CrN/Ti Alloy



**6281228**  
KEY POINT All sizes Available  
SIZE :  
6281228-1 / 254~280 x 178~203 mm  
6281228-2 / 249~274 x 140~165 mm  
6281228-3 / 229~254 x 216~241 mm  
6281228-4 / 203~229 x 198~224 mm  
6281228-5 / 345~355 x 305~315 mm  
6281228-6 / 205~240 x 150~180 mm



**6281220**  
Size 277x170 mm. Base Single Density. Fill Light Foam. High Density Rail Chromoly. Steel



**6281225**  
Size: 255 x 130mm. Base Single Density. Fill Light Foam. High Density. Rail Chromoly Steel





**6281230**  
Size : 72x150 mm



**6281231**  
Size : 270x180 mm



**6281232**  
Size : 260x230 mm



**6281233**  
Size : 270x100 mm



**6281234**  
KEY POINT GelTech  
SIZE :  
**6281234-1** / 254~280 x 178~203 mm  
**6281234-2** / 229~254 x 216~241 mm



**6281235**  
KEY POINT Panini  
SIZE :  
**6281235-1** / 254~280 x 178~203 mm  
**6281235-2** / 249~274 x 140~165 mm  
**6281235-3** / 229~254 x 216~241 mm



**6281236**  
Size : 250x230 mm



**6281237**  
Size : 275x135 mm



**6281238**  
Size : 274x135 mm



**6281239**  
Size : 274x135 mm



**6281240**  
Size 188x121 mm. Base Single Density. Fill Light Foam. High Density. Rail Steel. Aluminum.



**6281241**  
Size : 276x138 mm. Base Carbon Fiber Injection. Nylon Fiber Injection. Fill Light Foam. High Density. Rail CrN/Ti Alloy. Chromoly. Steel



**6281242**  
Size : 277x158 mm. Base Single Density. Fill Light Foam. High Density. Rail CrN/Ti Alloy. Chromoly. Steel



**6281243**  
Series steel RAIL / weight:220g Series (CR-MO) RAIL / weight:179g



**6281244**  
Series / weight:97g



**6281245**  
Size 260x216 mm Base Single Density. Fill Light Foam. High Density. Rail Chromoly. Steel



**6281246**  
Size 278x155 mm. Base Single Density. Fill Light Foam. High Density. Rail Chromoly. Steel



**6281247**  
Size 246x140x57 mm. Base Carbon Fiber Injection. Nylon Fiber Injection. Fill Light Foam. High Density. Rail CrN/Ti Alloy. Chromoly. Steel



**6281248**  
size 273 x 160 mm Base Double Density. Fill Light Foam. High Density. Rail Chromoly. Steel





**6411050**

40 x 30 x 22 cm Rear basket with fitting parts.  
Silver Black



**6411051**

35 x 26 x 25/22 cm. Front basket. Natural, Mix Brown, Purple, Green, White, All black, Pink, Red



**6411060**

Material: Alloy 6061. weight: 0.70kg. Size: upper frame: 340mm\*240mm bottom frame: 206mm\*168mm. height: 220mm. color: silver, purple, blue and red are available



**6411061**

Material: Alloy 6061. weight: 0.70kg. Size: upper frame: 340mm\*240mm bottom frame: 280mm\*180mm. height: 220mm. color: silver, purple, blue and red are available



**6411052**

For 16"~24" 24x20x15~30x25x22cm Front basket. COLOR: Purple, Green, Pink



**6411053**

33 x 26 x 23cm / Front basket with QR and handle with grip brown, Mix Brown, Mix Black



**6411062**

42 x 31 x 17/21 cm Alloy front basket with mesh inside



**6411063**

40 x 32 x 20/12 cm Alloy front basket with removable mesh inside



**6411064**

32 x 24.5 x 23 cm Front basket with easy QR function and handle



**6411054**

34 x 27 x 18/20cm Front basket with QR and handle with grip Natural, Mix Brown, Mix Black



**6411055**

Material: Alloy 6061. H: 580mm. Bore: dia 22.2mm. Dim: 350 x 250 x 110mm. color: White / Black



**6411056**

40 X 30 X 15cm Front basket with hooks and adjustable free stay



**6411065**

24 x 17 x 16/14cm Front basket



**6411066**

32 x 28 x 17/21 cm Alloy front basket



**6411067**

35 x 24 x 22 cm front basket Natural, Mix Brown, Mix Black



**6411057**

32 x 24.5 x 23 cm Front basket with easy QR function and handle



**6411058**

34 x 25 x 24 cm Front basket with easy QR function and handle



**6411068**

Kid Bike Basket



**6411059**

For 16"~24" 24x20x15~30x25x22cm Front basket. Natural, mix Brown, Mix Black, Purple, Green, White, All Black, Pink, Red.



**6411069**

38 x 30 x 20/24 cm Alloy front basket





**6170850**

**System** : Open System Dual piston. For Sport and Utility Bikes (SUB)  
**Rotor** : Light wave High heat dispersion & heat tolerance.  
**Rotor size**: 160mm/180mm  
**Caliper** : Forged aluminum body. Free angle of hose connector for varied frames  
**Lever** : Reach adjustment. Blade 3.5 finger blade  
**Color** : black  
**Fluid** : Non-corrosive mineral oil. Excellent heat expansion properties



**6170854**

**System** : Open system. Dual piston. Easy installation. Adjustment and maintenance  
**Rotor** : Light wave High heat dispersion & heat tolerance.  
**rotor size**: 160mm/ 180mm/203mm  
**Caliper** : Melt forged aluminum body Automatic caliper positioning via front and rear adapters  
**Lever** : Cast aluminum lever & bracket Reach adjustment One pieces bracket 2 finger blade  
**Color** : Black / White / Red  
**Fluid** : Non-corrosive mineral oil. Excellent heat expansion properties



**6170851**

The custom bolt on DSK-717(RA) swing arm that locks the brake cable can be easily adjusted by 5mm Allen key or 10mm hex wrench when installing the brake caliper on chain stay or seat stay disc brake mounts.  
Dual pad adjustment with one inboard pad adjustment knob and barrel cable Adjuster Also available in Road Bike Version  
**Material** : Aluminum swing arm & body  
**Pads** : Sintered  
**Disc Rotor** : RENDER+ DT-160B/ RENDER R+ DT-160H  
**Standard Rotor Size** : 160mm(front & rear)  
**Rotor Option size** : RENDER+180mm(front & rear). 203mm(front & rear) RENDER R+140mm(front & rear). Post-Mount type(IS adapter available)



**617C900**

Arms Melt-forged alloy. Spring system Coil type. Dimension 29-45mm



**617C901**

Arms Forged alloy. Power reinforcement with. Dual-pivot device. Dimension 39-49mm



**6170852**

**System** : Open system, Dual piston For Sports and Utility Bikes (SUB). Radial master cylinder hydraulic disc brake  
**Rotor** : Polygon  
**rotor size**: 160mm/180mm  
**Caliper** : Forged aluminum body. Free angle of hose connector for varied frame. Lever : Forged aluminum lever/ Cast aluminum bracket. Tool free reach adjustment. Two piece bracket designed 3 finger blade  
**Fluid** : Non-corrosive mineral oil. Excellent heat expansion properties



**617C902**

System Triathlon & Time Trial Brake System. Material Forged aluminum arms .Dimension 24-36 mm / wheel. Quick release mechanism Available Colors. High polish black or silver anodized



**6170853**

**System** : Open system. Easy access bleeding hole Compatible with Avid bleeding kit Option: Speedlock: Hose quick connect  
**Rotor** : Polygon. Compatible with Post-Mount (Manitou) type Adapter available for international standard  
**Rotor size**: 160mm/180mm/203mm.  
**Caliper** : Compact 2-pcs design caliper. Dual piston. Forged aluminum alloy caliper body. Compatible with 885 pad  
**Lever** : Reach Adjustment. Aluminum alloy lever. Forged aluminum alloy bracket  
5 finger design. Great modulation with ergonomic lever design



**617C903**

System Triathlon & Time Trial Brake System. Material Forged aluminum arms .Dimension 24-36 mm/ wheel. Available Colors High polish black or silver anodized



**617C904**

System Triathlon & Time Trial Brake System. Material Forged aluminum arms .Dimension 24-36 mm / wheel. Available Colors High polish black or silver anodized





### 617C905

Cold forged aluminum arms. Color : Silver finish or Anodized(Black,Gold,Red or Blue)  
Twist quick release. Dimension : 45-57mm. 146g/wheel



### 617D855

#### 617D855-1

PK/RD/YW/PU/GN/BL/LP/DR/AG/LB/BK/WH 160mm

#### 617D855-2

PK/RD/YW/PU/GN/BL/LP/DR/AG/LB/BK/WH 180mm

#### 617D855-3

PK/RD/YW/PU/GN/BL/LP/DR/AG/LB/BK/WH 203mm



### 617D856

RD/GD/BL/BK 160mm



### 617D857

RD/GD/BL/BK 160mm



### 617L900

Bracket / Lever. Melt-forged alloy. Compatible brake type. Caliper or Cantilever brakes. Option



### 617L901

Bracket / Lever Melt-forged alloy. Compatible brake type. Direct-pull brakes Compatible shifter. Twist & Thumb shifter.



### 617L902

Integrated bell. Adjustable sensor control designed 4 finger lever blade Lever Blade. For Left hand side only. Standard finish: Barrel lever / Black bracket



### 617L903

Integrated bell. deign Adjustable sensor control designed. 4 finger lever blade with kraton rubber grip. finish: Satin silver lever / Black bracket



### 617L904

2-Finger. Material Forged aluminum alloy lever Finish Bracket : Black. Leve : Black / Red / Blue / Gold



### 617L905

3-Finger. Material : Forged aluminum allot lever. Finish : Bracket Black. Lever : Black / Red / Blue / Gold



### 617L906

1-Finger. Material : Forged aluminum allot lever. Finish : Bracket Black. Lever : Black / Red / Blue / Gold



### 617L907

Cover Color: White,Black,Brown



### 617C906

30 mm vertical adjustable range for brake shoes. Dual linear spring tension adjuster Material: Forged aluminum alloy arms. 73mm angle Option: 70mm cartridge pads. Finish: Black / Red / Bule / Gold



### 617C907

Arms Melt-forged alloy. Spring system Coil type. Dimension 20-38mm. Guide pipe F/90° R/135°



### 617C908

Melt-forged alloy Spring system Coil type. Dimension 20-36mm Guide pipe F/90° R/135°



### 617C909

30 mm vertical adjustable range for brake shoes. Dual linear spring tension adjuster Material: Forged aluminum alloy arms. Arm Length: 85mm. Option: 70mm cartridge pads. Finish: Black / Red / Bule / Gold



### 617C910

Arms Melt-forged alloy. Spring system Linear type. Dimension 20-38mm. /wheel. Guide pipe F/90° R/135°



### 617C911

Arms Melt-forged alloy. Spring system Linear type XI. Dimension 22-39mm. Guide pipe F/90° R/135°



### 617C912

Arm length 103mm. Arms Melt-forged alloy. Spring system Linear type XI. Dimension 20-38mm. Guide pipe F/90° R/135°



### 617L908

Bracket / Lever Super nylon composite / Forged alloy aero-lever Return spring With quick release Clamp diameter 22.2-23.8mm



### 617L909

Designed for long am Canti Brakes. Forged aluminum lever in buffed silver or black anodized finish. 2mm Allen-key reach 308g/pair





**6181001**  
Hate & Promax



**6181002**  
Shimano Deore/M555  
Naxave hydraulic



**6181003**  
Avid Code R



**6181004**  
Shimano Saint



**6181005**  
Magura Julie



**6181006**  
Magura Clara/Louise



**6181007**  
BR M785



**6181008**  
Avid Elixir



**6181009**  
Magura Marta



**6181010**  
Formula B4



**6181011**  
Magura Gustav M



**6181012**  
Avid Code



**6181013**  
Shimano XT, M755  
Hope mono M4



**6181014**  
Shimano XTR M965  
Saint 04-07



**6181015**  
Avid bb5



**6181016**  
Magura Louise Clara 2K



**6181017**  
Shimano Deore M525,  
M515, M475, Naxave,  
Tektro Auriga



**6181019**  
Hope



**6181020**  
Magura Gustav M



**6181021**  
Formula Oro





**6181022**

Compatible : Formula Mega & The one type: disk pads others : Hydraulic



**6181023**

Compatible : Shimano XTR / M525 / M475 / CS01 / 601. Type : Disk pads Others : Hydraulic & Mechanical



**6181024**

65mm BR-M560/1 BR-MC30-2



**6181025**

72mm DEORE XT, BR-M750, M950 951,739,M510



**6181026**

Compatible: Shimano Deore M515 / M525 / M475 / CS01 / 601. Type : Disk pads Others : Hydraulic & Mechanical



**6181027**

Compatible : Magra MT 2 / 4 / 6 / 8 Type: Disk Pads. Others: Hydraulic



**6181028**

70mm BR-M-734, BR-M-661-M, BR-M-650-MM



**6181029**

72mm DEORE XT, BR-M750, M950 951,739,M510



**6181030**

Compatible : Avid Juicy 3 & 5 & 7 & BB7 type: disk pads others : Hydraulic & Mechanical



**6181031**

Compatible : Shimano NEW XTR. Type: Disk pads. Other : Hydraulic



**6181032**

70mm BR-MC40, BR-MX16, BR-T400, BR-M280



**6181033**

70mm XE available. ALIVIO, ACERA BR-M600, M600-MX, BR-M750, M739, M570, BR-M330, M420, M510, BR-MC18, BR-T300



**6181036**

Compatible : Avid Code type: disk pads others : Hydraulic



**6181039**

Compatible : Avid Code type: disk pads others : Hydraulic




**6181034**

60mm BR-M290/E, BR-CT90/E, BR-TY20/23, BR-MJ10



**6181035**

Alivio, Acera BR-M600, M600/MX, M750, M739, M570, M330, M420, M510



**6181037**

Compatible : Avid Code type: disk pads others : Hydraulic



**6181038**

Compatible : Avid Code type: disk pads others : Hydraulic





**6181042**  
Length:70mm  
Compatible:shimano  
xtr/deore xt.  
Type:v-type brake



**6181043**  
Length: 70mm  
Compatible: shimano xtr/deore xt  
Type: v-type brake



**6181044**  
Length: 70mm  
Cartridge: Type for V-brake. &  
ABS function



**6181047**  
55mm Cartridge Replacement Lining



**6181050**  
(55mm) BR-7700, 6500, 6500 FD-6500-SS/GS,  
FD-6500, FC-6503, ST-6500, BB-6500, R08R-  
5500 FC-6503, BB-6500, RD-6500 SS/GS



**6181048**  
Cartridge Replacement Lining



**6181051**  
XC available black aluminum holder & laser  
engrave BR-7700, BR-6500, FD-6500 RD-6500-  
SS/GS, ST-6500, BB-6500



**6181049**  
World Approved



**6181052**  
72mm XC available. For V-Brake. with aluminum  
color holder



**6181045**  
Length:68mm



**6181053**  
LENGTH:55MM. Brake pads for Racing bike.



**6181046**  
National Flag



**6181054**  
National Flag(pad)



**608850**

Material : carbon fiber  
diam : 27.2mm  
L : 250-400mm

**608850-1**

Material:carbon fiber with 7075AL  
diam : 27.2mm  
L : 250-400mm

**608851**

Material : carbon fiber  
Diam : 31.6mm  
L : 250-400mm

**608851-1**

Material:carbon fiber with 7075AL  
Diam : 31.6mm  
L : 250-400mm

**608852**

Material:Full carbon  
Offset:24mm  
Dia:27.2mm  
L:300/350/400mm

**608853**

Material : AL7075-T6  
Guts & clamp: alloy cnc-machined  
size:  $\varnothing$  27.2 /  $\varnothing$  31.6mm  
L : 300,350mm

**608854**

Material : AL6061 off set 0mm  
Cradle : 43x35  
Rise : -5°~+18°  
Diam : 27.2  
L : 300/360mm

**608855**

Material : AL6061.OFF  
Set : 3mm  
Cradle : 43x46  
Rise : -5°~+18°  
Diameter : 27.2

**608856**

Material : Alloy clamp/alloy cnc anodized  
Diam : 25.4/27.2/28.6/31.6mm  
L : 200-400mm

**608857**

Material : Alloy clamp/alloy cnc anodized  
Diam : 25.4/27.2  
L : 200-400mm



**608858**

**Material:** forged/AL6061  
**Cradle:** 43x46.rise:-5°~+18°  
**Diam:** 27.2  
**L:** 300/350 mm  
**travel:** 40

**608859**

**Material:** AL6061/AL7050.off  
**Set:** 18mm  
**cradle:** 43x46  
**rise:** 5°~+18°  
**Diam:** 27.2  
**L:** 300 / 350mm

**608860**

**Material:** AL6061-T6  
**Guts & clamp:** Alloy forged  
**Diam:** 27.2/31.6mm  
**L:** 300,350mm

**608861**

**Material:** Alloy#6061-T6 3D  
**forged.Diam:** 27.2/31.6mm  
**L:** 300/350/400mm  
**Finish:** Polished or Sand  
 blasted

**608862**

**Material:** Alloy 6061  
**Offset:** 15  
**Diam:** 27.2/31.6  
**L:** 300/350mm

**608863**

**Material:** forged Alloy /Alloy  
**Diam:** 27.2/30.9/31.6  
**Set:** 9  
**L:** 250/300/350/400  
**finish:** sand blasted an bk or silver

**608864**

**Material:** forged alloy /alloy  
**Diam:** 27.2/30.9/31.6  
**Set:** 12  
**L:** 250/300/350/400  
**finish:** sand blasted an bk or silver

**608865**

**Material:** 3d forged alloy  
**Diam:** 27.2/30.9 /31.6  
**Set:** 12  
**L:** 300/350/400mm  
**finish:** sand blasted an bk or silver

**608866**

**Material:** Full carbon tube w/ forge  
 bead  
**Offset:** 18mm  
**Dial:** 27.2mm  
**L:** 300/350/400 mm

**608867/608867-1**

**Material:**  
 608867: AL2014 shaft +Forged alloy head  
 608867-1: AL6061/Shaft+forged alloy head  
**Offset:** 14mm  
**Rise:** -13°~+13°  
**Diameter:** 31.6mm  
**L:** 300mm  
**Finish:** Silver/black/anodized/S.B.color

**608868/608868-1**

**Material:**  
 608868 : carbon shaft+forged alloy head  
 608868-1 : AL2014 alloy shaft+forged alloy Head  
**Offset:** 20mm  
**Rise:** -15°~+15°  
**Diam:** 25.4/27.2 /31.6  
**L:** 250/ 300 /350 /400mm  
**Finish:**  
 608868 : Carbon fiber 3k weave  
 608868-1 : Silver/black/anodized s.b.color

**608869/608869-1**

**Material:**  
 608869 Carbon shaft+Forged alloy head  
 608869-1 AL2014 shaft+Forged alloy head.offset:20mm  
**Rise:** -13°~+13°  
**Diam:** 25.4/27.2 /31.6  
**L:** 250/ 300 /350 /400mm  
**Finish:**  
 608869 : Carbon fiber 3k weave  
 608869-1 : Silver/black/anodized s.b. color



**699550**

Color: Ti-N Black, Ti-N Gold, NP Silver. Spec.: 1/2"x1/128". Speed: 11. Pin Length: 5.5mm W: 232grams/110L

**699551**

Color: Ti-N Black, Ti-N Gold, NP Silver. Spec.: 1/2"x11/128". Speed: 10. Pin Length: 5.9mm. W: 235grams/110L

**699552**

Color: Ti-N Black, Ti-N Gold, NP Silver. Spec.: 1/2"x11/128". Speed: 9. Pin Length: 6.4mm. W: 251grams/110L

**699553**

Color: Gray / Gray. Spec.: 1/2"x11/128". Speed: 10 Pin Length: 5.9mm

**699554**

Size: 1/2"x11/128" Pin Length: 5.70mm. Color of Plates(outer/Inner): Silver/ Silver. Speed: 10. W(g/116Links): 252g. Compatibility: SHIMANO/SRAM/Campagnolo system compatible

**699555**

Size: 1/2"x11/128. Pin Length: 6.45mm. Color of Plates(outer/Inner): Silver/Silver, Gold/Gold. Speed: 9. W(g/116Links):254g. Compatibility: SHIMANO/SRAM system compatible

**699556**

Color: Ti-N(Gold), Silver/Silver, Silver/Gray. Speed: 9 Extra StretchProof Mushroomed Pin, enhanced durability. Double X Bridge Shape

**699557**

Color: Ti-N(Gold), Silver/Silver, Silver/Gray. Speed: 10 Extra StretchProof Mushroomed Pin, enhanced durability. Double X Bridge Shape. NON-Directional

**699558**

Color: Gold/Gold, Silver/Silver, Silver/Gray. Speed: 8 Extra StretchProof Mushroomed Pin, enhanced durability. Double X Bridge Shape

**699559**

Color: NP Silver, Silver/Brown, Gray/Brown. Spec: 1/2"x3/32". Speed: 8 Pin Length: 7.3mm

**699660**

Size: 1/2"x11/128" Pin Length: 6.45mm Color of Plates(outer/Inner): Silver/Dark Silver. Speed: 9. W(g/116Links): 280g. Compatibility: SHIMANO/SRAM system compatible

**699661**

Color: NP Silver (Gold Color is available by request). Spec.: 1/2"x1/8" Speed of sprocket: Single Speed. Weight: 275grams/110L

**699662**

Compatibility: 5 & 6 Speed (UG system) 1/2"x3/32" Finish: Silver/Black & Black/Black

**699663**

IS Speed Finish: Black/Black

**699664**

6 and 7 Speed Finish Black/Black 1/2" x 3/32"

**699665**

8 Speed Finish: Black/Black. 1/2"x3/32"

**699671**

Color: Brown/Brown. Spec.: 1/2"x3/32". Speed of sprocket: Single Speed. Tensile Strength: 1300kgf

**699672**

SINGLE SPEED SERIES Size: 1/2"x1/8" Pin Length: 10.40mm. Tensile Strength(Min.): 1200kgf. Pin Push-out force(Min.): 200kgf.

**699668**

Size: 1/2"x11/128" Pin Length: 6.45mm Color of Plates(outer/Inner): Silver/Silver. Speed: 9. W(g/116Links): 280g. Compatibility: SHIMANO/SRAM system compatible

**699669**

Size: 1/2"x11/128. Pin Length: 5.35mm. Color of Plates(outer/Inner): Silver/Silver. Speed: 11. Compatibility: SHIMANO / SRAM / Campagnolo system compatible

**699670**

Size: 1/2"x11/128" Pin Length: 5.70mm. Color of Plates(outer/Inner): Silver/Silver. Speed: 10. Compatibility: SHIMANO/SRAM/Campagnolo system compatible

**699673**

Color: Silver/Black (Silver/Silver is available upon request). Special Dynamic Configuration Plate. StretchProof Mushroomed Pin, enhanced durability Anti-Drop design

**699674**

Color: Gray/Brown. Spec.: 1/2"x11/128" Speed: 9 Pin Length: 6.4mm



**615850**

Material : AL6061 Center: 31.8mm. Width: 620~720mm RISE:5.1mm Sweep:9 Finish : MAT Black , MAT Silver

**615851**

Material : AL6061 Center: 25.4/31.8mm. Width: 580~780mm RISE:5.1mm Rise : 15 - 70mm

**615852**

Material : AL6061 Center: 25.4/31.8mm. Width: 580~780mm RISE:5.1mm Rise : 15 - 70mm

**615853**

Material : Alloy butied Center: 31.8mm. Width: 600~700mm sweep: 8 UP Sweep : 6 RISE:32mm Finish: Sand Blasted an Black or Silver

**615854**

Material : Alloy butied Center: 31.8mm. Width: 600~700mm Sweep: 6 Finish: Sand Blasted an Black or Silver

**615855**

Material : Alloy Center: 31.8mm. Width: 620mm sweep: 10 RISE 25 Finish: Sand Blasted an Black or Silver

**615856**

Material : AL6061 butied Center: 31.8mm. Width: 620mm sweep: 38 RISE 38 Finish: Sand Blasted an Black or Silver

**615857**

Material : Al 6061 butied Center: 31.8mm. Width: 630mm sweep: 41 RISE 79mm Finish: Black or Silver

**615858**

Material : Al 6061 butied Center: 31.8mm. Width: 660mm sweep: 33 RISE 70mm Finish: Black or Silver





**615859**

Material : Carbon Fiber with 6061 T6AL.  
Bar Center: 31.8mm. Width:  
400mm,420mm,440mm




**615860**

Material : Carbon Fiber with 6061 T6AL.  
Bar Center: 31.8mm. Width:  
400mm,420mm,440mm



**615861**

Bar Center: 31.8mm. Width:  
400mm,420mm,440mm. AL6061



**615862**

Material : Fiber glass. Bar Center: 31.8mm. RISE: 0  
Width: 580mm,600mm,620mm



**615863**

Material : Carbon Fiber Bar Center: 31.8mm. Width:  
580mm,600mm,620mm



**615864**

Material : 12k Carbon Fiber with 7075 T6AL Bar Center: 25.4mm. Width:  
540mm,560mm,580mm



**615865**

Material : Full Carbon Bar Center: 31.8mm. RISE 7mm Sweep 9" Width:  
620~760mm



**615866**

DEVIANT CARBON  
Material : Full Carbon Center Dia: 31.8mm. Rise: 7mm. Sweep: 9". Width  
620/640/660/680/700/720/740/760mm



**615867**

Material : AL7075 BUTTED Bore: 31.8mm. Width: 710mm RISE:50mm  
BEND:9



**615868**

Material : AL6061 Center: 31.8mm. Width: 620~720mm RISE:1.2mm Sweep:9 Finish : MAT Black ,  
MAT Silver





**6291406**  
185 x 3cm cotton



**6291407**  
185 x 3cm. Material: Micro-Fiber Fabric



**6291408**  
Size: 190 x 3cm. Material: EVA



**6291409**  
Size: 190 x 3cm. Material: EVA



**6291410**  
Material: EVA Foamed. Size: 3cm x 185cm. SH Brush Surface



**6291411**  
Material: PU/EVA Foamed. Size: 3cm x 200cm Basketball Surface



**6291412**  
Material: PU/EVA Foamed. Size: 3cm x 200cm



**6291413**  
Material: PU/EVA Foamed. Size: 3cm x 185cm Gradient Print



**6291414**  
TEXTURE pinholes Velvet. Key point Lightweight



**6291415**  
Material: PU/EVA Foamed. Size: 3cm x 200cm. Gradient Print



**6291416**  
Material: EVA / PU with EVA. Weight: 40g for per bar tape. Size: 4cm x 200cm



**6291417**  
Texture micro velvet. Key point gel.vaxgel



**6291418**  
Material: PU/EVA Foamed. Size: 3cm x 195cm. Fannelet Surface



**6291419**  
TPU (Eco-friendly material passes EU Standards) Temperature range: -20° c thickness: 0.8mm



**6291420**  
(Eco-friendly material passes EU standards) thickness: 0.45mm





**6291421**

Material: EVA. Features: HI-density & powerful performance. Best shock-absorbed. Super soft-touch



**6291422**

Eva & Eva corktape



**6291423**

Material: Thermal Plastic poly Urethane, the best international eco-friendly material. Contains no heavy Metal or plasticizer. Recyclable. Features: \*Highly wearable. High extension. No crack. Resistant to low temperature, UV and ageing. \*High transparency, with unique 3D emboss effect \*Resistance to hydrolysis. Soft touch. Great flexibility and reversibility. \*Any colors are available. \*Passed testing of international standards



**6291424**

Material: PU/EVA Foamed. Size: 3cm x 200cm Golf Surface



**6291425**

Cotton. 185 x 3cm COLOR: WHITE/BLACK/BEIGE



**6291426**

Material: PU/EVA Foamed. Size: 3cm x 185cm Gradient Print



**6291427**

ANTI-SLIPPERY/SHOCK PROOF KEY POINT "TWO GRAPHIC Diamond and Chinese style"



**6291428**

TEXTURE pinhole Microfiber. Key point Lightweight



**6291429**

Material: EVA Foamed. Size: 3cm x 185cm Brush Surface



**6161100**

Material:al2014+carbon skin. Angle:-6°/+6°. Ext:90,100,110,120mm. Length:38mm. Diam:28.6mm

**6161101**

Material:al2014+carbon skin. Angle:-6°/+6°. Ext:90,100,110,120mm. Length:38mm. Diam:28.6mm

**6161102**

Material:al6061+carbon skin. Angle:-10°/-20°/+10°/20°. Ext:90,100,110,120mm. Length:38mm. Diam:28.6mm

**6161103**

Material:al6061+carbon skin. Angle:-10°/-20°/+10°/20°. Ext:90,100,110,120mm. Length:38mm. Diam:28.6mm

**6161104**

Material:3d forged. Extension:95/110. Bar bore:25.4/31.8(25.4w/shim). Steerer:28.6 angle:-20°~+60°. Length:41mm

**6161105**

Material:3d forged. Extension:95/110(25.4)90/110(31.8). Bar bore:25.4/31.8. Steerer:28.6/39.7 angle:-20°~+60°. Length:41mm

**6161106**

Material:alloy#6061-t6. Dia:28.6mm h:37mm. Angle:+/-7° bar bore:31.8mm. Extension:80/90/100/110/120 mm. /100mm. Finish:stad blasted or hi-polished/anodized

**6161107**

3D Forged. 28.6x 90/100/110mm. Bar Bore:31.8mm. angle: ±25°. Stack Height:41mm

**6161108**

Material:3d forged. Extension:80/90/100/110. Bar bore:31.8. Steerer:28.6 angle:41mm

**6161109**

Material:alloy #7050 3d forged. Dia. 28.6mm. H:38mm. extension:70/80/90/100/110/120 mm. Weight:97g/100mm. -w ti bolts. Finish sand blasted anodized black

**6161110**

Matt-Forged/Forged cap. 28.6 x 90/110mm. Bar Bore:25.4 / 31.8mm. angle:±10°. Stack Height:40mm

**6161111**

Material: Al 6061

**6161112**

Material:3d forged 6061 alloy

**6161113**

Material:3d forged al6061. Extension:25.4:50/60/7080/90/100/110/120.31.8:80/90/100/110/120. Bar bore:25.4/31.8. Steerer 28.6. Angle:-7°/+7°. Length:41mm

**6161114**

Material:alloy#6061-t6. Dia:28.6mm h:40mm. Angle:+/-7° bar bore:31.8mm. Extension:80/90/100/110/120 mm. Weight:137g/100mm. Finish:stad blasted or hi-polished/anodized color

**6161115**

Material:Melt-Forged Alloy. Diameter:28.6mm. Extension:90mm. Bar bore:25.4mm. Height:40mm. Angle:±15°

**6161116**

Material:3d forged 6061 alloy





**616117**  
Material: fully Cnc-machined 6061 T6 Alloy. Bar bore: 31.8/34.9mm. Extension: 47/55mm. Angle: 30°



**616120**  
Material: alloy. Process: malt Forged/ forged Cap. Ext: 28.6\*50mm. Bar Bore: 22.2mm. Angle: 0° Stackheight: 30mm



**616124**  
Material: die-casting Alloy. Ext: 70/90/110. Rise: 10° Height: 41. Finish: bed, Sand Blasted Bed



51



**616118**  
Material: fully Cnc-machined 6061 T6 Alloy. Bar bore: 31.8/34.9mm. Extension: 50mm. Angle: 0°



**616121**  
Malt-forged/ Forged Cap. 28.6\*50mm. Bar Bore: 22.2mm. Angle: 0°. Stack Height: 30mm



**616125**  
Material: Forged 6061 T6 Alloy

**616128**  
Material: a1061. Dia: 28.6. Height: 110~180/110~210. Stem Adjuster 70/100



**616119**  
Material: alloy 6061. Process: Full Cnc Machined. Ext: 35mm. Bar Bore: 31.8mm. Angle: 0° Stackheight: 35mm



**616122**  
Material: alloy. Process: malt Forged/ forged Cap. Ext: 28.6\*50mm. Bar Bore: 22.2mm. Angle: 0° Stackheight: 30mm



**616126**  
Material: die-casting Alloy. Ext: 90/105. Rise: 7°. Height: 41. Finish: bed Sand Blasted Bed



**616129**  
Material: a16061. Dia: 28.6. Height: 130. Stem Adjuster: 5mm



**616123**  
Material: alloy. Process: malt Forged/ forged Cap. Ext: 28.6\*50mm. Bar Bore: 22.2mm. Angle: 0° Stackheight: 30mm



**616127**  
Material: alloy. Ext: 45. Rise: 6° Height: 38. . Finish: Cnc An Bk Or Silver

Stem



**6161130**

Material: die-casting alloy. Ext: 110.  
Rise: 0° ~ 90°. Length: 180/200.  
Finish: silver or bed

**6161131**

Material: 3d forged. Ext: 90/110 bar  
bore: 25.4/31.8. steerer: 22.2/25.4. Angle  
0° ~ +90°. Length 180/220mm

**6161132**

Material: 3d forged al7075.  
Extension: 70/80/90/100/110/120. Bar bore: 31.8.  
Steerer: 28.6. Angle: 41mm

**6161133**

Material: die-casting alloy. Ext: 90/110.  
Rise: (ø25.4) 17° (ø31.8) 10°. Height: 41. Finish: bed  
sand blasted bed

**6161134-1486****6161135-1516****6161136-1521506**

Extension: 50/60/70/80/90/100/110/120/130mm  
Rise: ±7°. Bar bore: ø31.8mm. Clamp  
i.d.: ø28.6ø25.4mm stack height: 40mm. finish:  
black/silver/anodized/s.b. Color

**6161137**

Material: al6061-t6 3d cold-forged

**6161138**

3d forged al6061, 4-bolt ahead stem.  
Extension: 50/60/70/80/90/100/110/120/130mm.  
Rise: ±7°. Bar bore: ø31.8mm. Clamp  
i.d.: ø28.6ø25.4mm stack height: 40mm.  
Finish: high-polished black

**6161139**

Material: 3d forged alloy.  
Ext: 60/70/80/90/100/110/120. Rise: 7° height: 45.  
Finish: sand blasted bed an bk or silver

**6161140**

Material: 3d forged alloy. Ext: 90/100/110/120.  
Rise: ±7° height: 41 finish: sand blasted an bk or  
silver

**6161141**

Material: 3d forged alloy. Ext:  
60/70/80/90/100/110/120. Rise: ±7° height: 41.  
Finish: sand blasted an bk or silver

**6161142**

Material: 3-d forged 2014 t6 alloy. Extension (mm):  
70 / 90 / 110 / 120. Steerer (mm): 28.6.  
Angle: +35 degrees

**6161143**

Material: 3d forged alloy.  
Spec: (25.4) ±7°, ±17°, ±25° E: 60 70 80 90 100 110 120 130  
(31.8) ±7°, ±17° E: 60 70 80 90 100 110 120 130  
±25° E: 70 80 90 100 110 120 130  
Finish: sand blasted an bk or silver

**6161144**

Material: die-casting alloy. Ext: 90/105/120. Rise: 10°. Height: 41. Finish: bed sand blasted bed

**6161145**

Material: melt-forged alloy. Diameter: 28.6mm.  
Extension: 90mm. Bar bore: 25.4mm. Height: 40mm. Angle: ±15°

**6161146**

Material: 3d forged alloy. Ext: 90/100/110. Rise: ±7°. Height: 41. Finish: bed sand blasted bed





**6161147**  
MALT-FORGED/FORGED CAP.  
28.6\*50MM. BAR BORE:22.2MM.  
ANGLE:0°. STACK HEIGHT:30MM



**6161151**  
MATERIAL:ALUMINUM ALLOY. EXTENSION  
:85/105MM. ANGLE: 35°~145°. BAR BORE:  
ø25.4MM. CLAMP I.D: ø28.6MM. STACK HEIGHT:49MM.  
FINISH: BLACK/SILVER/POWER COATED COLOR



**6161155**  
**6161156**  
MATERIAL:FORGED AL6061. ANGLE:40°~140°.  
EXTENSION:108MM/128MM. BAR BORE:MA-593:  
ø31.8MM. MA-577: ø25.4MM/ ø31.8MM. CLAMP I.D:  
ø28.6MM/ ø25.4MM. STACK HEIGHT:39MM.  
FINISH:BLACK/SILVER/ANODIZED/S.B.COLOR



**6161148**  
MALT-FORGED/FORGED CAP.  
28.6\*40MM. BAR BORE:22.2MM.  
ANGLE:0° STACK HEIGHT:30MM



**6161152**  
MATERIAL:ALLOY. ANGLE: 90°~160°. EXT:110. BAR  
BORE: ø25.4MM. CLAMP I.D: ø25.4MM/ ø28.6MM.  
STACK HEIGHT:40MM. WEIGHT:450G. FINISH  
BLACK/SILVER/POWER COATED COLOR



**6161157**  
MATERIAL:FORGED AL6061. ANGLE:40°~140°.  
EXTENSION:90/110. BAR BORE:MA-595: ø31.8MM. MA-589:  
ø25.4MM/ ø31.8MM. CLAMP I.D: ø28.6MM/ ø25.4MM. STACK  
HEIGHT:39MM. ø25.4\*128MM.  
FINISH:BLACK/SILVER/ANODIZED/S.B.COLOR



**6161149**  
MALT-FORGED/FORGED CAP. 28.6\*50MM.  
BAR BORE:22.2MM. ANGLE:0°. STACK  
HEIGHT:30MM



**6161153**  
MATERIAL:DIE-CASTING ALLOY. EXT:90/110.  
RISE: 0°~50°. LENGTH:150/180. FINISH:BED  
SAND BLASTED BED



**6161158**  
**6161159**  
MATERIAL:MALT-FORGED/US. EXTENSION:110/100.  
BAR BORE:25.4. STEERER:22.2/25.4/28.6 ANGLE:  
0°~+80° LENGTH:180/230/70



**6161150**  
MATERIAL:ALLOY#6061-T6. DIA. 31.8MM.  
ANGLE:+25°.  
EXTENSION:75/95/115MM. LENGTH:81.5MM.  
FINISH:SAND BLASTED OR HI-  
POLISHED/ANODIZED COLORS



**6161154**  
MATERIAL:DIE-CASTING ALLOY. EXT:90. RISE:  
15°. LENGTH:150/180. FINISH:HIGHPOLISHED  
SILVER





**675850**  
Grip Bar-end



**675851**  
Patent Bar-end



**675852**  
Patent Compass-type Bar-end



**675853**  
Grip Bar-end



**675854**  
Material: Alloy 6061 & PU. Bar Bore (mm);  
22.2. Length(mm):80



**675855**  
Bicycle Pegs. DIM  
40\*10.9L. Material:  
PC+AG7075



**675856**  
Cool Adapter CNC. For MTB.  
MATERIAL:6061T6. SIZE:1 1/8"



**675857**  
Cool Adapter CNC. For ROAD/Folding Bike.  
MATERIAL:6061T6. SIZE:1 1/8", 1"



**675858**  
Cool Adapter CNC. For  
ROAD/Folding Bike.  
MATERIAL:6061T6. SIZE:1 1/8",



**675859**  
Material: Alloy.  
Adapter for stem



**675860**  
Handlebar Tape  
Strap. Material:  
Silicone



**675861**  
CR-MD peg with EMS harden Nylon Sleeve. For  
Both PARK and street. Spec: 40 x107mm for  
combo use. 33.6 x 104.5mm for CR-MD use.  
Color: CR-MD peg cp/red/blue/black. Nylon  
sleeve blue/red/black/white



**675862**  
Alloy 6061 peg with EMS harden Nylon sleeve. For  
Both PARK and street. Spec: 40 x10714mm with 3/8  
adapter. Color: Alloy peg cp/red/blue/black. Nylon  
sleeve blue/red/black/white



**675863**  
Valve



**675864**  
Bullet valve cap. alloy



**676865**  
LED Bar ends  
Aluminum Alloy  
(two tone)



**675866**  
LED Bar ends Aluminum  
Alloy (two tone)



**675867**  
LED Bar ends Aluminum  
Alloy (two tone)



**675868**  
Two tone Bar-ends





**613C650**  
Material: Alloy #6061-T6. Dia: 31.8mm / 31.8mm. Finish: Polished or Sand Blasted / Anodized Colors



**613C651**  
Diam: 28.6, 31.8, 34.9m / m. Material: AL6061. cold forged



**613C652**  
Diam: 28.6, 31.8, 34.9 m / m. Material: AL6061. cold forged



**613C653**  
Diam: 28.6, 31.8, 34.9m / m. Material: AL6061. Cold forged



**613C654**  
Forged Alloy  
Clamp Diameter: 29.8, 31.8, 34.9, 36mm



**613C655**  
Diam: 28.6, 31.8, 34.9 m / m. Material: AL6061. cold forged



**613C656**  
Diam: 31.8, 34.9m / m. Material: AL6061. cold forged



**613C657**  
Allen Key version  
Material: Alloy #6061-T6. Dia: 31.8 / 34.9mm / 31.8mm. Finish: Polished or Sand Blasted / Anodized colors



**613C658**  
Type: QR Seat  
Clamp Material: AL6061. Clamp Diam: 31.8mm



**613C659**  
Material: Alloy #6061-T6. Dia: 31.8 / 34.9mm / 31.8mm. Finish: Polished or Sand Blasted / Anodized colors



**613C660**  
Adjustable nut version  
Material: Alloy #6061-T6. Dia: 31.8 / 34.9mm / 31.8mm. Finish: Polished or Sand Blasted / Anodized colors



**613C661**  
Material: Alloy 6061. Process: Extrusion. Diameter: 28.6mm



**613C662**  
Material: AL6061-T6. Spec: 34.9. Color: As order. Option: 1. 34.9 change to 31.8 shim. 2



**613C663**  
Material: AL6061 CNC made. Spec: 31.8, 34.9. H: 15.5mm. Color: As order



**613C664**  
Clamp ID: 31.8, 35mm



**613C665**  
Material: Alloy 6061-t6 Dia: 31.8 / 34.9 Finish: Both Sand Blasted & Anodized / Sd-590q Dia: 34.9



**613C666**  
Material: AL 6061 Cr-mo Steel. Diameter (31.8mm) : 14.0



**613C667**  
Alloy Clamp W / Quick Release with brass easher and alloy nut  
Diameter: 31.8 / 34.9mm



**613C668**  
Diam: 28.6, 31.8, 34.9m / m. Material: AL6061. cold forged



**613C669**  
Material: Forged 6061 T6 alloy. Diameter: 31.8



**613C670**  
Material: Fully CNC machined 6061 T6 alloy. Diameter: 28.6 / 29.8 / 31.8 / 34.9mm



**613C671**  
Material: AL6061. with special bolt & nut to lock. Spec: 31.8 / 34.9. H: 16mm. Color: As order. Standard: Blast anodize



**613C672**  
Material: AL6061. with special bolt & nut to lock. Spec: 31.8 / 34.9. H: 16mm. Color: As order. Standard: Blast anodize



**613C673**  
Material: AL6061. With special bolt and nut to lock. Spec: 28.6 / 31.8 / 34.9. H: 13.5mm. Color: As order. Standard: Blast anodize



**613C674**  
Diam: 31.8, 34.9m / m. Material: AL6061. cold forged



**613C675**  
Material: Alloy 6061. Process: Extrusion. Diameter: 31.8 / 34.9mm for road bikes





**613C676**  
Diam:31.8m/m. Material:AL6061.cold forged



**613C677**  
Diam:31.8m/m. Material:AL6061.Cold forged



**613C678**  
Diam:28.6m/m. Material:AL6061.cold forged



**613C679**  
Diam:28.6,31.8,34.9m/m. Material:AL6061.cold forged



**613C680**  
Diam:28.6,31.8,34.9m/m. Material:AL6061.cold forged



**613C681**  
Diam:28.6,31.8,34.9m/m. Material:AL6061.7005.cold forged



**613C682**  
Material AL6061 CNC made. Spec:28.6,31.8,34.9.H:13.5mm. Color:As order



**613C683**  
Material:AL6061 CNC made. Spec:31.8,34.9.H:15.5mm. Color:As order



**613C684**  
Diam:28.6,31.8,34.9m/m. Material:AL6061.7005.cold forged



**613C685**  
Diam:28.6,31.8,34.9m/m. Material:AL6061.cold forged



**613C686**  
Material:Forged 6061 T6 alloy. Diameter:28.6/31.8/34.9mm



**613C687**  
Material:Forged 6061 T6 alloy. Diameter:28.6/31.8/34.9mm



**613C688**  
Material:Forged 6061 T6 alloy. Diameter:28.6/29.8/31.8/34.9mm



**613C689**  
Diam:28.6,31.8,34.9mm. Material:AL6061.7005.cold forged



**613C690**  
cable hanger. 1/8". cable drop:34mm. Cold forged aluminum. Color:Silver or Black anodized. with short flexie 95mm



**613C691**  
Material:Fully CNC-machined 6061 T6 alloy. Diameter:28.6/29.8/31.8/34.9mm



**613C692**  
Material:Fully CNC-machined 6061 T6 alloy. Diameter:28.6/29.8/31.8/34.9mm



**613C693**  
Material:Alloy#6061-T6. 31.8mm/34.9mm(43g)(100mm)



**613C694**  
Front cable hanger



**613C695**  
Spacer



**613C696**  
1-1/8" Polycarbonate(DD 35mm)



**613C697**  
W:5mm



**613C698**  
W:10mm



**613C699**  
Material:Nylon. Color:AS order



**613C700**  
Material:AL6061-T6. Color:As order



**613C701-1**  
**613C701-2**  
Extend:DDM-83 7.5mm (use M6x23 bolt) DDM-100 16.45mm (use MX32 bolt). Material:AL6061-T6



**6301050**

Body:engineering plastic.  
Axle:7mm boron steel.  
Bearings:ball bearings.  
Binding:adjustable tension.  
Size:82x92mm

**6301051**

Body:hipac carbon.  
Binding: adjustable tension.  
Size: 82x92mm

**6301052**

Body: aluminum/ ed black  
size:102\*100\*26mm

**6301053**

Body:engineering plastic.  
Axle:7mm boron steel.  
Bearings:ball bearings.  
Binding:adjustable tension  
(60~90kgf-cm). 7 degree float.  
Size:82x92mm

**6301054**

Body:die-cast aluminum.  
Axle:cnc-machined cr-mo.  
Bearing:isl bushing &  
sealed. Binding:dual-sided  
cr-mo, tension adjustable.  
Cleat:sc-c01. Size:78x62  
mm

**6301055**

Body:6061 aluminum, cnc-  
machined body. Axle:cnc-  
machined cr-mo. Bearing:isl  
bushing & sealed. Size:95 x  
55 mm

**6301056**

Body forged 6061 aluminum.  
Axle cnc-machined cr-mo.  
Bearing isl bushing & sealed  
Size 66 x 91 mm

**6301057**

Body:die-cast aluminum.  
Axle:cnc-machined cr-mo  
(cartridge). Bearing:isl  
bushing & sealed.  
Binding:fiber-glass  
reinforced thermoplastic,  
tension adjustable. Cleat:sc-  
rs111 or sc-bs111. Size:88x93  
mm

**6301058**

Body:cold-forged one-  
piece aluminum silver.  
Axle:cnc machined cr-mo.  
Bearings:isl & sealed ball  
bearings. Binding:dual-  
sided steel shimano spd  
compatible adjustable  
tension size:79x66mm

**6301059**

Body:6061 aluminum, cnc-  
machined body.  
Axle:cnc-machined cr-mo.  
Bearing:isl bushing &  
sealed. Size:104 x 68 mm

**6301060**

Body:die-cast aluminum.  
Axle:cnc-machined cr-mo  
(cartridge). Bearing:isl  
bushing & sealed.  
Binding:single-sided cr-mo,  
tension adjustable. Cleat:sc-  
c01. Size:104x85 mm

**6301061**

Body:die-cast aluminum. Axle:cnc-machined cr-  
mo (cartridge). Bearing:isl bushing & sealed.  
Binding:fiber-glass reinforced thermoplastic,  
tension adjustable. Cleat:sc-arc10 or sc-blk10.  
Size:86x86 mm

**6301062**

Body:die-cast aluminum. Axle:cnc-  
machined cr-mo. Bearing:isl bushing &  
sealed. Binding:dual-sided cr-mo,  
tension adjustable. Cleat:sc-c01.  
Size:100x90 mm

**6301063**

Ultra light. Body: titanium Gal/4v.  
Axle:cnc machined titanium Gal/4v.  
Bearings:isl & sealed ball bearings.  
Size:100\*105mm



**6301065**

Bearing spindle colour size weight  
Body :alloy extrusion cnc finished. Bearing:ldu+l sealed. Spindle:cr mo. Color: any color. Size:100mmx105mmx10mm

**6301066**

body:aluminum forged/anodized spindle:cr-mo. Bearing:du/sealed. Size:104\*63.2\*25mm. Option:bl8lr/bl8lv

**6301067**

Body:alloy ball, bumished alloy. Slide:alloy ball burnished alloy. Cage:resin black. Bearing:ball bearing. Axle:alley key cr-mo. Size(mm^3):81\*119\*27. Reflector:option

**6301068**

Body:aluminum 6061 extruded cncmachind/tri-anodized. Spindle:cr-mo. Bearing:du/sealed. Size: 103.8\*101.5\*18.5..mm

**6301069**

Body:alloy extrusion cnc finished. Bearing:ldu+l sealed. Spindle: crmo. Color:any colour. Size:100mmx95mmx10mm

**6301070**

Body: alloy extrusion cnc finished. Bearing:ldu+l sealed. Spindle:titanium/cr-mo. Pin:replaceable pins.Size:95mm\*90mm\*22mm

**6301071**

Body:aluminum/ ed black or painted .magnesium/painted. Spindle:cr-mo. Bearing:du/sealed

**6301072**

Weight:219g/pr body:aluminum 6061 extruded cnd machined/anodized spindle:cr-mo. Bearing:du/sealed. Size:97\*60\*23mm

**6301073**

Body:alloy extrusion cnc finished. Bearing:ldu+l sealed. Spindle:crmo. Color: any color. Size:100mmx105mmx10mm

**6301074**

Body:6061 aluminum, cnc-machined body. Axle:cnc-machined cr-mo. Bearing:isl bushing & sealed. Other:replaceable grip pins. Size:113x100mm

**6301075**

Body:nylon with fiber. Spindle:cr-mo. Bearing:du/sealed. Size:111\*100\*27mm

**6301076**

Body:one-piece aluminum. W/r replaceable pin 0404. Spindle:cr-mo cnc machined. Bearings:dual & sealed bearing. Color:any color. Size:90\*83\*27mm

**6301077**

Body:alloy extrusion cnc finished. Bearing:ldu+l sealed. Spindle: crmo. Color:any colour. Size:100mmx95mmx10mm

**6301078**

Body:aluminum 5051 extruded,cnc machined/anodized.spindle:cr-no.size:92.5\*78\*24.8mm

**6301079**

Body:alloy ball, bumished alloy. Slide:alloy ball burnished alloy. Cage:resin black. Bearing:ball bearing. Axle:alley key cr-mo. Size(mm^3):81\*119\*27. Reflector:option

**6301064**

Multi-function design one side clip-in. Body:coated aluminum gray. Axie:cnc machined cr-mo. Bearings:isl & sealed ball bearings. Binding:single-sided,adjustable tension. Cleat:vp-c01. Size:89\*99mm. Reflector:optional. Option vp-r62ti:titanium axle.tw

**6301080**

Body:al-6061 extrusion. Size:113\*100mm. axle:br/st/cm/t. Bearing:ncs/cbs/lba/ba/bc/nb/bl/gf. Cage:al/st/nl/an/ba/bc/pc. Reflector:bs/tw/si/so/ob





A

**6301082**

Body:nylon+20%g. Size:110\*100mm



B

C

D

E



A

B

C

D

E

**6301083**

Body:engineering thermoplastic. Axle:cnc-machined cr-mo. Bearing:isl bushing & sealed. Other:replaceable grip pins. Size:110x105 mm



**6301084**

Body:aluminum 6061 extruded cnc machined/anodized. Spindle:cr-mo. Bearing:du/sealed. Size:108.7\*106.7\*25mm



**6301085**

Body:resin black. Slide:resin black. Cage:resin black.. Bearing:ball bearing.. Axle:alley key cr-mo.. Size(mm^3):68\*110\*27. Reflector:option



**6301086**

Body:one-piece black pp with inlaid rubber tread. Axle:boron steel. Bearing:ball bearings. Size:105x70mm



**6301087**

Body polypropylene Axle forged cr-mo Bearing ball bearings Binding toe clip + strap size 90 x 90 mm



**6301088**

Body:magnesium, cnc-machined body. Axle:cnc-machined cr-mo. Bearing:sealed & needle bearing. Option:replaceable grip pins. Other:reflectors included. Size:112 x 105 mm.



**6301089**

Body:aluminum/ ed black or painted magnesium/painted. Spindle:cr-mo. Bearing:du/sealed. Size: 98\*65\*20mm



**6301090**

Body:one-pieces alloy. Axle:cnc cr-mo. Bearing:ball bearing. Size(mm^3):63\*95\*23. Toe clip:attachable. Reflector:option



**6301091**

Eliminates cleat wear, improves walking comfort, lightweight, durable and flexible, compatible with scada cleat rsl, rslII, bsII, bsIII, also spd-sl system



**6301092**

Body:die-cast aluminum, single-side knurling. Axle:cnc-machined cr-mo (cartridge).bearing:isl bushing & sealed.option replaceable grip pins.other reflectors included. Size 112 x 103 mm



**6301093**

Body:6061 aluminum, cnc-machined body. Axle:cnc-machined cr-mo. Bearing:isl bushing & sealed. Other:replaceable grip pins. Size:100x97 mm



**6301094**

Body:aluminum/ ed black with cnc machined. Spindle:boron. Bearing:ball bearing. Size:102.5\*66\*25mm



**6301095**

Body:aluminum barrel silver with kraton top. Pindle:cr-mo. Bearing:ball bearing. Size:108.4\*82.4\*27.2mm



**6301096**

Mode:floating (4.5°) material:engineering thermoplastic/tpu plastic compatibility:spd-sl





### 712200-1 26" MTB Aluminum Wheelsets

### 712200-2 29" MTB Aluminum Wheelsets

- Elegant, versatile, artisan built entirely by hand for MTB XC bicycle
- M603 propeller tight bearing, straight pull, CNC machined aluminum hub
- Jalco X395/X450 19mm deep aluminum rims
- Spoke - Patented aluminum material 4.0-1.5-6.8mm aero spoke with aluminum nipples
- D.L.D. F-100mm / R-135mm
- Compatible to international 6 bolts Disc
- Spoke hole F-24H / R-24H
- Include rim tapes, QR, wrench and repair parts (spoke & nipple)



### 712201 26" Aluminum Wheelsets

- Elegant, versatile, artisan built entirely by hand for MTB XC bicycle
- M66 propeller tight bearing, CNC machined aluminum hub
- KLM XM250 25mm deep aluminum aero double wall rims
- Spoke - 2.0-1.8-2.0mm double butted spoke with T73 light aluminum nipples
- D.L.D. F-100mm / R-135mm
- Compatible to international 6 bolts Disc
- Spoke hole F-24H / R-24H
- Include rim tapes, QR and repair parts (spoke & nipple)



### 712202 700C Aluminum Clincher Wheelsets

- Fast, versatile, artisan built entirely by hand for 700C road bicycle
- R35 propeller tight bearing, straight pull, CNC machined aluminum hub
- KLM XR300 30mm deep aluminum aero double wall rims
- Spoke - 2.2-3.2-1.0mm aero spoke with T73 light aluminum nipples
- D.L.D. F-100mm / R-130mm
- Shimano & Campagnolo cassette body interchangeable
- Spoke hole F-20H / R-24H
- Include rim tapes, QR and repair parts (spoke & nipple)





### 712203 20" Carbon Clincher Wheelsets

- Fast, versatile, artisan built entirely by hand for 20" road bicycle
- R303 propeller tight bearing, straight pull, CNC machined aluminum hub
- Full carbon fiber 38mm deep aero clincher rims
- Spoke - Patented aluminum material 4.0-1.5-6.8mm aero spoke with aluminum hidden nipples
- D.L.D. F-100mm / R-130mm
- Shimano & Campagnolo cassette body interchangeable
- Spoke hole F-16H / R-20H
- Include rim tapes, QR, wrench and repair parts (spoke & nipple)



### 712204 700C Aluminum Clincher Wheelsets.

- Fast, versatile, artisan built entirely by hand for 700C road bicycle
- R306 propeller tight bearing, straight pull, CNC machined aluminum hub
- Jalco 25mm deep aluminum welded rims
- Spoke - Patented aluminum material 4.0-1.5-6.8mm aero spoke with aluminum hidden nipples
- D.L.D. F-100mm / R-130mm
- Shimano & Campagnolo cassette body interchangeable.
- Spoke hole F-16H / R-21H
- Include rim tapes, QR, wrench and repair parts (spoke & nipple)



### 712205 700C Aluminum Clincher Wheelsets

- Fast, versatile, artisan built entirely by hand for 700c road bike
- R36 propeller tight bearing, straight pull, CNC machined aluminum hub
- PACIFIC 46mm deep carbon rim
- Spoke-2.2-2.2-0.95mm aero spoke with T73 light aluminum nipple
- D.L.D: F:100mm, R:130mm
- Shimano & campagnolo cassette body interchangeable
- Spoke hole F-20H / R - 24H
- Include rim tape / Quick release and repair spoke, wheel bag





### 712206 Aluminum Wheelsets

- Elegant, versatile, artisan built entirely by hand for MTB bicycle
- M66 propeller tight bearing, CNC machined aluminum hub
- KLM XD230 19.5mm deep rim
- Spoke - 2.0-1.8-2.0mm double butted spoke with T73 light, aluminum nipple
- D.L.D.: F100 / R-135 Compatible to international 6 bolt disc
- Spoke hole: F-28H / R-28H
- Include rim tape, repair spoke, Quick release



### 712207 29" Aluminum Wheelsets MTB

- Elegant, versatile, artisan built entirely by hand for MTB XC bicycle
- M66 propeller tight bearing, CNC machined aluminum hub
- Jalco X450 19mm deep aluminum rims
- Spoke - 2.0-1.8-2.0mm double butted spoke with T73 light aluminum nipples
- D.L.D.: F-100mm / R-135mm
- Compatible to international 6 bolts Disc
- Spoke hole F-28H / R-28H
- Include rim tapes, QR and repair parts (spoke & nipple)



### 712208-1 20" Aluminum Clincher Wheelsets

### 712208-2 20" Aluminum Clincher Wheelsets

- Fast, versatile, artisan built entirely by hand for 20" road bicycle
- R303 propeller tight bearing, straight pull, CNC machined aluminum hub
- KLM XR240 24mm deep aluminum aero double wall rims
- Spoke - Patented aluminum material 4.0-1.5-6.8mm aero spoke with aluminum hidden nipples
- D.L.D.: F-100mm / R-130mm
- Shimano & Campagnolo cassette body interchangeable
- Spoke hole F-16H / R-20H
- Include rim tapes, QR, wrench and repair parts (spoke & nipple)



**712212-1:**

- KT-QL-SA5F HUB BK 204Y 109/144L(ANOD.BLK)+ CARBON
- RIM MR26CK+SPOKES PSR2016+ALLOY NIPPLES

**712212-2:**

- KT-QL-YU3R HUB BK 204Y 148/184L(ANOD.BLK)+ CARBON
- RIM MR26CK+ SPOKES PSR2016+ALLOY NIPPLES

**712213-1:**

- KT-QL-SA5F HUB BK 204Y 109/144L(ANOD.BLK) + CARBON
- RIM R650B+ SPOKES PSR2016+ALLOY NIPPLES

**712213-2 :**

- KT-QL-YU3R HUB BK 204Y 148/184L(ANOD.BLK)+ CARBON
- RIM MR650B+ SPOKE PSR2016+ALLOY NIPPLES

**712214-1:**

- KT-QL-SA5F HUB BK 204Y 109/144L(ANOD.BLK)+ CARBON
- RIM MR29CK+SPOKES PSR2016+ALLOY NIPPLES

**712214-2L:**

- KT-QL-YU3R HUB BK 204Y 148/184L(ANOD.BLK)+ CARBON
- RIM MR29CK+ SPOKES PSR2016+ALLOY NIPPLES



**604H850**

Size: 1-1/8"  
 Diameter: Ø28.6 / Ø39.8  
 Sets: 6 pcs  
 Material: Alloy

**604H851**

Size: 1-1/8"  
 Diameter: Ø28.6 / Ø44 / Ø47 / Ø30  
 Sets: 7 pcs  
 Material: Alloy

**604H852**

UPPER 1-1/8", LOWER 1-1/2"  
 Ø28.6x44x56x39.8  
 Material: Alloy  
 H: 15+4=19mm

**604H853**

1-1/8", Ø28.6x44x30  
 Material: Alloy  
 H: 9.2+3=12.2mm

**604H854**

Size: 1-1/8"  
 Material: Aluminum  
 Diameter: 28.6/49.7/30  
 Stack height: 15.7+6.8=22.5  
 Set: 13 pc

**604H855**

1-1/8", Ø28.6x44x30  
 Material: Alloy

**604H856**

1-1/8", Ø28.6x34x30  
 Material: Alloy  
 H: 15+10.5=25.5mm

**604H857**

1-1/8" Ø28.6x44x30  
 Material: Alloy  
 H: 14.5+3=17.5mm

**604H858**

UPPER 1-1/8", LOWER 1-1/2"  
 Ø28.6x44x49.7x39.8  
 Material: Alloy  
 H: 9+11.2=20.2mm

**604H859**

For 1-1/8", use with Ch-9198W

**604H860**

Alloy Cap: w/6.5mm hollow for pipe  
 Alloy expander:  
 (Ø2) Ø24 for steerer ID 24-25mm  
 (Ø2) Ø25 for steerer ID 25-26mm

**604H861**

For 1", use with Ch-664

**604H862**

H: 20.3+/-1mm  
 Size: 1.5" Head Tube Reduced to 1 1/8" Fork tube semi integrated + external cup threadless headset  
 Dimensions: Standard for: 5mm Height alloy cover upper cups insert Dia. 49.7mm. Lower cups insert Dia. 49.7mm. 1.5"-1-1/8" Taper fork steerer 39.8mm Fork crown-race  
 Material: Full Alloy  
 Remark: Available option: 1-1/8" straight Fork steerer. 30mm crown-race

**604H863**

Size: 1-1/4"  
 Diameter: Ø31.8 / Ø47 / Ø47 / Ø33  
 Sets: 9 pcs  
 Material: Alloy

**604H864**

H: 10.1+/-1mm  
 Finish: BK  
 Size: 1.5" head Tube Reduced to 1 1/8" Fork.  
 Dimensions: Upper Cups: 44mm. Lower Cups: 55mm. 1 1/8" straight Fork steerer Ø30mm Fork Crown-Race  
 Material: Full steel  
 SHIS NORM: ZS44/28.6 | ZS55/30  
 Remark: Available options For 1 1/8" to 1.5. Ø39.8mm crown Race. Available option For Lower cups insert Dia. 56mm

**604H865**

H: 11.7+/-1mm  
 Finish: Anodize Alloy cover  
 Size: 1 1/8"  
 Dimensions: Upper 44mm Lower 44mm Ø30mm  
 Material: Alloy cover, steel cups  
 Shis norm: ZS44/28.6 ZS44/30.0

**604H866**

H: 23.2+/-1mm  
 Finish: Anodize alloy cover  
 Size: 1 1/8"  
 Dimensions: Alloy size 15mm Height cover; upper cups insert Dia. 44mm. Lower 1-1/8" straight Fork steerer Ø30mm Fork Crown Race  
 Material: Alloy Cover, steel cups.  
 Shis norm: ZS44/28.6 ZS44/30.0

**604H867**

Switch BB30 to Shimano Ø24  
 R30-R: Switch BB30 to Truvativ Ø24/22



**604H868**

H:21.4+-1mm  
**Finish:**Cover:Black / white / blue  
**Size:**1.5" Head Tube Reduced to 1 1/8"  
**Dimensions:**Upper:44mm.Lower:55mm.1-1/8". Ø30mm fork crown-race  
**Material:**Full steel,w/Nylon Fiber  
**SHIS NORM:**ZS44 /28.61 ZS55/30  
**Remark:**Available options For 1 1/8" to 1.5" Tapered.Fork steerer,Ø39.8mm Crown Race.available Option For Lower cups insert Dial.56mm

**604H869**

H:11.9+/-1mm  
**Finish:**Anodized alloy cover  
**Size:**1.5" Head Tube Reduced to 1-1/8"  
**Material:**Full steel,w/alloy cover  
**Dimensions:**5mm Height Alloy cover.upper cups 44mm.Lower cups:55mm.Ø30mm  
**SHIS norm:**ZS44/28.61 ZS55/30  
**Remark:**H156M for 15mm "M" size alloy cover  
**Available Option:**H156H for 25mm "H" size alloy cover  
 Available Option "1-1/8" to 1.5". Ø39.8mm Crown-Race Available option for lower cups Insert Dia:56mm

**604H870**

H:9.9+/-1mm  
**Finish:**Anodized Alloy cover  
**Size:**1-1/4" Head Tube Reduced to 1-1/8"  
**Material:**Alloy Cover/Lower cups,steel upper cups/component  
**Remark:**H187M for 15mm "M" size alloy  
**Available Option:**H187H for 25mm "H" size alloy cover  
 Available Option "1-1/8" straight Fork steerer,Ø30.0mm Crown-Race

**604H871**

BB30 for Shimano spindle 24  
 Available for BB shell width 68mm and I.D.42mm  
 2 sealed bearings

**604H872**

Bb30 for FSA & SRAM.spindle 30. Available for BB shell width 68mm and I.D.42mm

**604H873**

**Material:**Forged Alloy and CNC Machined Press Fit Cups,Plastic Transparent Center Sleeve  
**Size:**Ø24mm Spindle ØØ Press Fit Cups Ø41mm Available For 86mm / 90mm / 92mm  
**Finish:**Anodized color cups

**604H874**

Press-Fit BB set for spindle 24  
 Available for BB shell I.D.46mm  
 Alloy adapters & sleeve  
 DF24R for Truvativ spindle 24/22

**604H875**

NEW TOOLSET FOR PRESS-FIT 30(46mm)  
 Aluminum alloy with shiny finished  
 Easy assembly and disassembly for press-fit BB adapter O.D.46mm  
 Available for BB386(FSA) / PF30(SRAM)  
 Assembly and disassembly for end face of frame shell bigger than BB adapter flange O.D.52mm

**604H876**

For BB shell width 68~86mm and I.D.46mm Available for spindle 30mm

**604H877**

Free direction and easy disassembly for press-fit BB adapter O.D.46mm subject to end face of frame shell smaller than or equal to BB adapter flange O.D. 52mm

**604H878**

Steel,ISO Square Cotterless Axle.1.37"x24T(BSA)

**604H879**

Forged Alloy and CNC Machined External Cups,Plastic Center Sleeve,English Threading (BC1.37"x24T,R/L)for 68mm&73mm Width.Oversized Sealed Bearing

**604H880**

Forged Alloy and CNC Machined External Cups,Plastic Center Sleeve,English Threading (BC1.37"x24T,R/L)for 68mm&73mm Width.Oversized Sealed Bearing

**604H881**

Press-fit BB set,Shimano system compatible.for 86.5mm Road/89.5mm and 92MM MTB.W:91g.R92R:compatible with Truvativ System





### 604H882

MULTI-FUNCTIONAL TOOL FOR PRESS-FIT BB  
Install and remove bearing 6805(25x37x7)  
Install and remove bearing 6806(30x42x7).  
Install and remove Press-Fit BB R92/T86  
Install and remove R30 (converter for BB30 to BB24)



### 604H883

Economical Press-Fit BB set  
For BB shell width 68-86mm and  
I.D.46mm Available for spindle 30mm  
2 sealed bearings



### 604H884

H:16.6+/-1MM  
FINISH:Anodize alloy cover  
Size:1-1/8"  
Dimension: 830mm  
Material:Alloy  
Shis Norm:IS42/28.61 IS42/30.0



### 604H885

Press-Fit BB set for spindle 24  
Available for BB shell I.D.46mm  
Alloy adapters & sleeve  
DF3024R for Truvativ spindle  
24/22



### 604H886

Press-fit BB set, Truvativ  
compatible



### 604H887

Press-fit BB set, Shimano system  
compatible, for road bikes with shell  
86.5mm. Alloy cup D.D. 41mm



### 604H888

Threadless Top cap



### 604H889

Stem adjuster



### 604H890

Reducer for press fit 30 to  
bsa



### 604H891

Expander



### 604H892

Expander



### 604H893

Threadless top cap



### 604H894

Threadless top  
cap



### 604H895

Material:AL6061-T6 CNC made  
Size:1-1/8"  
Standard: Blast anodize with stainless  
bolt available & star nut



### 604H896

Material:AL6061-T6 CNC made  
Size:1-1/8"  
Standard: Blast anodize with  
stainless bolt available & star  
nut



### 604H897

Material:AL6061-T6 CNC made  
Size:1-1/8"  
Standard: Blast anodize with  
stainless bolt available & star nut



### 604H898

Material:AL6061-T6 CNC  
made  
Size:1-1/8"  
Standard: Blast anodize with  
stainless bolt available &  
star nut



### 604H899

Material:AL6061-T6 CNC  
made  
Size:1-1/8"  
Standard: Blast anodize with  
stainless bolt available &  
star nut



### 604H900

Material:AL6061-T6 CNC made  
Size:1-1/8"  
Standard: Blast anodize with  
stainless bolt available & star nut



**610850**

Integrated Outside Bearing B.B.  
Chainring: 34/46T, 34/50T, 39/53T,  
Teeth(7075/T6)CNC. Crank: Hollow  
Carbon. Length: 170,172.5,175mm BCD:  
110mm. Outside bearing PE-3D

**610851**

Integrated outside bearing B.B. Chainring:  
52/42/30T, 52/39/30T Teeth(7075/T6)CNC  
Crank: Forged 6066/T6 alloy. Length:  
165,170,172.5,175mm. BCD: 130, 74mm

**610852**

Integrated Outside Bearing B.B. Chainring:  
38,40,42T, alloy ra 7075/T6 CNC  
Crank: Hollow Carbon.Length: 170,175mm.  
BCD: 104mm

**610853**

Length :165mm,170mm,172.5mm,175mm.  
BCD - 110mm. Chainring - 50/34T. Chainline  
- 43.5mm. Crank Weight - 770grams. BB  
Cups - BC-1.37x24/68mm BB Axle -  
Cromoly SCM435. Weight - 98grams

**610854**

Length - 170mm,172.5mm,175mm. BCD - 110mm.  
Chainring - 50/34T. Chainline - 43.5mm. BB -  
BB30. Crank Weight - 660grams (Including BB)

**610855**

Teeth:217:40/28T(9/10S)  
Material:Alloy-A,Steel:S  
Option Crankarm:4Arm/Alloy  
Forged/BCD104/64. Length:  
170,175mm. Spindle:CR-MO  
spindle 24mm  
Chainline:48.8mm. EB24:BB-  
EB2401. 8892:BB-889201

**610856**

Teeth: 231:36/22(10S).  
Material:Alloy:A,Steel:S  
Option Crankarm:  
4Arm/Alloy  
Forged/BCD104/64.  
Length: 170,175mm  
Spindle:CR-MO spindle  
24mm. Chainline:48.8mm.  
EB24:BB-EB2401. 8892:BB-  
889201

**610857**

44/32/24CCC. Length :170mm,172.5mm,175mm. BCD - 104/64mm  
Chainring - 44/30T. Chainline - 49mm. Crank Weight - 840grams  
BB Cups - BC-1.37x24/68 -73mm. BB Axle - Cromoly SCM435.

**610858**

44T AL CNC x 32T AL x 22T AL. Intergrated external  
bearing B.B system. 6061 Forged AL crank 175,170  
mm/BCD 104/64mm

**610859**

46T AL CNC x 36T AL.  
Intergrated external bearing  
B.B system. 6061 Forged AL  
crank 175,170,165mm/BCD  
110mm

**610860**

Integrated outside bearing B.B.  
Chainring: 39/53T teeth (7075/T6)CNC  
Crank: Forged 6061/T6 alloy. Length:  
140,152,165,170,172.5,175mm. BCD:  
130mm

**610861**

Teeth:220:30/34T(9/10S)  
225:50/39T(10s)  
Material:CNC:C,Alloy:A Steel:S Option  
L:170,172.5,175mm  
Spindle:alloy spindle 30mm





### 610862

Teeth:22:50/34T(9/10S).  
Material:CNC:C Alloy:A,Steel:S Option  
Crankarm:5Arm/Alloy  
Forged/BCD110. Length:  
165,170,172.5,175mm. Spindle:CR-MO  
spindle 24mm. Chainline:43.5mm



### 610863

Material - CNC Alloy 6061/T6. Size  
- 46T, 48T, 50T. BCD - 110mm  
Finish - Black, Silver, Ti, Ti Gold,  
Red, Blue, Gold, Pink



### 610864

Material - CNC Alloy 6061/T6. Size - 46T,  
48T, 50T, 52T, 53T, 55T, 56T, 58T, 60T  
BCD - 130mm. Finish - Black, Silver, Ti, Ti  
Gold, Red, Blue, Gold, Pink



### 610865

M8x8.5-9.9x7L. Material: Alloy 7075-T6



### 610866

M15x1.0x16.5. Material: Alloy 7075-T6



### 610867

BMX Three Piece Cr-Mo Tubular Crank.  
Round Shape 31.8mm Round / Square  
Shape Arm. Enhance One Piece Forged  
Head. 19mm-48T Spindle 170/175mm



### 610868

BMX Three Piece Cr-Mo Tubular  
Crank. 31.8mm Square Shape Arm.  
shape 19mm-48T Spindle  
170/175mm



### 610869

BMX Three Piece Cr-Mo Tubular  
Crank. Round Shape 31.8mm  
Square Shape Arm. 19mm-48T  
Spindle 170/175mm



### 610870

BMX Three Piece Cr-Mo  
Smaller Tubular Crank. shape  
28.6mm Square Shape Arm.  
19mm-48T Spindle 170/175mm



### 610871

BMX Three Piece Cr-Mo Smaller  
Tubular Crank. Round Shape  
28.6mm Square Shape Arm.  
19mm-48T Spindle 170/175mm



### 610872

7075/T6 alloy. BC: 1.37-  
24TP



### 610873

7075/T6 alloy. BC: 1.37-24TP



### 610874

7075/T6 alloy. BC: 1.29-24TP





**6171200**  
F:M5\*112-114mm, R:M5\*143/148/151mm



**6171201**  
Quick release, lever forged, Axle: CR-MO flat, F:M5x112-114mm, R:M5x143/148/151mm



**6171202**  
Quick release with to light, Axle: Titanium, F:M5x12-114mm, R:M5x143,148,151mm, L R-1130 button cell 1.5V 4pcs



**6171203**  
MATERIAL: ALLOY 6061-T6, DIA: 31.8/34.9, FINISH: Both SAND BLASTED & ANODIZED



**6171204**  
Stylish looking colorful QR



**6171205**  
Rubber available in blue/red/grey/black



**6171206**  
Type: Hub QR/M5, Material: carbon Lever, Cr-mo or Titanium Axle Length(L) F:109/121/115/R:144/148, 515/1.5



**6171207**  
For 130\*9mm or 135\*9mm rear fork



**6171208**  
F:M5\*112-114mm, R:M5\*143/148/151mm



**6171209**  
F3lg, R:35g



**6171210**  
Material: Lever AL7075T6, Axle is Titanium



**6171211**  
Material: Lever AL7075T6, Axle is Titanium



**6171212**  
Type: Hub QR, Material: AL7075 Axle: Alce Diam: 15mm, Length(L): 145mm



**6171213**  
Type: Hub QR / M5, Material: Alloy Lever, Cr-mo or Titanium Axle, Length(L): F109, 112, 115 / R:144/148/515/1.5



**6171214**  
Alloy forged nes stylish QR, smoother clipping routing and handy gripping operation. CHFQ-01RS is black anodized example finisher. CHFQ-01FS is white paint coating example finished. S:w/steel knurled rings on both inside connecting face



**6171215**  
Quick release, lever carbon, Axle: CR-MO flat, F:m5x112-114mm, R:M5x143,148,151mm, Weig



**6171216**  
Suitable for 9mm dropout





**810001**  
SUPER SUPREME COLOR: CLEAR BLUE/BUE/YELLOW/RED/SMDKE BLACK



**810002**  
SUPREME COLOR: CLEAR BLUE



**810003**  
UNTIMATE COLOR: BLACK/BLUE/YELLOW/RED/WHITE/GREEN/PINK/MAXX LS ORANGE



- 810004**  
**810004-1**: Brake ATB/MTB 1.5mm x 1700mm 3I Slick Galvanized  
**810004-2**: Brake ATB/MTB 1.5mm x 1700mm Superior Shine  
**810004-3**: Brake ROAD 1.5mm x 1700mm 3I Slick Galvanized  
**810004-4**: Brake ROAD 1.5mm x 1700mm  
**810004-5**: Shift ATB/MTB/ROAD 1.1mm x 2000mm 3IS Slick Galvanized  
**810004-6**: Shift ATB/MTB/ROAD 1.1mm x 2000mm Superior Shine



- 810005**  
**810005-1**: BRAKE COLOR: BLACK/WHITE/GRAY/BLUE/RED/PINK/YELLOW/MAXXIS ORANGE/MERIDA GREEN  
**810005-2**: SHIFT 4mm BLACK/WHITE/GRAY/BLUE/RED/PINK/YELLOW/MAXXLS ORANGE/MERIDA GREEN BLACK, GREY



- 810006**  
**810006-1**: Brake ATB/MTB/ROAD 1.5mm x 1700mm 7 x 6 & 6 x 10 3IS Slick Galvanized  
**810006-2**: Brake ATB/MTB/ROAD 1.5mm x 1700mm 7 x 6 & 6 x 10 Superior Shine  
**810006-3**: Shift ATB/MTB/ROAD 1.1mm x 2000mm 4 x 4 & 5 x 3 3IS Slick Galvanized  
**810006-4**: Shift ATB/MTB/ROAD 1.1mm x 2000mm 4 x 4 & 5 x 3 Superior Shine



- 810007**  
**810007-1**: BRAKE 5mm 2P 60\*65 Color: BLACK/WHITE/GRAY/BLUE/RED/PINK/YELLOW/MAXXIS ORANGE/MERIDA GREEN  
**810007-2**: SHIFT 5mm 2P 70\*75 Color: BLACK/WHITE/GRAY/BLUE/RED/PINK/YELLOW/MAXXIS ORANGE/MERIDA GREEN



**810008**  
C-Clip for hydraulic housing. Size: 10.5mm



**810009**  
Protector for frame. Size: For brake 1.5mm inner wire. For derailleur 1.2mm inner wire. Material: Aluminum Color: Anodized





**810010**  
Alloy adjuster bolt . For road bike derailleur cable. Size: M5x13.5mm. Color: Anodized



**810011**  
Alloy adjuster bolt for road bike derailleur cable. Size: M5x18mm. Color: Anodized



**810012**  
Rubber Shield 40 mm. Material: Rubber OEM



**810013**  
O-ring 1.5mm, wire protector 3pcs/set



**810014**  
Bullet inLine Adjuster Adjustment for derailleur to improve the accuracy. Fool proof design to prevent over adjusting. Usable for the housing between 4mm to 5mm Optional colors for the appearance.



**810015**  
Suitable for 4-5mm cable kit. 3.6 x 40L Color:BLACK/WHITE/PURPLE/BLUE/RED/PINK/YELLOW/ORANGE/GREEN



**810016**  
Silicone Housing Shield Color: PINK/PURPLE/ORANGE/GREEN/BLUE/GREEN



**810017**  
Material: Silcon. Cable protector for brake & derailleur wire derailleur ( 3mm) 2pcs. brake (4mm) 2pcs



**810018**  
Alloy adjuster bolt for road bike derailleur cable. Size: M5x18mm. Color: Anodized



**810019**  
810019-A For 20" Freestyle cable  
810019-B For 20" Freestyle cable



**810020**  
Down tube shifter mount to handle bar Spec # 26 with 24 & 22.2 shim. Material : Alloy CNC machined



**810021**  
Polymer/ stick-on



**810022**  
Polymer/Ziptie





Excellent Cycles  
**ProSuperGo**

OFFICE: 3F NO.21 YUNG-FU STREET, SAN CHUNG

DISTRICT 24156, NEW TAIPEI CITY, TAIWAN

TEL: 886-2-22861939, 22874013, 22801645

FAX NO.886-2-22868595

[www.prosupergo.com](http://www.prosupergo.com)

[psupergo@ms5.hinet.net](mailto:psupergo@ms5.hinet.net)