

[www.prosupergo.com.tw](http://www.prosupergo.com.tw)

# ProSuperGo



**GEOTECH**

[www.geotechbikes.com](http://www.geotechbikes.com)

# INDEX

**B**ICYCLES 1-5

**T**OOL & **C**ABLE PARTS  
& **P**UMP & **H**ELMET 6

**T**OOL 7

**S**ADDLES 8

**S**UNGLASSES 9

**C**OMPUTER WIRELESS & **P**EDALS  
**G**RIPS & **B**ACK MIRRORS & **B**AG 10

**B**AG & **G**LOVES & **B**ASKETS &  
**M**UDGUARDS/**F**ENDERS 11

**W**ATER **B**OTTLES & **B**OTTLE CAGE &  
**B**ELL & **B**IKE TRAINER & **C**ARRIER 12

**K**ICKSTAND & **L**OCK & **L**IIGHT 13





**GEO MEN 27.5 E-BIKE**

Frame : 27.5 Alloy 6061 Painted With Disc Brake Mounted  
 Fork : 27.5 Zoom Suspension Fork With Disc Brake Mounted  
 Handle Bar : Zoom Alloy S.B. Black  
 Handle Stem : Zoom Alloy S.B. Black  
 Saddle : Velo  
 Seat Post : Zoom Alloy Black  
 Transmission : Shimano Deore 10-speed  
 Brake System : Shimano M355 Hydraulic Disc Brake  
 Rim/Wheel : 700C Alloy Rim, Novatec Hub Maxxis Tire  
 Motor : BA FANG Max Drive  
 Screen : BA FANG Max Drive  
 Battery : 36V10.4AH Panasonic



**GEO LADY 700C E-BIKE**

Frame : 700c Alloy 6061 Painted  
 Fork : 700c Zoom Suspension Fork  
 Handle Bar : Zoom Alloy Black  
 Handle Stem : Zoom Alloy Black  
 Saddle : Velo  
 Seat Post : Zoom Alloy Black  
 Transmission : Shimano Nexus 3-Speed  
 Brake System : V-Brake, Shimano BR-IM31-R  
 Rim/Wheel : SST Rims, Shimano SG-3R40  
 Motor : Mxus  
 Battery : 36V13AH Phyllion Walle-s  
 Screen : DMHC 480-LCD



**AIR SPEED**

Frame : Carbon 700C Painted  
 Fork : Carbon 700C Painted  
 Handle Bar : Carbon 3.K. Bar Bore : 31.80  
 Handle Stem : Carbon 3.K. Bar Bore : 31.80  
 Brake : Sram Alloy Black  
 F. Derailleur : Shimano Tiagra KFD-4600F Silver  
 R. Derailleur : Shimano Tiagra KFD-4600F Silver  
 L/R Shifter Lever : Shimano KST-4600 W/Cable  
 Rim : 700C Alloy Anodized Black  
 Tire/Tube : 700 x 25C Black  
 Pedal : Alloy Body Silver / Cage Black





**GEO 27.5 MTB**

Frame : 27.5 Alloy Painted With Disc Brake Mounted  
 Fork : 27.5 Alloy Suspension Fork Painted With Disc Brake Mounted  
 Handle Bar : Alloy S.B. Black  
 Handle Stem : Alloy S.B. Black  
 Brake : Shimano Disc Brake BRM-315KIT  
 F. Derailleur : Shimano FD-M370  
 R. Derailleur : Shimano RD-M370  
 L/R Shifter Lever : Shimano SL-M370  
 Rim : 27.5 Alloy Double Wall  
 Tire/Tube : 27.5 Black

**TP 26 MTB**

Frame : 26" Alloy Painted  
 Fork : Suntour M3030-A  
 Handle Bar : Bar Bore 31.80 Alloy S.B. Black  
 Stem : Bar Bore : 31.80 Alloy S.B. Black  
 Brake : V-Brake Alloy  
 F. Derailleur : Shimano FD-TY500-TS6  
 R. Derailleur : Shimano RD-TY-300  
 L/R Shifter Lever : Shimano ST-EF500 L/R  
 Rim : 26" Alloy Painted Grey W/CNC Wall  
 Tire/Tube : 26 X 2.0 Black  
 Pedal : LU-984 P.P. Blackw/ball W/ref.



**PATH XCK-24**

Frame : 24" Alloy Painted With Disc Brake Mounted  
 Fork : 24" Alloy Crown, Steel Blade W/Disc Brake Mounted  
 Handle Bar : Alloy S.B. Black  
 Handle Stem : Alloy S.B. Black  
 Brake : Alloy Disc Brake  
 F. Derailleur : Shimano  
 R. Derailleur : Shimano RD-TX35D  
 L/R Shifter Lever : Shimano L:ST-EF51-AL, R : ST-EF51-A7R  
 Rim : 24" Alloy Black  
 Tire/Tube : 24 X 2.10 Black





**TRIP 1**

Frame : 28" Alloy Painted  
 Fork : oom 141 Alloy Crown, With Steel Blade  
 Handle Bar : Bar Bore 31.80 Alloy S.B. Black  
 Stem : Bar Bore 31.80 Alloy S.B. Black  
 Brake: Alloy V-Brake Black  
 F. Derailleur : Shimano T -30 31.80mm  
 R. Derailleur : Shimano ARD-TY-500D  
 W/ Bracket 7-speed  
 L/R Shifter Lever Sram Grips Shifter 21-Speed  
 Rim : 700C Alloy Black  
 Tire/Tube : 700 X 38C Black  
 Pedal : P.P. W/ball Black W/ref.



**TRIP 2**

Frame : 28" Alloy Painted  
 Fork : oom 141 Alloy Crown, With Steel Blade  
 Handle Bar : bar Bore 31.80 Alloy S.B. Black  
 Stem : Bar Bore 31.80 Alloy S.B. Black  
 Brake : Disc Brake Alloy  
 F. Derailleur : Shimano T -30 31.80mm  
 R. Derailleur : Shimano ARD-TY-500D  
 W/ Bracket 7-speed  
 L/R Shifter Lever : Sram Grips Shifter 21-Speed  
 Rim : 700C Alloy Black  
 Tire/Tube : 700 X 38C Black  
 Pedal : P.P. W/ball Black W/ref.



**GEO SPORT**

Frame : 700C Alloy Painted  
 Fork : 700C Alloy Painted  
 Handle Bar : Alloy S.B. Black  
 Handle Stem : Alloy S.B. Black  
 Brake : Alloy Disc Brake Black  
 F. Derailleur : Shimano FD-TY-700TSM3 -  
 Double Pull 31.80  
 R. Derailleur : Shimano ARDM310DL -  
 W/ Bracket Silver  
 L/R Shifter Lever : Shimano KST- 4600  
 Rim : 700 X 32C Alloy Black  
 Tire/Tube : 700 X 32C Black  
 Pedal : P.P. Black





**GEO 28 CARRIER BIKE**

Frame : 28" Alloy Pained  
 Fork : 28" Steel Painted  
 Handle Bar : Steel C.P.  
 Handle Stem : Alloy Clamp/Stainless Steel  
 Brake : Alloy Black  
 Front Hub : KT-A16F Alloy Silver  
 Rear Hub : Shimano ASG3C41A2078 3-speed Steel C.P.  
 Rim : 700C Alloy Black  
 Tire/Tube : 700C Black  
 Front Carrier : Steel Painted  
 Rear Carrier : Steel Painted



BLACK



**20 ANDROIDX**

Frame : 20" Alloy Painted  
 Fork : 20" Suspension Fork Painted  
 Handle Bar : Steel ED Black  
 Handle Stem : Alloy ED Black  
 Brake : V-Brake Alloy Black  
 R. Derailleur : Shimano RD-TY300 Black  
 R. Shifter Lever : Shimano SL-RS25-7R Revo Shifter  
 Rim : 20" Alloy Silver  
 Tire/Tube : 20 X 2.10 Black



WHITE



RED



BLUE



**16 ANDROIDX**

Frame : 16" Alloy Painted  
 Fork : 16" Steel Painted  
 Handle Bar : Steel ED Black  
 Handle Stem : Steel ED Black  
 Front Brake : Alloy Front Caliper Brake Black  
 Rear Brake : KT-305R Coaster Brake  
 Rim : 16" Alloy Black  
 Tire/Tube : 16 X 1.75 Black





**FOLD-UP 20.1**

Frame : 20" Alloy Foldin Type  
 Fork : 20" Steel Painted  
 Handle Bar : Alloy Foldin Type S.B. Silver  
 Handle Stem : Alloy Foldin Type S.B. Silver  
 Brake : V-Brake Alloy Silver  
 R. Derailleur : Shimano ARD-TY-500D Inde Black  
 R. Shifter Lever : Shimano ASL-RS45R8AT For 8 -speed  
 Rim : 20" Alloy Silver  
 Tire/Tube : 20 X 1.75 Brown Color  
 Pedal : VP-F55 Fold Type P.P. Black

**FOLD-UP 20TP**

Frame : 20" Alloy Foldin Type  
 Fork : 20" Alloy Painted  
 Handle Bar : Alloy Foldin Type S.B. Silver  
 Handle Stem : Alloy Foldin Type S.B. Silver  
 Brake : Alloy V-Brake Black  
 F. Derailleur : Alloy FD-R42 Silver  
 R. Derailleur : Shimano Tia ra KRD-460ISS  
 9 Speed W/o Bracket  
 L/R Shifter Lever : Shimano L : ASLM-390LB,  
 R : ASLM-3000RA Alloy Black  
 Rim : 20" Alloy Anod. Black With CNC Wall  
 Tire/Tube : 20" Black W/Yellow Ed e  
 Pedal : Alloy Foldin Type Black



**FOLD-UP 20.0**

Frame : 20" Alloy Foldin Type Painted  
 Fork : 20" Steel Painted  
 Handle Bar : Alloy Foldin Type S.B. Black  
 Handle Stem : Alloy Foldin Type S.B. Black  
 Brake : V-Brake Alloy Black  
 Freewheel : Sin le Speed 1/2 X 1/8 X 16T  
 Rim : 20" Alloy ED Black  
 Tire/Tube: 20" Black  
 Pedal : VP-F55 Fold Type P.P. Black



**FOLD-UP 16**


Frame : 16" Foldin Type Painted  
 Fork : 16" Steel Painted  
 Handle Bar : Alloy Black  
 Handle Stem : Alloy Black  
 Brake : Alloy V-Brake Black  
 R. Derailleur : Shimano RD-FT35  
 Rim : Alloy Silver  
 Tire/Tube : 16" Black





Pump

Helmet



GHP-048

Floor pump w/ based mounted au e Durable Steel barrel W/ CVA clever valve W/air-realease button W/ Dunlop Valve Adapter Ball Ma . pressure 160psi, 2.5" au e



GHP-049

LCD Top-Mounted di ital au e Steel floor pump 2-tone handle and durable Steel barrel Steel base w/non-slip base W/ CVA clever valve W/air-realease button W/ Dunlop Valve Adapter Ball Ma . prussure 180psi



GHP-050

12" Hi-polishAlum Micro Floor Pump w/Alum T handle w/CNC au e Gau e on the hose Reversible for Presta and Schrader univer- sal hose rotatin structure Ma . pressure 140psi peratin like a Micro Floor Pump



GHP-051

Compact Alum Shock pump with Di ital au e Alum Barrel and Handle, 8.5" len th LCD Display of the di ital au e Battery is chan eable Durable stainless pump head UP-SS With Micro ad ust air-bleeder, 2-3psi/ push Ma . pressure 300psi



GHE-029

Material : PC Eps 285G-300G/Pcs CE Pass With Head Lock and Visor Inmold nly one si e



GHE-028

Material : PC Eps 285G-300G/Pcs CE Pass With Head Lock and Visor Inmold



GHE-027

Material : PC Eps 285G-300G/Pcs CE Pass With Head Lock and Visor Inmold



GHE-026

Material : PC Eps 285G-300G/Pcs CE Pass With Head Lock and Visor ut-mold nly one si e

Cable Parts




GCP-019

Cable Ad uster



GCP-018

Cable Ad uster M6 14mm



GHE-025

Material : PC Eps 285G-300G/Pcs CE Pass With Head Lock and Visor Inmold nly one si e

Tool



GHT-135

Carrier Straps Steel Hook with pvc coatin



GHE-024

Material : PC Eps 285G-300G/Pcs CE Pass Black EPS Inmold With hi h quality ad uster and Headlock





Tool



**GHT-127**

For Shimano Professional selections of tool including 31 items



**GHT-133**

14 Function  
He mm 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 1 - / T25 / 3.2 / 3.3 / 3.5 Spoke wrench



**GHT-134**

10 Function  
He mm 2 / 2.5 / 3 / 4 / 5 / 6 / 8 / 1 - / T25



**GHT-139**

11 in 1 mini tools  
he 2 / 2.5 / 3 / 4 / 5 / 6 / 8 mm / PH2 / flat / T25 w/anodized alloy C 2 inflated valve, open stop the air function for fitting Presta Schrader, Cr-V material CP finish



**GHT-140**

17 in 1 folding tool with Si e : he 2 / 3 / 4 / 5 / 6 / 8 mm / T25 / flat / PH2, bottle opener, spoke wrench 12 / 14 / 15 / 16G/T30 mavic spline chain tool for available 7-11 speeds chain, knife



**GHT-141**

21 in 1 folding tool W/ Cr-V, alloy arm, NP  
si es: he 2 / 2.5 / 3 / 4 / 5 / 6 / 8 mm / T25 / flat 5 / PH1 / 2, knife tire lever, chain tool, chain retainer, spoke wrench 12 / 14 / 15 / 16G, bo wrench 8 / 9 / 10 mm



**GHT-142**

14 in 1 folding tool w/ CNC alloy arm, NP, chain tool  
si es: he 2 / 3 / 4 / 5 / 6 / 8 mm / T25 / flat / PH2, spoke wrench 14/15/16G/T30 Mavic



**GHT-129**

Freewheel Tool  
With comfortable handle and heat treatment for long use 9.10 speed



**GHT-131**

Freewheel Tool  
For Shimano CS compatible cassettes and Center Lock disc brakes, Cr-V steel.



**GHT-130**

Freewheel Tool  
For Shimano MF compatible freewheels Campa nolo cassettes splined 12-tooth bottom bracket cups found on the square spindle systems



**GHT-135**

Display stand For 20 29" Clamp C N



**GHT-132**

Cartridge B.B. tool  
Bottom bracket tool Shimano ISIS Drive compatible.- Made of Cr-Mo steel. For use with 1/2 driver and 24mm spanner



**GHT-138**

Tire clamp is a outstanding design for install heavy duty tire



**GHT-128**

Bicycle Tire Lever Bottle opener-2 in 1 Functional Tool Set  
3pcs of set  
Material : Iron



**GHT-137**

Chain Splitter W/Rose Wood Handle / Double Drivin Pin For E chain Repair, Use 7-11 Speed





Saddle



GSA-037

Rail : Satin steel  
 Si e : 277 140 mm  
 Wei ht : 291



GSA-038

Base : Double Density  
 Rail : Satin Steel  
 Si e : 272 175 mm  
 Wei ht : 413G



GSA-039

Base : Double Density  
 Rail : Satin Steel  
 Si e : 282 170 mm  
 Wei ht : 467G



GSA-040

Base : Double Density  
 Rail : Satin Steel  
 Si e : 268 170 mm  
 Wei ht : 586G



GSA-041

Base : Double Density  
 Rail : Satin Steel  
 Si e : 270 176 mm  
 Wei ht : 440G



GSA-042

Base : Double Density  
 Rail : Satin Steel  
 Si e : 282 188 mm  
 Wei ht : 514G



GSA-043

Base : Double Density  
 Rail : Satin Steel  
 Si e : 283 172 mm  
 Wei ht : 400G



GSA-044

Base : Double Density  
 Rail : Satin Steel  
 Si e : 261 192 mm  
 Wei ht : 423G



GSA-045

Material : EVA  
 Si e : 275 150 mm  
 Wei ht : 305  
 Rail : Steel  
 Color : Black / Pink / Green /  
 Blue / ran e / Brown /





Sunglasses



GSU-029A

Color : Matt alum reen



GSU-029B

Color : Matt black



GSU-029C

Color : Matt White



GSU-030A

Color : Matt White, blue camo water transfer



GSU-030B

Color : Matt White, red camo water transfer



GSU-030C

Color : Matt White, black camo water transfer



GSU-031A

Color : Shiny blue



GSU-031B

Color : Shiny ran e



GSU-032B

Color : Shiny Pink



GSU-032C

Color : Shiny Blue



GSU-033A

Color : Shiny Blue



GSU-033B

Color : Matt red



GSU-033C

Color : Matt Gray



GSU-034A

Color : Shiny metallic un ray



GSU-034B

Color : Matt reen



GSU-034C

Color : Matt crystal blue



GSU-034D

Color : Shiny crystal pink



GSU-035A

Color : Shiny crystal bru ndy w/two old circle d cor on frame



GSU-035B

Color : Shiny elly white, hot dye reen camo paper, w/two old circle d cor on frame



GSU-035C

Color : Shiny elly ray, hot dye black/ ray camo paper, w/two old circle d cor on frame



GSU-036A

Color : Matt alum purple



GSU-036B

Color : Shiny pearl black



GSU-036C

Color : Shiny pearl white



GSU-037A

Color : Matt sky blue



GSU-037B

Color : Shiny crystal reen



GSU-037C

Color : Matt pink



GSU-038A

Color : Matt crystal flourescent reen



GSU-038B

Color : Matt crystal flourescent pink



GSU-039A

Color : Shiny crystal Blue, shiny ray spray on front



GSU-039B

Color : Shiny crystal hoy dye animal paper



## Computer/Wireless



**GCC-023**

GCC-023-A  
Wired 8 Functions  
GCC-023-B  
Wired 11 Functions  
GCC-023-C  
Wired 15 Functions  
Color : Black / White



**GCC-028**

GCC-028-A  
Wireless 8 Functions  
GCC-028-B  
Wireless 11 Functions



**GCC-025**

GCC-025-A Touch  
Wired 8 Functions  
GCC-025-B Touch  
Wired 11 Functions  
Color : Black / White



**GCC-026**

GCC-026-A Solar  
Wired 8 Functions  
GCC-026-B Solar  
Wired 11 Functions  
GCC-026-C Solar  
Wired 15 Functions  
Color : Black / White



**GCC-027-A**

Wired 11 Functions  
Color : Black

## Pedal / Grip



**GPE-047**

Body : Aluminum 6061  
4D CNC machined / anodized  
Axle : Cro-Mo / CNC machined  
Germany Self-lubricating  
bearings Sealed-ball bearings  
Size : 93 115mm



**GGR-081**

Size : L 128 mm



**GGR-082**

Size : L 128 mm  
W/ Anodized  
Aluminum Clamp



**GGR-083**

Size : L 128 mm  
W/ Anodized  
Aluminum Clamp



**GGR-080**

Material : Rubber  
noctilucant  
Size : 126mm



**GGR-079**

Material: Silicone  
Size : L 130 mm

## Back Mirrors/Bag



**GBM-014L/R**

Lenses : High-definition, blast  
resistant, anti-glare lens  
Silver lens : Anti-glare 50  
eliminates glare in normal  
environment  
Base : Eco-Friendly High  
Impact Nylon Fiber  
Clamp : Aluminum Ed-Black  
pen-System  
Match : Flat 22.2 mm diameter  
handlebars  
Lens Color : Silver



**GBM-016**

For Road Bike  
Lenses : High-definition, blast  
resistant, anti-glare lens  
62mm diameter  
Base : Eco-Friendly High  
Impact Nylon Fiber  
Application : Flat handlebars  
and drop bars within  
16mm 22mm diameter bar  
ends Universal design for left  
and right



**GBM-015**

For Road Bike  
Lenses: Stainless Diameter 68mm  
Body : Nylon Fiber Eco-Friendly High  
Impact  
Color : Black / Orange / Green



**GBM-017**

Material: PP  
Available in left / right



**GBA-031**

Frame Base  
Material: water resistant 420D  
Polyester Dimension: 42 12  
26 18 6 w cm Car only  
Capacity: 2.9L  
Attachment: Velcro strap



Bags



GBA-032

Roll-top Down Tube Bag  
 Material : water resistant  
 420D Polyester Dimension :  
 30 7 9 cm rolled Car o  
 Capacity :1.6L  
 Roll-top closures provides  
 flexibility of adjusting car o  
 capacity to users need



GBA-033

Top tube bag  
 Material: water resistant  
 Ripstop 420D Polyester  
 Dimension : 20 4 8.5  
 4.5 W cm  
 Car o Capacity : 0.4L  
 Attachment : Velcro strap



GBA-030

Hydration Backpacks  
 Material : water-resistant  
 600D Polyester  
 Dimension : 47.0 28.6  
 8.9 cm  
 Total capacity : 3.5 Ltr.  
 Hydration capacity : 1.5 Ltr  
 W/1.5ltr. TPU Bladder



GBA-034

Water Bottle Bucket  
 Material : Water resistant  
 Ripstop 420D Polyester  
 Dimension : 8.5 dia. 18cm  
 Position adjustable Velcro  
 strap mount to handlebar and  
 stem, one bottom strap fits to  
 fork crown

Gloves



GGL-008

Material : Spandex, Amara,  
 Terry, GEL insert, Silicone  
 Size : XS XXL



GGL-009

Material : Sensafil, Lycra,  
 Lycra mesh, Towel,  
 Polyurethane  
 Size : XS XXL



GGL-010

Material : Front Amara  
 material, 3D Mesh Ventila-  
 tion, Nonslip Silicon,  
 Gel Foam Paddin .  
 Size : XS XXL



GGL-011

Material : Amara, soft shell  
 material and silicone  
 printing  
 Size : XS XXL

Baskets



GBK-003

39 28 24 cm  
 Material : aluminum  
 With Pine wood



GBK-004

36 27 24 cm  
 Material : aluminum

Mudguards/Fenders



GMU-016

For 26"-29" ATB, MTB bikes  
 Front adjustable size  
 15-30mm  
 Material : P.P / TPR



GMU-017

For 26"-29" ATB, MTB bikes  
 Material : P.P



## Water Bottles/Cages/Carrier



**GBC-055**

Material : 304 Stainless Steel  
Capacity : 350c.c / 600 c.c.



**GBC-056**

Material : Alloy



**GBC-058**

Alloy Cage Adapter  
φ22.2mm~φ31.8mm adjust vertical or lateral direction when it fits on the handle bar or stem



**GBC-054**

Double Side bottle carrier  
Material : Alloy  
Color : Black / Silver



**GBC-057**

Material : Alloy



**GRC-008**

Alloy front basket carrier  
With wood plate and supportive tensions

## Bell



**GBE-038**

Size : 45mm  
Material : Alloy top with plastic base and lever  
Color : Blue / Water blue / Green / Pink / silver / orange



**GBE-039**

Size : 45mm  
Material : Alloy top with plastic base and lever  
Color : Blue / Red / Green / purple / orange / Yellow



**GBE-040**

Size : 34mm  
Handle bar size : 19.2-31.8mm  
Material : Alloy top with plastic strap  
Color : A~F



**GBE-041**

E Bell  
All Plastic surface  
Size : 42mm  
Color : Red / White



**GBE-042**

Gold E Bell  
All Plastic surface  
Size : 42mm

## Bike trainer



**GKS-026**

Bike trainer  
Material : Steel  
Size : 24/26/28  
W/ Front Wheel plastic and quick release  
Color : Black / White / Red / Yellow / Blue



**GKS-027**

Bike trainer magnetic wheel  
Material : Steel  
Size : 24/26/28  
W/ Front Wheel plastic and quick release  
Color : Black / White / Red / Yellow / Blue



**GKS-028**

Bike trainer magnetic wheel  
Material : Steel  
Size : 24/26/28  
W/ Front Wheel plastic and quick release  
Color : Black / White / Red / Yellow / Blue



**GKS-029**

Bike trainer magnetic wheel  
Material : Steel  
Size : 24/26/28  
W/ Front Wheel plastic and quick release  
Color : Silver Blue / Silver Black



**GKS-030**

Roller Bike Trainer  
Material : Aluminum Alloy  
Color : Gold / Black / Red / Blue



Kickstand



GKS-022

Rear Kickstand  
Powder Coatin  
Si e : Ad ustable 26" - 29"  
Hole distance : 18mm



GKS-023

Rear Kickstand  
Powder Coatin  
Si e : Ad ustable 26" - 29"  
Hole distance : 40mm



GKS-021

LED Rear Kickstand  
Material : Alloy  
Si e : 26" - 29"  
LED Li ht : 6000mcd  
last for 32 hiurs



GKS-024

Rear Kickstand  
Material : Alloy  
Si e : Ad ustable 24"-29"  
Color : Black



GKS-025

Rear Kickstand  
Material : Alloy  
Si e : Ad ustable 24"-29"  
Color : Black

Lock



GLO-016

W / bracket  
Material : inc Alloy, Plastic,  
Steel, Copper  
12 mm Steel Shackle to  
Resist Hand Tools  
Easy-to-use reversible key  
Color : Red / Yellow / Pink /  
Blue



Lock



GLO-017

4 di it resettable combination  
chain lock  
Si e : 4mm 120cm  
Color : A F

GLO-018

4 di it resettable combination  
chain lock  
Si e : 4mm 120cm  
Color : A F

GLO-019

Reversible key, Easy to use  
Si e : 4mm 120cm  
Color : A F

Light



GLI-042

Aluminium USB Rechar eable  
Headli ht  
LED : 3 Watt Hi-Power LED  
Run Time : 14 hrs Constant / 6 hrs  
Boost / 3 hrs Super Bri ht / 20  
hrs Pulsatin / 400 hrs Flashin  
Water resistant  
Color : Black / Gray / Silver



GLI-043F/R

GLI-043F USB Front 1 White LED  
GLI-043R USB rear 1 Red LED,3 Modes : Flash /  
Constant / Pulsatin ,Lithium-ion Polymer Battery Included  
Water resistant, Color : Black / Green / Red / White / Blue



GLI-045

Aluminium USB Rechar eable Headli ht  
Li ht utput : 300 lumens  
LED : 3 Watt White LED  
Battery : Rechar eable Lithium-ion Battery  
2600mah  
Run Time : 17 hrs Constant / 7 hrs Boost /  
3.5 hrs super Bri ht 40 hrs Pulsatin /  
200 hrs Flashin  
Water resistant  
Color : Black / Gray / Silver



GLI-044

USB Rear Li ht, 2 Red LED  
Li ht utput : 8 lumens  
Battery : Rechar eable Polymer  
Lithium-ion Battery  
Runtime : 2hr Hi h / 5 hrs Low / 17  
hrs flashin / 9 hrs Pulsatin  
Char in Time 2-3hrs  
Water resistant





# ProSuperGo

FFICE : 3F, N .21, YUNG-FU STREET SAN CHUNG  
DISTRICT 24156 ,NEW TAIPEI CITY, TAIWAN

FAX N : 886-2-22868595

PH NE : 886-2-22861939, 22874013, 22801645

E-mail : [psuper\\_o\\_ms5.hinet.net](mailto:psuper_o_ms5.hinet.net)

[www.prosuper\\_o.com.tw](http://www.prosuper_o.com.tw) / [www.eotechbikes.com](http://www.eotechbikes.com)